Paper 15 Procedia Manufacturing Enabler

by The Jin Ai

Submission date: 22-May-2019 09:07AM (UTC+0700)

Submission ID: 1134157739


File name: Paper_15_Procedia_Manufacturing_Enabler.pdf (427.66K)

Word count: 4023

Character count: 18948







ScienceDirect



Procedia Manufacturing 4 (2015) 192 - 199

Industrial Engineering and Service Science 2015, IESS 2015

Enabler to successful implementation of lean supply chain in a book publisher

Yoshua Hartono^a, Ririn Diar Astanti^{a,*}, The Jin Ai^a

Department of Industrial Engineering, Universitas Atma Jaya Yogyakarta, Yogyakarta, Indonesia

Abstract

The intense business competition nowadays forces many industries to be able to perform their activities more efficient compare to their competitors. If at 5 e past the competition is between the company and its competitor, however this paradigm is now changing. The competition is now longer between the company and its competitor but the competition is between a company's supply chain and its competitor's supply chain. Managing a supply chain require the knowledge of what key success varia 8 s for the implementation of supply chain strategy. One of supply chain strategy is lean supply chain strategy. The lean strategy concept matches with the company that has characteristics such as producing with high volume but less variety of products. CV. Andi Offset as a book publisher and offset company is also trying to apply the lean supply chain strategy to manage all activities in their supply chain. However key supply chain their supply chain strategy to manage all activities in their supply chain. However key supply the lean supply chain lean supply chain have not been studied yet. The research in this paper is trying to 45 the Interpretive Structural Modeling (ISM) method to identify the hierarchy variables that affect the success 10 implementation of lean supply chain in CV. Andi Offset. The results show us that there are 10 success variables of implementing lean supply chain strategy. In addition, relationships among these variables are identified. ISM model 8 ws that advanced in the use of IT and change management variables are the major key success variables of the successful implementation of lean supply chain in CV. Andi Offset.

© 2015 The Authors. Published by Elsevier B.V. This is an open access tricle under the CC BY-NC-ND license (http://creatie.org/licenses/by-nc-nd/4.0/).

Peer review under responsibility of the organizing committee of the Industrial Engineering and Service Science 2015 (IESS 2015)

Keywords: Lean supply chain management; implementation enablers; book publisher; interpretive structural modeling

* 26 responding author. Tel.: +62 3 4-487711; fax: +62-274-485223 E-mail address:ririn@mail.uajy.ac.id

1. Introduction

Due to the intense competition in the business, a company has to develop strategy that enable them to perform their activities in their business process more efficient compare to their competitor. 5 at the past the competition is between the company and its competitor, however this paradigm is now changing. The competition is now longer between the company and its competito 10 the competition is between a company's supply chain and its competitor's supply cannot be supply chain strategy is needed in order for the company to find a way to win the competition. As one of the characteristics of the company can be seen through the amount of production volume and its variety of product, therefore 4 isher [3] suggests that the selection of supply chain (SC) strategy should consider about the nature of demand. (44 of the type of supply chain strategy is lean supply chain 7 trategy where it is appropriate for stable demand [4]. A lean suppy chain strategy is aimed at eliminating waste therefore just-in-time philosophy is implemented [5,6,7,8,9]. In order for the supply chain strategy can be well implemented, the development of the strategy should consider about the practices appropriate to the strategy [10]. Therefore, when the compa 9 start developing its supply chain strategy, the key success variable or it can be said as enabler to the success 13 implementation of supply chain strategy have to be identified.

The research in this paper is trying to identify the enablers in an lean suppl 4 hain and its relative importance in a book publisher company which is CV. Andi Offset in Yogyakarta, Indonesia. A lean supply chain strategy is chosen after considering the nature of the demand of this company. This company produce 200 title of new books per month, where for one title of the book, according to the company's policy, it should be printed around 3000 units, therefore the total number of unit book produced per months is 600.000. In addition, eventhough the the title of the book might vary, however, the variation of product is actually classified according to its paper size, and the thickness of the 30 e. Paper type that is used by CV. Andi Offset is HVS paper. There are four types of book size produced that is 16 cm x 23 cm, 20 cm x 28 cm, 14 cm x 21 cm, and 19 cm x 23 cm. Average thickness of book is 20 1250 pages. In addition, CV. Andi Offset only uses one type of cover, which is Ivory 230.

Interpretive Structural Modeling (ISM) is used 43 a method to help and manage relation between enablers by providing a hierarchy of the 13 hablers [11,12,13]. To the best of author knowledge, there is no research has been found related to identifying enabler to successfull implementation of lean supply chain in a book publisher.

2. Define enablers of lean supply chain

In the research of this paper, the enablers of lean supply chain is defined based on the research of the previous research such as 40,16,17,18,19, 20]. There are 15 enablers where detail explanation of each variable can be seen in Table 1. As it is mentioned in the previous section that in order the strategy to be well implemented then it has to be appropriate with the practices of the company. Therefore in-depth interview was conducted with the Director and the Production Manager of CV. Andi Offset to gain any information about if the 15 variables from the literature relevant with the need of the company. After finishing this step, then 5 out of 15 variables were removed because the company stated that those are irrelevant. The detail explanation of the irrellevant variables can be seen in Table 2. The remaining variables are divided into 3 parts, they are: 1) variable for Lean Supply Chain enablers, variable for results, and variables for inhibitors.

3. Interpretive structural modeling methodology

As it is mentioned in the previous section ISM is used as a method to help and manage relation between enablers by providing a hierarchy of the enablers [11, 12, 13]. Prevous research have been conducted relaed to the application of ISM for determining enabler of implementation supply chain strategy especially agile supply chain strategy such as [13]. ISM methology consider several steps as follows [13]: 1) Define the enabler to observe the success variable of implementation of supply chain strategy; 2) Define the relationship among variables; 3) Develop a structural self-interaction matrix (SSIM); 4) Develop initial reachability matrix; 5) Develop final reachability matrix after the matrix is checked for transitivity; 6) Do the partition of the reachability matrix to different levels; 7) Develop the directed graph; 8) Checking the ISM model.

Table 1. Definition of variables for enablers, results and inhibitors from the literature

Strategic Variables	Factor Description	Sources
Advanced in use of Information Technology (IT)	Advanced in use of IT enable the organization to see the end user demand clearly (visibility). In addition relevant and secure information along supply chain can be obtained using the use of IT.	[14,15,16]
TOC philosophy	TOC is an approach whose objective is to increase the throughput by improving the process is strained to the system.	[15]
Minimize Lead Time	Lead time is the time rewaired from when the order is received until the order can be fullfilled.	[15]
Collaboration between SC	Good and long-term relationship between supply chain (supplier, manufacturers, and consumer).	[15,16]
Logistic efficiency	Logistic efficiency is the efficient movement of goods between buyer and seller including the frequency delivery of smaller quantities direct to the point of buyer.	[15,16]
Kanban System	the use of visual things to control production and movement of goods in supply chain.	[16]
Change Management	Change and improvement need to be planned well by top management by incorporating change management in order to provide wide visibility to worker about objective and benefit of become lean.	[12]
Demand Management	The underlying principle of the lean philosophy is a pull system to reduce the need for demand forecasting.	[14]
Financial Capability	The ability totake financial decisions based on the information.	[12]
Minimize waste	Waste is a non value added activities such as time, inventory, repetition of the process, or digital	[14]
Standardization of product and process	Standardization process will allow continuous flow (movement does not stop on the products or services through the company's systems and the customer)	[14]
Customer Satisfaction	Customer satisfaction devel is affected by the impact of other performance variables.	[17,18]
Quality Improvement	Enable Supply Chain to provide quality products and better services to the customers.	[18,19]
Trust between SC	Presents among the trading partners of the Supply Chain	[20]
Demand Variation	Demand variation is the result from Supply Chain complexity and volatile market.	[14]

Table 2. List of variables that are eliminated based on in-depth interview with the Director and Production Manager of CV. Andi Offset

Variables	Response	Example of question given to the company
Financial capability	This variable does not affect significantly because CV. Andi Offset are always able to make improvement in the financial matter	a. What do you spend the most? b. Do you always do some investment to improve the technology to support the activities in your company?
Collaboration between SC	This variable can be combined with other variables because according to the response from the company, the collaboration between SC can be represented by variable ' trust between SC'	a. How you define a relationship?b. What factors affect for building collaboration in SC?c. Why do you should have a program to improve relations with suppliers?
Customer Satisfaction	According to the response from the company customer satisfaction is the goal that has to be achieved.	 a. What are the characteristics of your customer? b. 87 e you ever conducted any research to see the factors that might affect to customer satisfaction? c. Performing the cause-effect relationship activities, do you see that customer satisfaction is as a cause or as an effect?
TOC philosophy	This variable is not included in the ISM analysis because according to the response from the company, implementation of new philosophy like TOC requires a very long time	Do you face unbalanced production system? How does it affect the performance of the company?
Demand Management	This variable indirectly can be performed on other variables (i.e. the advanced IT variable demand management can be done.)	a. How does the company determine the production targets?b. Could you tell me how your demand has been changed over period of time? And how do you incorporate this issue to manage the demand.

3.1. Structural self-interaction matrix (SSIM)

This steps was performed in order to find the contextual relation among variables namely: 1) Advanced in use of IT; 2) Logistics efficiency; 3) Standardization of product and process; 4) Kanban system; 5) Change management; 6) Minimize lead time; 7) Minimize waste; 8) Quality improvement; 9) Demand variation; 10) Trust between SC. An opinion from the Diggstor and the Production Manager of CV. Andi Offset was gained through a series of thorough brainstorming. For 15 mbols are used to denote the direction of relationship between enable. They are V symbol indicates that 23 variable i helps to achieve variable j, the symbol A is used if the variable j helps to achieve variable i, the symbol O is used if the variable i and j are not related. Table 3 would explain the use of V, A, X, O in developing SSIM.

Variables (j)

1 35 3 4 5 6 7 8 24 10

V 1 0 0 V X 22 V 0 V V
a r 2 A 0 A V V 0 A V
i 3 a 4 b 1 5 6 6 7 8 7 8 24 10

V A V V 0 A V V 0 A V 0 0 A V 0 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0 0 V 0

Table 3.SSIM for Lean Supply Chain in CV. Andi Offset

17 3.2. Initial reachability matrix

In this step SSIM is transformed in to a binary form with the following rule [13]: 1) if the (i,j) entry in the SSIM is V, then the (j,i) entry in the reachability matrix is set to 1 and the (j,i) entry is set to 0; 2) if the (i,j) entry in the SSIM is A, then the (j,i) entry in the reachability matrix is set to 0 and the (j,i) entry is set to 1; 3) if the (i,j) entry in the SSIM is X, then the (j,i) entry in the reachability matrix is set to 1 and the (j,i) entry is set to 0; 4) if the (i,j) entry in the SSIM is O, then the (j,i) entry in the reachability matrix is set to 0 and the (j,i) entry is set to 0. Table 4 shows the initial reachability matrix that is established from SSIM formed into a binary form.

Table 4. Initial reachability matrix

				1	Varia	bles (j)				
		1	2	3	4	5	6	7	8	9	10
V	1		0	0	1	1	1	1	0	1	1
a r	2	0		0	0	0	1	1	0	0	1
i	3	0	1		1	0	1	1	1	0	1
a b	4	0	0	0		0	0	1	0	0	1
1	5	1	1	1	1		0	0	0	0	1
e s	6	0	0	0	0	0		0	0	0	1
(i)	7	0	0	0	0	0	0		1	0	1
	8	0	0	0	0	0	0	1		0	1
	9	0	1	1	0	0	1	0	1		1
	10	0	0	0	0	0	0	0	0	0	

3.3. Final reachability matrix

12

After checki 32 or the transitivity, then the final reachability matrix was obtained and the result is presented in Table 5. In this final reachability matrix, the driving power and the dependence of each enablers can be identiced.

31				
Tabl	le 5	.Final	reachability	matrix

					Varia	bles (j)				
		1	2	3	4	5	6	7	8	9	10
V	1		1	1	1	1	1	1	1	1	1
a r	2	0		0	0	0	1	1	1	0	1
i	3	0	1		1	0	1	1	1	0	1
a b	4	0	0	0		0	0	1	1	0	1
l e	5	1	1	1	1		1	1	1	1	1
	6	0	0	0	0	0		0	0	0	1
s (i)	7	0	0	0	0	0	0		1	0	1
	8	0	0	0	0	0	0	1		0	1
	9	0	1	1	1	0	1	1	1		1
	10	0	0	0	0	0	0	0	0	0	

3.4. Level partition

Level partition step is to divide the variables into hierarchical levels in the ISM. From the partition level, 6 iterations were performed so that all variables are divided in levels. Table 6 shows a breakdown from the first interation an 27 able 7 shows the result from the final iteration. IT is noted that the enablers that both the reachnability and the intersection sets are the same occupy the highest level in the ISM [13].

Table 6. Iteration 1

Variable	Reachability Set	Antecedent Set	Intersection Set	Level
1	1,2,3,4,5,6,7,8,9,10	1,5	1,5	
2	2,6,7,8,10	1,2,3,5,9	2	
3	2,3,4,6,7,8,10	1,3,5,9	3	
4	4,7,8,10	1,3,4,5,9	4	
5	1,2,3,4,5,6,7,8,9,10	1,5	1,5	
6	6,10	1,2,3,5,6,9	6	
7	7,8,10	1,2,3,4,5,7,8,9	7,8	
8	7,8,10	1,2,3,4,5,7,8,9	7,8	
9	2,3,4,6,7,8,9,10	1,5,9	9	
10	10	1,2,3,4,5,6,7,8,9,10	10	1

Table 7. Iteration 6

Variable	Reachability Set	Antecedent Set	Intersection Set	Level
1	1,5	1,5	1,5	6
5	1,5	1,5	1,5	6

3.5. Directed graph (Digraph) of ISM

Based on the level partition, directed graph ISM can be established as it is should in Fig. 1. It explains the relationship and the level of existing elements. The relationship between 2 variables is shown by the arrow which point from variable i to variable j. For example variable "Advanced in the use of IT" and "Change management" in the level 6 support the variable "Demand variation" in the level 5. The variable "Demand variation" in the level 5 force the "Standardization of product and process" in level 4 while the "Standardization of product and process" in level 4 result in "Logistic efficiency" in level 3. If the logistics is efficient then it will "Minimize the lead time" in the level 2 and it leads to the improvement of "Trust between SC" in level 1. In addition "Standardization of product and process" in level 4 support the implementation of "Kanban System" in level 3 and the "Kanban system" is able to "Minimize waste and cost" in the level 2. According to Toyota Production System [21], one category of waste is "defect". If we are able to minimize the defect, it means that we are able to "Improve the quality" that can leads to the "Trust bestween SC". According to the result from ISM shown in Fig. 1 it can be seen that the variable 'Advanced use of IT" and "Change Management" is related one to each other. Based on the result from in-depth interview with the Director and the Production Manager at CV. Andi Offset, then they stated that the implementation of the new information technology requires the implementation of change management in order for the new information technology can be successfully implemented. [22]




Fig. 1.Digraph ISM.

20 4. MICMAC analysis

The main purpose of the analysis MICMAC is to analyze the driving forces and the dependence power of variables [23] 17 here those variables are plotted in the map that is grouped into 4 clusters. A cluster that comprises of the variable that have a strong driving force and low dependence is called as independent cluster. The variables belongs to this cluster such as "Advanced use of IT", "Change management", "Demand variation", and "Standardization of product and process" occupy in the bottom place of the hierarchy as it shown in Figure 1. While

a cluster that comprises of the variables that have high dependence and low driving force is called as dependent cluster. According to the result from MICMAC analysis presented in Fig. 2 it can be seen that the variable such as "Minimize waste and cost", "Minimize le 19 time" "Quality improvement" and "Trust between SC" are called as dependent variable. The variable that has strong dependence and strong driving power belongs to another cluster that consist of the variables that have low dependence power and low driving power are called as autonomous variables such as "Kanban system" and "Logistics efficiency".




Fig. 2.Direct map

5. Conclusion

This research gives a contribution to identify the enabler of implementation of lean supply chain strategy is a book publisher which to the best of authors knowledge it has not found yet in the literature. A lean supply chain strategy is chosen after considering the nature of the demand of this company. As the data inputed to the ISM method was taken from a book publisher namely CV. Andi Offset, therefore the result from this study has to be validated if it is going to be 33 lemented in other book publishers. ISM model shows relationship between enabler in hierarchy. The variable that have strong driving power and low dependence power is "Advance use of IT" and "Change management'. As a book publisher company, there exist some activities that require the use of IT, such as in the graphic designing process. In order for this activity to be performed faster and result in an excellent quality of graphic, the company has to update their graphic design software to the newest version therefore it requires also the high standard of computer processor to run the software. Therefore, the company has to invest some amount of money to incorporate this issue. Once the new version of graphic design software is implemented then it might affect the people in the company, such as the graphic designer has to get used to the latest version of software, therefore the change management is needed to ensure that the worker is able to adapt to the new system. In a book publisher, if the company is able to invest with the latest IT then the company is able to catch the demand variation, i.e. by rapid design process of new book titles.

References

- S.Li, B. Ragu-Nathan, T.S. Ragu-Nathan, S.S.Rao, Omega 34.2(2006)107-124.
- [2] K.H.Tan, S.B. Lyman, J.D. Wisner, International Journal of Operations and Production Management 22.6 (2002) 614-631.
- [3] M.L.Fisher, Harvard Business Review 75.2 (1997) 105-116.
- [4] R.Mason-Jones, B.Nailor, D.R. Towill, International Journal of Production Research 38.7 (2000) 4061-4070.
- [5] M.Christopher, D.R. Towill, Supply Chain Management: An International Journal 5.4(2000) 206-2013.
- [6] S.H. Huang, M.Uppal, J.Shi, Supply Chain Management: An International Journal 7.4(2002) 189-199.
- [7] Y.Qi, X. Zhao, C.Sheu, Decision Science 42.2 (2011) 371-389.
- [8] B. Borgstrom, S. Hertz, Journal of Business Logistics 32.4 (2011) 361-373.
- [9] M.A. Shadur, G.J. Bamber, The International Executive 36(1994) 343-364.
- [10] S. Qrunfleh, M. Tarafdar, Supply Chain Management: An International Journal 18.6 (2013)571-582.
- [11] J.N. Warfield, IEEE Transactions on Systems, Man and Cybernetics1 (1974) 81-87.
- [12] V. Gupta, P. Acharya, M. Patwardhan, International Journal of Productivity and Performance Management 62 (2013) 634-651.
- [13] S.K. Sharma, A. Bhat, Journal of Modelling in Management 9.2 (2014) 200-214.
- [14] K.L. Vitasek., K.B. Manrodt, J. Abbott, Supply Chain Management Review 9.7. (2005)39-45.
- [15] M.M. Srinivasan, T. Srinivasan, E.W. Choi, Industrial Management 47.5 (2005) 20.
- [16] R. Monczka, R. Handfield, L. Giunipero, J. Patterson, Purchasing and Supply Chain Management, fourth ed, Cengage Learning, Mason, 2009
- [17] J. Jayaram, S.K. Vickery, C. Droge, International Journal of Operations & Production Management 19 (1999) 1010-1034.
- [18] J.B. Naylor, M.M. Naim, D. Berry, International Journal of Production Economics 62 (1999) 107-118.
- [19] F. Persson, J. Olhager, International Journal of Production Economics 77 (2002) 231-245.
- [20] A.K. Reese, Supply & Demand Chain Executive 7 (2006) 23-27.
- [21] Monden, Y., Toyota production system: an integrated approach to just-in-time. CRC Press, New York, 2011
- [22] J.Ram, M-L. Wu, R. Tagg, International Journal of Project Management 32.4 (2014) 663-675.
- [23] A. Mandal, S.G. Deshmukh, International Journal of Operations and Production Management 14.6(1994) 194-2006.

Paper 15 Procedia Manufacturing Enabler

ORIGIN	ALITY REPORT	
2 SIMILA	9% 13% 17% 26% ARITY INDEX INTERNET SOURCES PUBLICATIONS STUDENT P	APERS
PRIMAR	RY SOURCES	
1	Submitted to Indian Institute of Management Rohtak Student Paper	3%
2	Submitted to University of Warwick Student Paper	3%
3	personal.its.ac.id Internet Source	2%
4	Submitted to Elizabeth Seton High School Student Paper	2%
5	Submitted to University of Sydney Student Paper	1%
6	Chaterine Alvina Prima Hapsari, Deny Ratna Yuniartha, Luddy Indra Purnama. "Tour and Break Scheduling for Shift Operators in Hard Disk Drive Manufacturer", Procedia Manufacturing, 2015 Publication	1%
7	Submitted to Cardiff University Student Paper	1%
8	Submitted to University of Southampton Student Paper	1%

9	Submitted to Universiti Sains Malaysia Student Paper	1%
10	Submitted to The University of Manchester Student Paper	1%
11	Shilpi Ahluwalia, Pushpendra Singh, Jaigopal Sharma. "Modelling and analysis of critical factors for phorbol ester degradation in <i>Jatropha</i> seed cake using ISM and MICMAC", International Journal of Environment and Waste Management, 2018 Publication	1%
12	Submitted to iGroup Student Paper	1%
13	Submitted to Heriot-Watt University Student Paper	1%
14	Submitted to Institut Pertanian Bogor Student Paper	1%
15	Susana Garrido Azevedo, Tiago Sequeira, Marcelo Santos, Luis Mendes. "Biomass- Related Sustainability: A review of the Literature and Interpretive Structural Modeling", Energy, 2019 Publication	1%
16	www.tandfonline.com Internet Source	1%
17	Industrial Management & Data Systems, Volume 110, Issue 1 (2010-01-23)	1%

18	www.emeraldinsight.com Internet Source	1%
19	Dubey, Rameshwar, Tripti Singh, Sadia Samar Ali, and Saurabh Tiwari. "Contextual relationship among antecedents of truck freight using interpretive structural modelling and its validation using MICMAC analysis", International Journal of Logistics Systems and Management, 2015. Publication	1%
20	eprint.iitd.ac.in Internet Source	1%
21	Sri Hartini, Udisubakti Ciptomulyono. "The Relationship between Lean and Sustainable Manufacturing on Performance: Literature Review", Procedia Manufacturing, 2015 Publication	<1%
22	Submitted to Indian Institute of Management Kashipur Student Paper	<1%
23	Submitted to Jamia Milia Islamia University Student Paper	<1%
24	Business Process Management Journal, Volume 14, Issue 4 (2008-08-10)	<1%
25	Submitted to Asian Institute of Technology Student Paper	<1%

26	Frans, Richard, and Yoyong Arfiadi. "Sizing, Shape, and Topology Optimizations of Roof Trusses Using Hybrid Genetic Algorithms", Procedia Engineering, 2014. Publication	<1%
27	Sharma, Vikram, Amit Rai Dixit, Mohammad Asim Qadri, and Sanjay Kumar. "An interpretive hierarchical model for lean implementation in machine tool sector", International Journal of Productivity and Quality Management, 2015. Publication	<1%
28	www.inderscience.com Internet Source	<1%
29	Kannan, G "A hybrid approach using ISM and fuzzy TOPSIS for the selection of reverse logistics provider", Resources, Conservation & Recycling, 200911	<1%
30	info.nsf.org Internet Source	<1%
31	Agarwal, A "Modeling agility of supply chain", Industrial Marketing Management, 200705 Publication	<1%
32	www.omicsonline.org Internet Source	<1%
33	R. Kant, A. A. Pujara, M. D. Singh. "Information sharing in supply chain: Modeling	<1%

the enablers", 2011 IEEE International Conference on Quality and Reliability, 2011

	Publication	
34	Submitted to Cebu Technological University Student Paper	<1%
35	www.researchgate.net Internet Source	<1%
36	Submitted to University of Wales Swansea Student Paper	<1%
37	Submitted to Bolton Institute of Higher Education Student Paper	<1%
38	Submitted to University of Surrey Student Paper	<1%
39	www.isl21.org Internet Source	<1%
40	Roberto Montanari, Eleonora Bottani, Ehsan Shekarian, Nima Kazemi. "A model for the analysis of procurement strategies in the economic order interval environment", Mathematics and Computers in Simulation, 2017 Publication	<1%
41	engineering.purdue.edu Internet Source	<1%
42	Amrita Jhawar, S. K. Garg. "Modelling of Critical Factors for Improving Logistics	<1%

Critical Factors for Improving Logistics

Performance of India Using Interpretive Structural Modelling", International Journal of Applied Management Sciences and Engineering, 2018

Publication

43

E. Amrina, S. M. Yusof. "Interpretive structural model of key performance indicators for sustainable manufacturing evaluation in automotive companies", 2012 IEEE International Conference on Industrial Engineering and Engineering Management, 2012

<1%

Publication



Sufian Qrunfleh, Monideepa Tarafdar. "Lean and agile supply chain strategies and supply chain responsiveness: the role of strategic supplier partnership and postponement", Supply Chain Management: An International Journal, 2013

<1%

Publication



Submitted to Savitribai Phule Pune University
Student Paper

<1%

Exclude quotes

Off

Exclude matches

Off

Exclude bibliography

On