

V. KESIMPULAN DAN SARAN

A. Kesimpulan

Kesimpulan dari penelitian yang dilakukan pada identifikasi *Amphipoda* adalah bahwa spesimen *Amphipoda* yang ada di bak pemeliharaan Abalon di Balai Perikanan Laut Lombok specimen masuk dalam genus *Ampithoe*.

B. Saran

Saran yang dapat diberikan setelah melakukan penelitian adalah sebagai berikut:

1. Melakukan identifikasi sampai spesies yang belum diidentifikasi di bak pemeliharaan abalon di Balai Perikanan Budidaya Laut Lombok.
2. Memperhatikan keadaan cuaca atau musim yang ada di tempat penelitian sesuai dengan keadaan amphipoda yaitu pada musim kemarau.

DAFTAR PUSTAKA

- Aswandy, I & Soedibjo, B.S. 2006. Struktur komunitas fauna gammaridea dan hubungannya dengan parameter lingkungan di perairan Kepulauan Karimun Jawa-Jawa Tengah. *Oseanologi dan Limnologi di Indonesia*. 41: 55--70.
- Aswandy, I. 1981. Apakah Amphipoda itu ?. *Oseana* 7 (1) : 7-10.
- Aswandy, I. 1999. Komunitas krustasea bentik di Teluk Bayur dan Teluk Bungus - Sumatera Barat. *Dalam: Supangat, I., Ruyitno & B.S. Soedibjo (eds). 1999. Pesisir dan Pantai Indonesia II*. Pusat Penelitian dan Pengembangan Oseanologi-LIPI, Jakarta: 67--71.
- Aswandy, I. 2002. Keanekaragaman fauna krustasea bentik di perairan Muara Sungai Digul dan Arafura, Irian Jaya. *Dalam: Nuchsin, R., M. Muchtar & I. Supangat (eds). 2002. Pesisir dan Pantai Indonesia VII*. Pusat Penelitian Oseanografi-LIPI, Jakarta: 77--87.
- Bambang.S., Ibnu. R , Riani. R, I Nyoman A. G, dan tatam sutamat. 2010. Aplikasi teknologi pembesaran abalon (*Haliotis squamata*) dalam menunjukan pemberdayaan masyarakat pesisir. *Prosiding forum inovasi Teknologi Akuakultur*. Balai Besar Riset Perikanan Budidaya Laut
- Barnad, J.L. 1976. Amphipoda (Crustacea) from the Indo-Pasific Tropics : A Review.
- Barnard, J. Laurens, and G. S. Karaman. 1991. The families genera of marine gammaridea Amphipoda (except marine gammaroids). Part 2. *Records of the Autralian Museim, Supplement* 13(2): 419 – 866 , ISBN 0-7305-5743-6. (30 agustus 1991).
- Barnard, J.L. 1981. *The families and genera of marine gammaridean amphipoda*. Smithsonian Institution Press, Washington D.C.: iii + 134 hlm.
- Chapman, J. W. 2007. Amphipoda: Gammaridea, p. 545-611. In: *The Light and Smith manual: intertidal invertebrates from central California to Oregon*. J. T. Carlton (ed.). University of California Press, Berkeley, CA.
- Fallu, 1991. *Abalone Farming. Fishing News Book*, Oshey Mead, Oxford Oxoel, England.
- Ferianita, Fachrul. 2007. *Metode Sampling Bioekologi*. Bumi Aksara Prees. Jakarta.

- Indra Aswandy. 1984. Pembiakan dan Perkembangan Amphipoda. *Oseana*, IX (4) : 124 - 131, ISSN 0216 – 1877
- Irie, H. 1967. Breeding and life cycle of Amphipoda. *Bull. Planktol. Japan* 14 : 25-32.
- Kordi, K. 2004. *Penanggulangan Hama dan Penyakit Ikan Kakap*. Perca Jakarta.
- Litaay, M. Rahmatullah. Setyabudi, H. dan Hassan, M. S. *Dampak MInyak Pelumas Terhadap Pertumbuhan Awal Abalon Tropis Haliotis asinina L.* Jurusan Biologi FMIPA Universitas Hasanuddin, Makassar.
- Mclaughlin, P. 1980. Comparative mor-phology of recent Crustacea. W.H. Free, man and Company. San Francisco, 177 pp.
- Nurfajrie, Suminto dan Sri Rejeki. 2014. Pemanfaatan berbagai Jenis Makroalga Untuk pertumbuhan abalone (*Haliotis squamata*) Dalam budidaya Pembesaran. *Jurnal of Aquaculture Management and Technology* 3(4) : 142-150
- Pryambodo, B. Setyabudi, H. Garnawansyah, G. Yanto, A.S dan Yan, A. 2009. *Petunjuk Teknis Budidaya Abalon (Haliotis spp)*. Balai Budidaya Laut Lombok. Direktorat Jenderal Perikanan Budidaya. Departemen Kelautan dan Perikanan.
- Tahang, Imron dan Bangun, 2006. *Pemeliharaan Kerang Abalone (Haliotis asinina) Dengan Metode Pen-Culture (Kurungan Tancap) dan Keramba jaring Apung (KJA)*. Departemen Kelautan dan Perikanan. Direktorat Jenderal Perikanan Budidaya. Balai Budidaya Laut Lombok.
- Zahida.F., Hery S., dan Wibowo N. Jati. 2017. *Amphipoda terkait ampohipoda pada bak pemeliharaan abalone*, Balai Budidaya Laut Lombok, Sekotong, Indonesia. Biota. Vol 2 (1) : 1-12. ISSN 2527-3221




Lampiran 1 . Tempat sampling



a. Bak Pemeliharaan Abalon

Lampiran 2. Alat – alat sampling



a. Bak Keranjang Abalon 1



b. Bak Keranjang Abalon 2



c. *Amphipoda* yang di sampling



d. Rumput laut yang disampling *Amphipoda*

Lampiran 3. Alat yang digunakan di Laboratrium




a. Botol jam



b. Mikroskop



c. Gliserin



d. Amphipoda yang telah dipisahkan



e. Pengukuran Amphipoda



f. Alat yang dipakai dalam identifikasi

Lampiran 4. Tabel Taxonomy Amphipoda

Sumber: http://insectoid.info/malacostraca/amphipoda/ampithoidae/ampithoe_genus/

Taxonomy for Amphipoda (Amphipods)		
Class	<i>Malacostraca</i> (Latreille, 1802) (<i>Malacostracans</i>) - <u>Systematics</u> 802 <i>families</i> , 9929 <i>genera</i> , 64160 <i>species</i>	
Subclass	<i>Eumalacostraca</i> (Grobbsen, 1892) 773 <i>families</i> , 7812 <i>genera</i> , 63487 <i>species</i>	
Superorder	<i>Peracarida</i> (Calman, 1904) 464 <i>families</i> , 4507 <i>genera</i> , 33542 <i>species</i>	
Order	<i>Amphipoda</i> (Latreille, 1816) (<i>Amphipods</i>) - <u>Systematics</u> 242 <i>families</i> , 2206 <i>genera</i> , 14136 <i>species</i>	
Systematics of the Order Amphipoda (Amphipods)		
Order	<i>Amphipoda</i> (Latreille, 1816)	Species: 14136
Suborder	<i>Gammaridea</i> (Latreille, 1802)	Species: 6420
Superfamily	<i>Ampeliscoidea</i> (Bousfield, 1979)	Species: 333
Family	<i>Ampeliscidae</i> (Costa, 1857)	Species: <u>333</u>
Superfamily	<i>Clarencioidea</i> (Barnard & Karaman, 1987)	Species: 1
Family	<i>Clarenciidae</i> (Barnard & Karaman, 1987)	Species: <u>1</u>
Superfamily	<i>Dexaminoidea</i> (Leach, 1814)	Species: 245
Family	<i>Atylidae</i> (Lilljeborg, 1865)	Species: <u>105</u>
Family	<i>Dexaminidae</i> (Leach, 1814)	Species: <u>140</u>
Superfamily	<i>Eusiroidea</i> (Bousfield, 1979)	Species: 182
Family	<i>Amathillopsidae</i> (Pirlot, 1934)	Species: <u>25</u>
Family	<i>Bateidae</i> (Stebbing, 1906)	Species:

		<u>20</u>
Family	<i>Eusiridae</i> (Stebbing, 1888)	Species: <u>137</u>
Superfamily	<i>Iphimedioidea</i>	Species: 235
Family	<i>Dikwidae</i> (Coleman & Barnard, 1991)	Species: <u>2</u>
Family	<i>Epimeriidae</i> (Boeck, 1871)	Species: <u>84</u>
Family	<i>Iphimediidae</i> (Boeck, 1871)	Species: <u>113</u>
Family	<i>Ochlesidae</i> (Stebbing, 1910)	Species: <u>22</u>
Family	<i>Odiidae</i> (Coleman & Barnard, 1991)	Species: <u>14</u>
Superfamily	<i>Leucothoidea</i> (Dana, 1852)	Species: 392
Family	<i>Leucothoidae</i> (Dana, 1852)	Species: <u>186</u>
Family	<i>Pleustidae</i> (Bucholz, 1874)	Species: <u>206</u>
Superfamily	<i>Liljeborgioidea</i> (Stebbing, 1899)	Species: 214
Family	<i>Colomastigidae</i> (Stebbing, 1899)	Species: <u>56</u>
Family	<i>Liljeborgiidae</i> (Stebbing, 1899)	Species: <u>124</u>
Family	<i>Sebidae</i> (Walker, 1908)	Species: <u>34</u>
Superfamily	<i>Lysianassoidea</i> (Dana, 1849)	Species: 2693
Family	<i>Acidostomatidae</i> (Stoddart & Lowry, 2012)	Species: <u>16</u>
Family	<i>Alicellidae</i> (Lowry & De Broyer, 2008)	Species: <u>29</u>
Family	<i>Amaryllididae</i> (Lowry & Stoddart, 2002)	Species: <u>1316</u>
Family	<i>Aristiidae</i> (Lowry & Stoddart, 1997)	Species: <u>47</u>
Family	<i>Cebocaridae</i> (Lowry & Stoddart, 2011)	Species: <u>4</u>

Family	<i>Cyphocarididae</i> (Lowry & Stoddart, 1997)	Species: <u>17</u>
Family	<i>Endevouridae</i> (Lowry & Stoddart, 1997)	Species: <u>14</u>
Family	<i>Izinkalidae</i> (Lowry & Stoddart, 2010)	Species: <u>2</u>
Family	<i>Kergueleniidae</i> (Lowry & Stoddart, 2010)	Species: <u>6</u>
Family	<i>Lysianassidae</i> (Dana, 1849)	Species: <u>912</u>
Family	<i>Opisidae</i> (Lowry & Stoddart, 1995)	Species: <u>20</u>
Family	<i>Pachynidae</i> (Lowry & Stoddart, 2012)	Species: <u>25</u>
Family	<i>Podoprionidae</i> (Lowry & Stoddart, 1996)	Species: <u>4</u>
Family	<i>Scopelocheiridae</i> (Lowry & Stoddart, 1997)	Species: <u>31</u>
Family	<i>Thoriellidae</i> (Lowry & Stoddart, 2011)	Species: <u>7</u>
Family	<i>Uristidae</i> (Hurley, 1963)	Species: <u>238</u>
Family	<i>Wandinidae</i> (Lowry & Stoddart, 1990)	Species: <u>5</u>
Superfamily	<i>Melphidippoidea</i> (Stebbing, 1899)	Species: 56
Family	<i>Megaluropidae</i> (Thomas & Barnard, 1987)	Species: <u>21</u>
Family	<i>Melphidippidae</i> (Stebbing, 1899)	Species: <u>35</u>
Superfamily	<i>Oedicerotoidea</i> (Liljeborg, 1865)	Species: 372
Family	<i>Exoedicerotidae</i> (Barnard & Drummond, 1982)	Species: <u>20</u>
Family	<i>Oedicerotidae</i> (Liljeborg, 1865)	Species: <u>329</u>
Family	<i>Paracalliopiidae</i> (Barnard & Karaman, 1982)	Species: <u>23</u>
Superfamily	<i>Pardaliscoidea</i> (Boeck, 1871)	Species: 136
Family	<i>Hyperlopsidae</i> (Bovallius, 1886)	Species: <u>20</u>

Family	<i>Pardaliscidae</i> (Boeck, 1871)	Species: <u>83</u>
Family	<i>Sicafodiidae</i> (Just, 2004)	Species: <u>1</u>
Family	<i>Stilipididae</i> (Holmes, 1908)	Species: <u>27</u>
Family	<i>Vitjazianidae</i> (Birstein & Vinogradov, 1955)	Species: <u>5</u>
Superfamily	<i>Phoxocephaloidea</i> (Sars, 1891)	Species: 706
Family	<i>Cheidae</i> (Thurston, 1982)	Species: <u>3</u>
Family	<i>Condukiidae</i> (Barnard & Drummond, 1982)	Species: <u>1</u>
Family	<i>Haustoriidae</i> (Stebbing, 1906)	Species: <u>53</u>
Family	<i>Ipanemidae</i> (Barnard & Thomas, 1988)	Species: <u>1</u>
Family	<i>Phoxocephalidae</i> (Sars, 1891)	Species: <u>467</u>
Family	<i>Phoxocephalopsidae</i> (Barnard & Drummond, 1982)	Species: <u>11</u>
Family	<i>Platyischnopidae</i> (Barnard & Drummond, 1979)	Species: <u>25</u>
Family	<i>Pontoporeiidae</i> (Dana, 1853)	Species: <u>46</u>
Family	<i>Sinurothoidae</i> (Ren, 1999)	Species: <u>2</u>
Family	<i>Urohaustoriidae</i> (Barnard & Drummond, 1982)	Species: <u>24</u>
Family	<i>Urothoidae</i> (Bousfield, 1978)	Species: <u>66</u>
Family	<i>Zobrachoidae</i> (Barnard & Drummond, 1982)	Species: <u>7</u>
Superfamily	<i>Pontoporeioidea</i> (Dana, 1853)	Species: 2
Family	<i>Priscillinidae</i> (d'Udekem d'Acoz, 2006)	Species: <u>2</u>
Superfamily	<i>Stegocephaloidea</i> (Dana, 1852)	Species: 162
Family	<i>Stegocephalidae</i> (Dana, 1852)	Species: <u>162</u>

Superfamily	<i>Stenothoidea</i> (Boeck, 1871)	Species: 546
Family	<i>Amphilochidae</i> (Boeck, 1871)	Species: <u>134</u>
Family	<i>Bolttsiidae</i> (Barnard & Karaman, 1987)	Species: <u>2</u>
Family	<i>Cyproideidae</i> (J. L. Barnard, 1974)	Species: <u>48</u>
Family	<i>Pseudamphilochidae</i> (Schellenberg, 1931)	Species: <u>1</u>
Family	<i>Stenothoidae</i> (Boeck, 1871)	Species: <u>361</u>
Superfamily	<i>Synopioidea</i> (Dana, 1852)	Species: 129
Family	<i>Argissidae</i> (Walker, 1904)	Species: <u>3</u>
Family	<i>Synopiidae</i> (Dana, 1852)	Species: <u>126</u>
Family	<i>Iciliidae</i> (Dana, 1849)	Species: <u>7</u>
Family	<i>Maxillipiidae</i> (Ledoyer, 1973)	Species: <u>3</u>
Family	<i>Nihotungidae</i> (J.L. Barnard, 1972)	Species: <u>3</u>
Family	<i>Paraleptamphopidae</i> (Bousfield, 1977)	Species: <u>3</u>
Suborder	<i>Hyperiidea</i> (Milne-Edwards, 1830)	Species: 473
Infraorder	<i>Physocephalata</i> (Bowman & Gruner, 1973)	Species: 333
Superfamily	<i>Cystisomatoidea</i> (Willemöes-Suhm, 1875)	Species: 12
Family	<i>Cystisomatidae</i> (Willemöes-Suhm, 1875)	Species: <u>12</u>
Superfamily	<i>Lycaeopsoidea</i> (Chevreux, 1913)	Species: 7
Family	<i>Lycaeopsidae</i> (Chevreux, 1913)	Species: <u>7</u>
Superfamily	<i>Phronimoidea</i> (Rafinesque, 1815)	Species:

mily		124
Family	<i>Bougisidae</i> (Zeidler, 2004)	Species: <u>1</u>
Family	<i>Dairellidae</i> (Bovallius, 1887)	Species: <u>2</u>
Family	<i>Hyperiidae</i> (Dana, 1853)	Species: <u>67</u>
Family	<i>Iulopididae</i> (Zeidler, 2004)	Species: <u>3</u>
Family	<i>Lestrigonidae</i> (Zeidler, 2004)	Species: <u>24</u>
Family	<i>Phronimidae</i> (Rafinesque, 1815)	Species: <u>15</u>
Family	<i>Phrosinidae</i> (Dana, 1852)	Species: <u>12</u>
Superfamily	<i>Platysceloidea</i> (Bate, 1862)	Species: 151
Family	<i>Anapronoidae</i> (Bowman & Gruner, 1973)	Species: <u>2</u>
Family	<i>Brachyscelidae</i> (Stephensen, 1923)	Species: <u>11</u>
Family	<i>Lycaeidae</i> (Claus, 1879)	Species: <u>20</u>
Family	<i>Oxycephalidae</i> (Dana, 1852)	Species: <u>37</u>
Family	<i>Parascelidae</i> (Bovallius, 1887)	Species: <u>28</u>
Family	<i>Platyscelidae</i> (Bate, 1862)	Species: <u>28</u>
Family	<i>Pronoidae</i> (Dana, 1852)	Species: <u>23</u>
Family	<i>Tryphanidae</i> (Bovallius, 1887)	Species: <u>2</u>
Superfamily	<i>Vibilioidea</i> (Dana, 1853)	Species: 39
Family	<i>Cyllopodidae</i> (Bovallius, 1887)	Species: <u>2</u>
Family	<i>Paraphronimidae</i> (Bovallius, 1887)	Species: <u>4</u>
Family	<i>Vibiliidae</i> (Dana, 1852)	Species: <u>33</u>

Infraorder	<i>Physosomata</i> (Pirlot, 1929)	Species: 140
Superfamily	<i>Lanceoloidea</i> (Bovallius, 1887)	Species: 52
Family	<i>Chuneolidae</i> (Woltereck, 1909)	Species: 4
Family	<i>Lanceolidae</i> (Bovallius, 1887)	Species: 35
Family	<i>Megalanceolidae</i> (Zeidler, 2009)	Species: 1
Family	<i>Metalanceolidae</i> (Zeidler, 2009)	Species: 1
Family	<i>Microphasmidae</i> (Stephensen & Pirlot, 1931)	Species: 3
Family	<i>Mimonecteolidae</i> (Zeidler, 2009)	Species: 7
Family	<i>Prolanceolidae</i> (Zeidler, 2009)	Species: 1
Superfamily	<i>Scinoidea</i> (Stebbing, 1888)	Species: 88
Family	<i>Archaeoscinidae</i> (Stebbing, 1904)	Species: 4
Family	<i>Microscinidae</i> (Zeidler, 2012)	Species: 1
Family	<i>Mimonectidae</i> (Bovallius, 1885)	Species: 14
Family	<i>Mimoscinidae</i> (Zeidler, 2012)	Species: 4
Family	<i>Proscinidae</i> (Pirlot, 1933)	Species: 6
Family	<i>Scinidae</i> (Stebbing, 1888)	Species: 59
Suborder	<i>Ingolfiellidea</i> (Hansen, 1903)	Species: 50
Family	<i>Ingolfiellidae</i> (Hansen, 1903)	Species: 49
Family	<i>Metaingolfiellidae</i> (Ruffo, 1969)	Species: 1
Suborder	<i>Senticaudata</i> (Lowry & Myers, 2013)	Species: 7185

Infraorder	<i>Bogidiellida</i>	Species: 189
Superfamily	<i>Bogidielloidea</i> (Hertzog, 1936)	Species: 189
Family	<i>Artesiidae</i> (Holsinger, 1980)	Species: <u>7</u>
Family	<i>Bogidiellidae</i> (Hertzog, 1936)	Species: <u>160</u>
Family	<i>Salentinellidae</i> (Bousfield, 1977)	Species: <u>22</u>
Infraorder	<i>Corophiida</i> (Leach, 1814)	Species: 2317
Superfamily	<i>Aetiopedesoidea</i> (Myers & Lowry, 2003)	Species: 2
Family	<i>Aetiopedesidae</i> (Myers & Lowry, 2003)	Species: <u>1</u>
Family	<i>Paragammaropsidae</i> (Myers & Lowry, 2003)	Species: <u>1</u>
Superfamily	<i>Aoroidea</i> (Stebbing, 1899)	Species: 389
Family	<i>Aoridae</i> (Shoemaker, 1945)	Species: <u>380</u>
Family	<i>Unciolidae</i> (Myers & Lowry, 2003)	Species: <u>9</u>
Superfamily	<i>Caprelloidea</i> (Leach, 1814)	Species: 663
Family	<i>Caprellidae</i> (Leach, 1814)	Species: <u>478</u>
Family	<i>Caprogammaridae</i> (Kudrjaschov & Vassilenko, 1966)	Species: <u>3</u>
Family	<i>Cyamidae</i> (Rafinesque, 1815)	Species: <u>41</u>
Family	<i>Dulichiiidae</i> (Dana, 1849)	Species: <u>2</u>
Family	<i>Podoceridae</i> (Leach, 1814)	Species: <u>139</u>
Superfamily	<i>Cheluroidea</i> (Allman, 1847)	Species: 10
Family	<i>Cheluridae</i> (Allman, 1847)	Species: <u>10</u>
Superfamily	<i>Chevalioidea</i> (Myers & Lowry, 2003)	Species:

mily		14
Family	<i>Chevaliidae</i> (Myers & Lowry, 2003)	Species: <u>14</u>
Superfa mily	<i>Corophioidea</i> (Myers & Lowry, 2003)	Species: 553
Family	<i>Ampithoidae</i> (J. L. Barnard, 1965)	Species: <u>299</u>
Family	<i>Corophiidae</i> (Leach, 1814)	Species: <u>254</u>
Superfa mily	<i>Isaeoidea</i> (Dana, 1852)	Species: 47
Family	<i>Isaeidae</i> (Dana, 1853)	Species: <u>47</u>
Superfa mily	<i>Microtopoidea</i> (Myers & Lowry, 2003)	Species: 22
Family	<i>Neomegamphopidae</i> (Myers, 1981)	Species: <u>22</u>
Superfa mily	<i>Neomegamphoidea</i> (Myers, 1981)	Species: 3
Family	<i>Priscomilitaridae</i> (Hirayama, 1988)	Species: <u>3</u>
Superfa mily	<i>Photoidea</i> (Boeck, 1872)	Species: 613
Family	<i>Ischyroceridae</i> (Stebbing, 1899)	Species: <u>308</u>
Family	<i>Kamakidae</i> (Myers & Lowry, 2003)	Species: <u>38</u>
Family	<i>Photidae</i> (Boeck, 1871)	Species: <u>267</u>
Superfa mily	<i>Rakirooidea</i> (Myers & Lowry, 2003)	Species: 1
Family	<i>Rakiroidae</i> (Myers & Lowry, 2003)	Species: <u>1</u>
Infraord er	<i>Gammarida</i> (Latreille, 1802)	Species: 2633
Superfa mily	<i>Allocrangonyctoidea</i>	Species: 708
Family	<i>Allocrangonyctidae</i> (Holsinger, 1989)	Species: <u>79</u>

Family	<i>Chillagoeidae</i> (Lowry & Myers, 2012)	Species: <u>1</u>
Family	<i>Dussartiellidae</i>	Species: <u>1</u>
Family	<i>Giniphargidae</i> (Lowry & Myers, 2012)	Species: <u>1</u>
Family	<i>Kotumsaridae</i> (Messouli, Holsinger & Reddy...)	Species: <u>1</u>
Family	<i>Neoniphargidae</i> (Bousfield, 1977)	Species: <u>26</u>
Family	<i>Niphargidae</i> (Bousfield, 1977)	Species: <u>479</u>
Family	<i>Paracrangonyctidae</i> (Bousfield, 1983)	Species: <u>2</u>
Family	<i>Paramelitidae</i> (Bousfield, 1977)	Species: <u>84</u>
Family	<i>Perthiidae</i> (Williams & J.L. Barnard, 1988)	Species: <u>2</u>
Family	<i>Pseudocrangonyctidae</i> (Holsinger, 1989)	Species: <u>23</u>
Family	<i>Sternophysingidae</i> (Holsinger, 1992)	Species: <u>8</u>
Family	<i>Uronyctidae</i> (Lowry & Myers, 2012)	Species: <u>1</u>
Superfamily	<i>Crangonyctoidea</i> (Bousfield, 1973)	Species: 249
Family	<i>Crangonyctidae</i> (Bousfield, 1973)	Species: <u>249</u>
Superfamily	<i>Gammaroidea</i> (Leach, 1814)	Species: 1676
Family	<i>Acanthogammaridae</i> (Garjajeff, 1901)	Species: <u>188</u>
Family	<i>Acanthonotozomatidae</i> (Stebbing, 1906)	Species: <u>22</u>
Family	<i>Anisogammaridae</i> (Bousfield, 1977)	Species: <u>77</u>
Family	<i>Baikalogammaridae</i> (Kamaltynov, 2001)	Species: <u>1</u>
Family	<i>Behningiellidae</i> (Kamaltynov, 2001)	Species: <u>4</u>
Family	<i>Cardenioidae</i> (Barnard & Karaman, 1987)	Species: <u>1</u>
Family	<i>Didymocheliidae</i> (Bellan-Santini &	Species:

	<i>Ledoyer, 1986)</i>	<u>4</u>
Family	<i>Eulimnogammaridae</i> (Kamaltynov, 1999)	Species: <u>127</u>
Family	<i>Falklandellidae</i>	Species: <u>4</u>
Family	<i>Gammarellidae</i> (Bousfield, 1977)	Species: <u>12</u>
Family	<i>Gammaridae</i> (Leach, 1813)	Species: <u>748</u>
Family	<i>Gammaroporeiidae</i> (Bousfield, 1979)	Species: <u>1</u>
Family	<i>Luciobliviidae</i> (Tomikawa, 2007)	Species: <u>1</u>
Family	<i>Macrohectopidae</i> (Sowinsky, 1915)	Species: <u>1</u>
Family	<i>Mesogammaridae</i> (Bousfield, 1977)	Species: <u>6</u>
Family	<i>Micruropodidae</i> (Kamaltynov, 1999)	Species: <u>61</u>
Family	<i>Miramarassidae</i> (Lowry, 2006)	Species: <u>1</u>
Family	<i>Pachyschesidae</i> (Kamaltynov, 1999)	Species: <u>16</u>
Family	<i>Pagetinidae</i> (K.H. Barnard, 1931)	Species: <u>4</u>
Family	<i>Pallaseidae</i> (Tachteew, 2000)	Species: <u>351</u>
Family	<i>Phreatogammaridae</i> (Bousfield, 1982)	Species: <u>6</u>
Family	<i>Pontogammaridae</i> (Bousfield, 1977)	Species: <u>13</u>
Family	<i>Thurstonellidae</i> (Lowry & Zeidler, 2008)	Species: <u>1</u>
Family	<i>Typhlogammaridae</i> (Bousfield, 1977)	Species: <u>8</u>
Family	<i>Valettiidae</i> (Stebbing, 1888)	Species: <u>3</u>
Family	<i>Valettiopsidae</i> (Lowry & De Broyer, 2008)	Species: <u>15</u>
Infraorder	<i>Hadziida</i> (S. Karaman, 1932)	Species: <u>1231</u>
Superfamily	<i>Hadzioidea</i> (S. Karaman, 1943)	Species: <u>1231</u>
Family	<i>Calliopiidae</i> (G. O. Sars, 1895)	Species: <u>135</u>

Family	<i>Carangoliopsidae</i> (Bousfield, 1977)	Species: <u>1</u>
Family	<i>Cheirocratidae</i> (Ren, 2006)	Species: <u>28</u>
Family	<i>Crangoweckeliidae</i>	Species: <u>2</u>
Family	<i>Eriopisidae</i> (Lowry & Myers, 2013)	Species: <u>52</u>
Family	<i>Hadziidae</i> (Karaman, 1943)	Species: <u>113</u>
Family	<i>Maeridae</i> (Krapp-Schickel, 2008)	Species: <u>111</u>
Family	<i>Melitidae</i> (Bousfield, 1973)	Species: <u>592</u>
Family	<i>Metacrangonyctidae</i> (Boutin & Missouli, 1988)	Species: <u>20</u>
Family	<i>Pontogeneiidae</i> (Stebbing, 1906)	Species: <u>177</u>
Infraorder	<i>Talitrida</i> (Rafinesque, 1815)	Species: 813
Superfamily	<i>Biancolinoidea</i> (J.L. Barnard, 1972)	Species: 8
Family	<i>Biancolinidae</i> (Barnard, 1972)	Species: <u>8</u>
Superfamily	<i>Caspicoloidea</i>	Species: 1
Family	<i>Caspicolidae</i> (Birstein, 1945)	Species: <u>1</u>
Superfamily	<i>Kurioidea</i> (Barnard, 1964)	Species: 2
Family	<i>Kuriidae</i> (Walker & Scott, 1903)	Species: <u>1</u>
Family	<i>Tulearidae</i> (Ledoyer, 1979)	Species: <u>1</u>
Superfamily	<i>Talitroidea</i> (Rafinesque, 1815)	Species: 802
Family	<i>Ceinidae</i> (J. L. Barnard, 1972)	Species: <u>24</u>
Family	<i>Chiltoniidae</i> (Barnard, 1972)	Species: <u>2</u>
Family	<i>Cressidae</i> (Stebbing, 1899)	Species:

		<u>14</u>
Family	<i>Dogielinotidae</i> (Gurjanova, 1953)	Species: <u>56</u>
Family	<i>Eophliantidae</i> (Sheard, 1936)	Species: <u>14</u>
Family	<i>Hyalellidae</i> (Gurjanova, 1953)	Species: <u>67</u>
Family	<i>Hyalidae</i> (Bulycheva, 1957)	Species: <u>224</u>
Family	<i>Lafystiidae</i> (Kräyer, 1842)	Species: <u>6</u>
Family	<i>Laphystiopsidae</i> (Stebbing, 1899)	Species: <u>10</u>
Family	<i>Lepechinellidae</i> (Schellenberg, 1926)	Species: <u>7</u>
Family	<i>Najnidae</i> (Barnard, 1972)	Species: <u>13</u>
Family	<i>Phliantidae</i> (Stebbing, 1899)	Species: <u>39</u>
Family	<i>Pleioplateidae</i> (Barnard, 1978)	Species: <u>2</u>
Family	<i>Talitridae</i> (Rafinesque, 1815)	Species: <u>322</u>
Family	<i>Temnophliantidae</i> (Griffiths, 1975)	Species: <u>2</u>
Family	<i>Sanchoidae</i> (Lowry, 2006)	Species: <u>2</u>
Family	<i>Crymostygidae</i> (Kristjánsson & Svavarsson, ...)	Species: <u>2</u>
Family	<i>Paraleptamphopiidae</i>	Species: <u>3</u>
Family	<i>Seborgiidae</i> (Holsinger, 1980)	Species: <u>2</u>

Taxonomy for Ampithoidae

Class	<i>Malacostraca</i> (Latreille, 1802) (Malacostracans) - <u>Systematics</u> <i>803 families, 9929 genera, 64202 species</i>
Subclass	<i>Eumalacostraca</i> (Grobber, 1892) <i>773 families, 7812 genera, 63529 species</i>
Superorder	<i>Peracarida</i> (Calman, 1904) <i>464 families, 4507 genera, 33542 species</i>
Order	<i>Amphipoda</i> (Latreille, 1816) (Amphipods) - <u>Systematics</u>

	242 <i>families</i> , 2206 <i>genera</i> , 14136 <i>species</i>	
Suborder	Senticaudata (Lowry & Myers, 2013) 115 <i>families</i> , 1020 <i>genera</i> , 7185 <i>species</i>	
Infraorder	Corophiida (Leach, 1814) 27 <i>families</i> , 316 <i>genera</i> , 2317 <i>species</i>	
Superfamily	Corophioidea (Myers & Lowry, 2003) 2 <i>families</i> , 58 <i>genera</i> , 553 <i>species</i>	
Family	Ampithoidae (J. L. Barnard, 1965) - <u>Systematics</u> 18 <i>genera</i> , 299 <i>species</i>	
Systematics of the Family Ampithoidae (J. L. Barnard, 1965)		
Family	<i>Ampithoidae</i> (J. L. Barnard, 1965)	Species: <u>299</u>
Subfamily	<i>Ampithoinae</i> (Boeck, 1871)	Species: 267
Genus	<i>Ampithoe</i> (Leach, 1814)	Species: 149
Genus	<i>Cymadusa</i> (Savigny, 1816)	Species: 56
Genus	<i>Grubia</i> (Czerniavsky, 1868)	Species: 6
Genus	<i>Paragrubia</i> (Chevreux, 1901)	Species: 12
Genus	<i>Peramphithoe</i> (Conlan & Bousfield, 1982)	Species: 19
Genus	<i>Plumithoe</i> (Barnard & Karaman, 1991)	Species: 9
Genus	<i>Pseudopleonexes</i> (Conlan, 1982)	Species: 5
Genus	<i>Sunamphithoe</i> (Bate, 1857)	Species: 11
Subfamily	<i>Exampithoinae</i> (Myers & Lowry, 2003)	Species: 7
Genus	<i>Exampithoe</i> (Barnard, 1925)	Species: 7
Genus	<i>Amphithoides</i> (Kossmann, 1880)	Species: 3
Genus	<i>Amphitholina</i> (Ruffo, 1953)	Species: 2
Genus	<i>Amphitoe</i> (Dana, 1852)	Species: 3
Genus	<i>Macropisthopus</i>	Species: 1
Genus	<i>Paradusa</i>	Species: 2
Genus	<i>Paramphithoe</i>	Species: 1
Genus	<i>Pleonexes</i> (Bate, 1856)	Species: 5
Genus	<i>Pseudamphithoides</i> (Ortiz, 1976)	Species: 2
Genus	<i>Pseudoamphithoides</i> (Ortiz, 1976)	Species: 2
Genus	<i>Sunamphithoe</i> (Bate, 1857)	Species: 4