

BAB 6

KESIMPULAN

6.1. Kesimpulan

Pendekatan RE untuk pembuatan Pola Kemasan di CV. AMK dalam penelitian ini berhasil dilakukan dengan baik, sehingga diperoleh 3D CAD model *fix*, 3D RP model cangklong, dan 3D RP pola kemasan sesuai dengan model fisik.

Waktu pembuatan pola kemasan dengan pendekatan RE terbukti lebih cepat dibandingkan metode manual (berkurang dari ± 6 hari menjadi ± 3 hari).

Hasil penelitian ini dapat digunakan bagi industri kecil menengah di Indonesia apabila ingin meningkatkan efisiensi produksi dengan menggunakan integrasi teknologi ini.

6.2. Saran

Perlu adanya pengabdian/penelitian antara mahasiswa dan dosen dengan industri kecil menengah di Indonesia untuk menciptakan kolaborasi teknologi ini sehingga proses produksi menjadi lebih efisien.

DAFTAR PUSTAKA

- Anggoro, P.W. 2015. Reverse engineering technology in redesign process ceramics: application for CNN plate. *Industrial Engineering and Service Science 2015, IESS 2015*. Universitas Atma Jaya Yogyakarta. Hal. 521-527.
- Li L, Schemenauer N, Peng X, Zeng Y, Gu P. 2002. A reverse engineering system for rapid manufacturing of complex objects. *Robotics and Computer-Integrated Manufacturing* 18. Hal. 53–67.
- K.W. Tam, K.W. Chan. 2007. Thermoforming mould design using a reverse engineering approach. *Robotics and Computer-Integrated Manufacturing* 23. Hal. 305–314.
- Oancea, Gh. et al. 2013. Computer aided reverse engineering system used for customized products. *Annals of MTeM for 2013 & Proceedings of the 11th International MTeM Conference*. Hal. 181-186.
- Hsiao SW, Chuang JC. 2003. A reverse engineering based approach for product form design. *Des Stud* 24. Hal. 155–71.
- Thompson WB, Owen JC, de St Germain HJ. 1999. Feature based reverse engineering of mechanical parts. *IEEE Trans Robotics Automat* 15. Hal. 57–66.
- Poldermann B, Horvath I. 1996. Surface design based on parameterized surface features. *Proceedings of first international symposium on tools and methods of competitive engineering*, Budapest, Hungary. Hal. 432–46.
- Fontana M, Giannini F, Meirana M. A free form feature taxonomy. 1999. *Comput Graph Forum* 18. Hal. 107–18.
- Baban, Marius et al. 2015. *A reverse engineering approach for the products development. Romanian Association of Nonconventional Technologies*. Hal. 12-17.
- Sujatmiko, Ivan, dkk. 2015. *Reverse engineering technology in redesign process ceramics: application for CNN plate*. Program Studi Teknik Industri, Fakultas Teknologi Industri, Universitas Atma Jaya Yogyakarta, Yogyakarta.

- Remmy, Andreas, dkk. 2017. Pendekatan *Reverse Engineering* dari 3D *Meshes* ke 3D CAD/CAM pada *Miranda Kerr Tea for One Teapot* di PT. Doulton. Program Studi Teknik Industri, Fakultas Teknologi Industri, Universitas Atma Jaya Yogyakarta, Yogyakarta.
- Groover, Mikell P. 2002. Fundamental of Modern Manufacturing. Materials, Processes, and systems. Hal. 302–305.
- Lopez, Clara I. et al. 2013. Comparison between two design methods implants, based on reverse engineering, design and engineering technologies, BIOCAN/CAD/CAE. *Universidad Industrial de Santander, Escuela de Diseño Industrial, Bucaramanga, Colombia*.
- Vinesh, R. & Kiran F.J. 2008. Reverse Engineering – An Industrial Perspective, Springer-Verlag, ISBN 978-1 -84628-855-5, London, UK.
- Majstorovic, V.; Trajanovic, V.; Vitkovic, N. & Stojkovic, M. 2013. Reverse engineering of human bones by using method of anatomical features. *CIRP Annals – Manufacturing Technology*. Volume 62, Issue 1, pp. 167–170, ISSN 0007-8506.
- Sokovic, M. & Kopac J. 2006. RE (reverse engineering) as necessary phase by rapid product development. *Journal of Materials Processing Technology*, Volume 175, Issues 1 –3, pp. 398– 403, ISSN 0924-0136.
- Panchal, P. 2013. *Computer Aided Reverse Engineering (CARE)-A Valuable Service.* <http://www.cnctimes.com/Reverseengineering.htm> yang diunggah pada tanggal 19 Februari 2017)
- Bagci, E., (2009) Reverse engineering applications for recovery of broken or worn parts and re-manufacturing: Three case studies. *Advances in Engineering Software*, Vol. 40, pp. 407–418, ISSN 0965-9978.