



Proceedings of
The 8th 2016
International Conference on
Information Technology and Electrical Engineering



ICITEE 2016

“Empowering Technology
for Better Future”

Eastparc Hotel, Yogyakarta
5 - 6 October 2016

Organized by:

 UGM
Indonesia

Co-Organized by:

 KMITL
Thailand

Technical Co-Sponsored by:

 IEEE
INDONESIA SECTION

Supported by:

 IEE PES
Power & Energy Society®

 PERTAMINA
HULU ENERGI

ICITEE 2016 Partners and Sponsors

Organized by



Universitas Gadjah Mada, Indonesia

Co-organized by



King Mongkut's Institute of Technology Ladkrabang, Thailand

Technically Co-Sponsored by



Supported by



Welcome Message from the General Chair

On behalf of the organizing committee, it is our pleasure to welcome you to Yogyakarta, Indonesia, for our annual conference. This is the 8th conference held by the Department of Electrical Engineering and Information Technology, Faculty of Engineering, Universitas Gadjah Mada. This year, the conference is differently called as Joint Conference 2016 as there will be three parallel conferences, including:

1. The 8th 2016 ICITEE (International Conference on Information Technology and Electrical Engineering)
2. The 1st 2016 IBIOMED (International Conference on Biomedical Engineering)
3. The 8th 2016 CITEE (National Conference on Information Technology and Electrical Engineering)

The theme of conference is Empowering Technology for Better Future, emphasizing on the research advancement for better human welfare, including information technology, communication and electrical engineering, and biomedical engineering. The conference aims to strengthen the collaboration and to provide a forum for academicians, professionals, and researchers to discuss and to exchange their research results, innovative ideas, and experiences in all aspects of intelligent and advanced technologies, as well as to identify emerging research topics and define the future directions to achieve sustainable development.

In addition, the conference committee has invited four keynote speakers, Professor Kazuhiko Hamamoto of Tokai University Japan, Professor Yasue Mitsukura of Keio University Japan, Professor Mauridhi Hery Purnomo of Institut Teknologi Sepuluh Nopember Indonesia, and Professor Soegijardjo Soegijoko of IEEE Indonesia EMB Chapter.

This conference is technically co-sponsored by IEEE Indonesia Section. Furthermore, the conference is supported by IEEE Indonesia PES Chapter, IEEE Indonesia EMB Chapter, Japan International Cooperation Agency (JICA), King Mongkut's Institute of Technology Ladkrabang Thailand, and PT. Pertamina Hulu Energi.

As a General Chair, I would like to take this opportunity to express my deep appreciation to the technical program committee and organizing committee members for their hard work and contribution throughout this conference. I would also like to thank authors, reviewers, all speakers, and session chairs for their support to Joint Conference 2016.

In addition to the outstanding scientific program, we hope that you will find time to explore Yogyakarta and the surrounding areas. Yogyakarta is city with numerous cultural heritages, natural beauty, and the taste of traditional Javanese cuisines, coupled with the friendliness of its people.

Lastly, I would like to welcome you to Joint Conference 2016 and wish you all an enjoyable stay in Yogyakarta.

Sincerely,

Dr. Sunu Wibrama
General Chair of Joint Conference 2016

Welcome Message from the TPC Chair

On behalf of the technical program committee (TPC), we warmly welcome you to The 8th 2016 International Conference on Information Technology and Electrical Engineering (ICITEE 2016) in the cultural city of Yogyakarta, Indonesia. The committee has organized exciting technical programs for ICITEE 2016 with conference theme of “Empowering Technology for Better Future.” As an annual international conference, ICITEE provides excellent platform to share innovative idea and experiences, exchange information, and explore collaboration among researchers, engineers, practitioners, and scholars in the field of information technology, communications, and electrical engineering.

All 189 submitted papers throughout the world went through a rigorous review process and each paper was evaluated by at least three independent reviewers in accordance with standard blind review process. Based on the results of the rigorous review process, 99 papers have been selected, which constitute the acceptance rate of 52.4%. These papers have been grouped into 6, ranging from the fields of information technology, communications, power systems, electronics, signal processing, and control systems. Besides those regular sessions, ICITEE 2016 also features world-class keynote/plenary speeches and distinguish-invited speakers that reflect the current research and development trends in the aforementioned fields.

We are deeply indebted to all of our TPC members as well as our reviewers, who volunteered a considerable amount of their time and expertise to ensure a fair, rigorous, and timely review process. Many thanks should be given to our keynote and invited speakers who will share their experience in this conference. Last but not least, our sincere gratitude should be given to all authors for submitting their work to ICITEE 2016, which has allowed us to assemble a high quality technical program. Welcome to Yogyakarta and hope you will enjoy a wonderful experience in this traditional city of Indonesia.

With best regards,

TPC Chair

Committees

Advisory Board Committee

Kazuhiko Hamamoto (Tokai University, Japan)
Yasue Mitsukura (Keio University, Japan)
Kuntpong Woraratpanya (KMITL, Thailand)
Chamboon Sathitwiriyawong (KMITL, Thailand)
Suharyanto (Universitas Gadjah Mada, Indonesia)
Hanung Adi Nugroho (Universitas Gadjah Mada, Indonesia)
Lukito Edi Nugroho (Universitas Gadjah Mada, Indonesia)
Noor Akhmad Setiawan (Universitas Gadjah Mada, Indonesia)
Anton Satria Prabuwono (Universiti Kebangsaan Malaysia, Malaysia)
Satriyo Dharmanto (IEEE Indonesia Section)

Organizing Committee

Sunu Wibrama (Universitas Gadjah Mada, Indonesia)
Adhistya Erna Permanasari (Universitas Gadjah Mada, Indonesia)
Igi Ardyianto (Universitas Gadjah Mada, Indonesia)
I Wayan Mustika (Universitas Gadjah Mada, Indonesia)
Ahmad Nasikun (Universitas Gadjah Mada, Indonesia)
F. Danang Wijaya (Universitas Gadjah Mada, Indonesia)
D. Dony Ariananda (Universitas Gadjah Mada, Indonesia)
Anugerah Galang Persada (Universitas Gadjah Mada, Indonesia)
Warsun Najib (Universitas Gadjah Mada, Indonesia)
Iswandi (Universitas Gadjah Mada, Indonesia)
Prapto Nugroho (Universitas Gadjah Mada, Indonesia)
Eny Sukani Rahayu (Universitas Gadjah Mada, Indonesia)
Yusuf Susilo Wijoyo (Universitas Gadjah Mada, Indonesia)
Adha Imam Cahyadi (Universitas Gadjah Mada, Indonesia)
Silmi Fauziati (Universitas Gadjah Mada, Indonesia)
Avrin Nur Widiaستuti (Universitas Gadjah Mada, Indonesia)
Addin Suwastono (Universitas Gadjah Mada, Indonesia)
Indria Purnamasari (Universitas Gadjah Mada, Indonesia)
Cahyo Tri Wibowo (Universitas Gadjah Mada, Indonesia)
Yaenuri (Universitas Gadjah Mada, Indonesia)
Sri Muryani (Universitas Gadjah Mada, Indonesia)
Suyanto (Universitas Gadjah Mada, Indonesia)
Nanang Dani Widjantoro (Universitas Gadjah Mada, Indonesia)
Lilik Suyanti (Universitas Gadjah Mada, Indonesia)
Rudy Prayitno (Universitas Gadjah Mada, Indonesia)
Nawang Siwi (Universitas Gadjah Mada, Indonesia)

Technical Program Committee

Andy Warner (Google, USA)
Agus Bejo (Universitas Gadjah Mada, Indonesia)
Anto S. Nugroho (Agency for the Assessment and Application of Technology, Indonesia)
Dani Adhipta (Universitas Gadjah Mada, Indonesia)
Marco Aiello (University of Groningen, Netherlands)
Husni R. Ali (Imperial College London, United Kingdom)
Khoirul Anwar (Telkom University, Indonesia)
Wayan Ariastina (Udayana University, Indonesia)
Dhany Arifianto (Institut Teknologi Sepuluh Nopember, Indonesia)
Nopporn Chotikakamthorn (King Mongkut's Institute of Technology Ladkrabang, Thailand)
Taufik Djatna (Bogor Agricultural University, Indonesia)

Maulahikmah Galinium (Swiss German University, Indonesia)
Mustansar Ghazanfar (University of Southampton, United Kingdom)
Ida Giriantari (Udayana University, Indonesia)
Rudy Hartanto (Universitas Gadjah Mada, Indonesia)
T. Haryono (Universitas Gadjah Mada, Indonesia)
Kazunori Hayashi (Kyoto University, Japan)
Indriana Hidayah (Universitas Gadjah Mada, Indonesia)
Mamiko Inamori (Tokai University, Japan)
Haruichi Kanaya (Kyushu University, Japan)
Umar Khayam (Institut Teknologi Bandung, Indonesia)
Satya Kumara (Udayana University, Indonesia)
Yoshimitsu Kuroki (National Institute of Technology, Kurume College, Japan)
Teerapong Leelanupab (King Mongkut's Institute of Technology Ladkrabang, Thailand)
Hidekazu Murata (Kyoto University, Japan)
Eiji Okamoto (Nagoya Institute of Technology, Japan)
Sooksan Panichpapiboon (King Mongkut's Institute of Technology Ladkrabang, Thailand)
Kitsuchart Pasupa (King Mongkut's Institute of Technology Ladkrabang, Thailand)
Wanchalerm Pora (Chulalongkorn University, Thailand)
Esa Prakasa (Indonesian Institute of Sciences, Indonesia)
Ardyono Priyadi (Institut Teknologi Sepuluh Nopember, Indonesia)
Mauridhi H. Purnomo (Institut Teknologi Sepuluh Nopember, Indonesia)
Lesnanto M. Putranto (Hokkaido University, Japan)
Jaziar Radianti (University of Agder, Center of Integrated Emergency Management, Norway)
Sunisa Rimcharoen (Burapha University, Thailand)
Azkario Rizky P (Universitas Gadjah Mada, Indonesia)
Wimol San-Um (Thai-Nichi Institute of Technology, Thailand)
Chalermsub Sangkavichitr (King Mongkut's University of Technology Thonburi, Thailand)
Rohana Sapawi (Universiti Malaysia Sarawak, Malaysia)
Chanboon Sathitwiriyawong (King Mongkut's Institute of Technology Ladkrabang, Thailand)
Iwan Setyawan (Satya Wacana Christian University, Indonesia)
Joko Siswantoro (Universitas Surabaya, Indonesia)
Selo Sulistyo (Universitas Gadjah Mada, Indonesia)
Boonprasert Surakratanasakul (King Mongkut's Institute of Technology Ladkrabang, Thailand)
Addy Wahyudie (UAE University, UAE)
Yoshikazu Washizawa (The University of Electro-Communications, Japan)
Gunawan Wibisono (University of Indonesia, Indonesia)
Widyawan (Universitas Gadjah Mada, Indonesia)
Mohd. Asraf Ahmad (Universiti Malaysia Pahang, Malaysia)
Koji Yamamoto (Kyoto University, Japan)
I Made Yulistyia Negara (Institut Teknologi Sepuluh Nopember, Indonesia)
I Putu Agung Bayupati (Udayana University, Indonesia)
Salah Benbrahim (Ecole Polytechnique, France)
Firmansyah N. Budiman (Universitas Islam Indonesia, Indonesia)
Dhomas H. Fudholi (La Trobe University, Australia)
Azwirman Gusrialdi (University of Central Florida)
Fakhriy Hario (Universitas Brawijaya, Indonesia)
Herianto (Universitas Gadjah Mada, Indonesia)
Roni Irmawan (Aalborg University, Denmark)
Lila I. Izhar (Universiti Teknologi Petronas, Malaysia)
Kurnianingsih (Universitas Gadjah Mada, Indonesia)
Edi Kurniawan (Indonesian Institute of Sciences, Indonesia)

Aina Musdholifah (Universitas Gadjah Mada, Indonesia)
Ponrudee Netisopakul (King Mongkut's Institute of Technology Ladkrabang, Thailand)
Natapon Pantuwong (King Mongkut's Institute of Technology Ladkrabang, Thailand)
Reza Pulungan (Universitas Gadjah Mada, Indonesia)
Agfianto Putra (Universitas Gadjah Mada, Indonesia)
Gusti Putri (Universitas Gadjah Mada, Indonesia)
Adian Rochim (Diponegoro University, Indonesia)
Saiyan Saiyod (Khon Kaen University, Thailand)
Muhammad Saputra (University of Oxford, United Kingdom)
Ibrahim Shapiae (Malaysia-Japan International Institute of Technology, Malaysia)
Ivanna Timotius (Satya Wacana Christian University, Indonesia)
Yingjie Wang (Shanghai Jiaotong University, China)
Awang Wardana (Universitas Gadjah Mada, Indonesia)
Rony Wibowo (Institut Teknologi Sepuluh Nopember, Indonesia)
Heroe Wijanto (Telkom University, Indonesia)
Teguh B. Adji (Universitas Gadjah Mada, Indonesia)
Areeya Aeimbhu (Srinakharinwirot University, Thailand)
Khairul Anam (University of Jember, Indonesia)

Ekkarat Boonchieng (Chiang Mai University, Thailand)
Ibrahima Faye (Universiti Teknologi Petronas, Malaysia)
Ridi Ferdiana (Universitas Gadjah Mada, Indonesia)
Ahnaf Hassan (Bangladesh University of Engineering and Technology, Bangladesh)
Afia Hayati (Universitas Gadjah Mada, Indonesia)
Adhika Widayaparaga (Universitas Gadjah Mada, Indonesia)
Keiji Iramina (Kyushu University, Japan)
Suparerk Janjarasjitt (Ubon Ratchathani University, Thailand)
Vahid Khalilzad-Sharghi (Medical Imaging Solutions, USA)
Boriphat Methachan (National Metal and Materials Technology Center, Thailand)
M. Mitrayana (Universitas Gadjah Mada, Indonesia)
Izzati Muhammah (Universitas Islam Indonesia, Indonesia)
Hermawan Nugroho (SEGi University, Malaysia)
Alongkorn Pimpin (Chulalongkorn University, Thailand)
Surapong Pongyupinpanich (Ramkhamhaeng University, Thailand)
Surahyo Sumarsono (Universitas Gadjah Mada, Indonesia)
Weerasak Ussawawongraya (King Mongkut's University of Technology North Bangkok, Thailand)



Table of Contents

Plenary Sessions

Key #1	Limitless Possibilities of Pervasive Computing on Biomedical Engineering	3
	Prof. Dr. Mauridhi Hery Purnomo (Institut Teknologi Sepuluh Nopember, Indonesia)	
Key #2	KANSEI Detection and its Application Using a Simple EEG Device	4
	Prof. Dr. Yasue Mitsukura (Keio University, Japan)	
Key #3	e-Health System Developments for Developing Countries: Integrated Activities in Research – Education and Community Services	5
	Prof. Dr. Soegijardjo Soejjoko (IEEE Indonesia EMB Chapter)	
Key #4	Study on a Computer Assisted Diagnostic Support System for Teeth Conditions	6
	Prof. Dr. Kazuhiko Hamamoto (Tokai University, Japan)	

Technical Sessions

Track 1: Control Systems

CS-1-1	Improved One-Cycle Controlled Buck Converter using Type-III Compensator	9
	Fajar Budi Utomo (Indonesian Institute of Sciences, Indonesia); Irwan Purnama (Indonesian Institute of Sciences, Indonesia); Pei Chin-Chi (National Taiwan University of Science and Technology, Taiwan); Huang-Jen Chiu (National Taiwan University of Science and Technology, Taiwan)	
CS-1-2	SOC Estimation for Li-Ion Battery Using Optimum RLS Method Based on Genetic Algorithm	14
	Latif Rozaqi (Indonesian Institute of Sciences, Indonesia); Estiko Rijanto (Indonesian Institute of Sciences, Indonesia)	
CS-1-3	Mathematical and Physical Modelling with Dynamic Change in the Center of Gravity of Quadrotor	18
	Mochammad Ariyanto (Diponegoro University, Indonesia); Muna (Diponegoro University, Indonesia); Paryanto (Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany); Tomohide Naniwa (University of Fukui, Japan)	
CS-1-4	Trajectory and Altitude Controls For Autonomous Hover of a Quadrotor Based on Fuzzy Algorithm	24
	Iswanto (Universitas Gadjah Mada, Indonesia); Oyas Wahyunggoro (Universitas Gadjah Mada, Indonesia); Adha Imam Cahyadi (Universitas Gadjah Mada, Indonesia)	
CS-1-5	Rotary Sensor System for Imaging Improvement in Electrical Capacitance Volume Tomography	30
	Rohmadi (Universitas Indonesia, Indonesia); Prawito (Universitas Indonesia, Indonesia); Almushfi Saputra (CTECH Labs Edwar Technology, Indonesia); Wahyu Widada (CTECH Labs Edwar Technology, Indonesia); Warsito P. Taruno (CTECH Labs Edwar Technology, Indonesia)	
CS-2-1	Designing and Implementation of Autonomous Hexarotor as Unmanned Aerial Vehicle	35
	Felix Yustian Setiono (Soegijapranata Catholic University, Indonesia); Anthony Candrasaputra (Soegijapranata Catholic University, Indonesia); Tobias Bimo Prasetyo (Soegijapranata Catholic University, Indonesia); Kho Lukas Budi Santoso (Soegijapranata Catholic University, Indonesia)	

CS-2-2	Optimal Bottomhole Pressure Control on Oil Well Production Using PID-Linear Hybrid Control on Electric Submersible Pump	40
	Priyatmadi Sardjono (Universitas Gadjah Mada, Indonesia); Muhammad Nur Wangsa Saputra (Schlumberger)	
CS-2-3	On-Board Real-Time State-of-Charge Estimators of Hybrid Electric Vehicles Ni-MH Battery	46
	Nicolae Tudoroiu (John Abbott College, Canada); Liana Elefterie (Spiru Haret University of Bucharest, Romania); Dumitru Burdescu (University of Craiova, Romania); Elena-Roxana Tudoroiu (University of Petrosani, Romania); Wilhelm Kecs (University of Petrosani, Romania); Maria Dobroiu (University of Petrosani, Romania); Nicolae Ilias (University of Petrosani, Romania); Valentin Stelian Casavela (University of Petrosani, Romania)	
CS-2-4	Quadrotor Proportional-Derivative Stabilization on SO(3) with Disturbance Compensation	52
	Andreas P. Sandiwan (Universitas Gadjah Mada, Indonesia); Adha Cahyadi (Universitas Gadjah Mada, Indonesia); Samiadji Herdjunkanto (Universitas Gadjah Mada, Indonesia)	
CS-2-5	Actuator Fault Signal Isolation of an Unmanned Aerial Vehicle (UAV) Quadrotor Based on Detection Filter	58
	Samiadji Herdjunkanto (Universitas Gadjah Mada, Indonesia)	

Track 2: Communication Technology

CT-1-1	A Study of the Neighbor Unreachability Detection Mechanism to Improve Performance of RPL Protocol	67
	Lapas Pradittasnee (King Mongkut's Institute of Technology Ladkrabang, Thailand)	
CT-1-2	Performance Evaluation of DTN Protocols for Vehicular Network by Variations in Buffer Size	73
	Afdhil Hafid (Universitas Gadjah Mada, Indonesia); Selo Sulistyo (Universitas Gadjah Mada, Indonesia); Agus Urip Ari Wibowo (Universitas Gadjah Mada, Indonesia); I Wayan Mustika (Universitas Gadjah Mada, Indonesia)	
CT-1-3	Cross-Layer Design for Video Transmission in Wireless Multimedia Sensor Networks	78
	Emansa Hasri Putra (Universitas Gadjah Mada, Indonesia); Risanuri Hidayat (Universitas Gadjah Mada, Indonesia); Widyan (Universitas Gadjah Mada, Indonesia); I Wayan Mustika (Universitas Gadjah Mada, Indonesia)	
CT-1-4	Performance Analysis on Gain Prediction of Dual-Radio Aggregation System in Heterogeneous Network	84
	Yuris Mulya Saputra (Universitas Gadjah Mada, Indonesia); Rifqy Hakimi (Institut Teknologi Bandung, Indonesia)	
CT-1-5	A Comparative Study on Centralized and Distributed Power Control in Cognitive Femtocell Network	90
	Anggun Fitrian Isnawati (Universitas Gadjah Mada, Indonesia); Risanuri Hidayat (Universitas Gadjah Mada, Indonesia); Selo Sulistyo (Universitas Gadjah Mada, Indonesia); I Wayan Mustika (Universitas Gadjah Mada, Indonesia)	
CT-2-1	A Survey on Trust in Internet of Things	96
	Vera Suryani (Universitas Gadjah Mada, Indonesia); Selo (Universitas Gadjah Mada, Indonesia); Widyan (Universitas Gadjah Mada, Indonesia)	
CT-2-2	Energy-Aware Optimal Clustering in Wireless Sensor Network Using Integer/Linear Programming	102
	Zahra Eskandari (Quchan University of Advanced Technology, Iran); Seyed Amin Hosseini Seno (Ferdowsi University of Mashhad, Iran); Deris Stiawan (Universitas Sriwijaya, Indonesia); Bedine Kerim (Albaha University, Saudi Arabia); Rahmat Budiarto (Albaha University, Saudi Arabia)	

CT-2-3	Overhead Reduction of Location-Aided Gateway Discovery Protocols	106
	Thananop Thongthavorn (King Mongkut's Institute of Technology Ladkrabang, Thailand); Worrawat Narongkhachavana (King Mongkut's Institute of Technology Ladkrabang, Thailand); Sumet Prabhavat (King Mongkut's Institute of Technology Ladkrabang, Thailand)	
CT-2-4	Cluster-Based PLE Areas for Mobile Cooperative Localization in Indoor Wireless Sensor Network	112
	Rafina Destiarti A. (Electronics Engineering Polytechnic Institute of Surabaya, Indonesia); Prima Kristalina (Electronics Engineering Polytechnic Institute of Surabaya, Indonesia); Amang Sudarsono (Electronics Engineering Polytechnic Institute of Surabaya, Indonesia)	
CT-2-5	The Improving Decryption Process of RSA by Choosing New Private Key	118
	Kritsanapong Somsuk (Udon Thani Rajabhat University, Thailand)	

Track 3: Electronics

EL-1-1	Determination of Banana Sugar Content Using Ultrasound Velocity Measurement	125
	M. Azfar Din (Universiti Teknologi MARA, Malaysia); M.H. Abdul Halim (Universiti Teknologi MARA, Malaysia); Norlida Buniyamin (Universiti Teknologi MARA, Malaysia)	
EL-1-2	A Compact 128-bits Symmetric Cryptography Hardware Module	130
	Otávio de Souza Martins Gomes (Instituto Federal de Minas Gerais, Brazil); Robson Luiz Moreno (Universidade Federal de Itajubá, Brazil)	
EL-1-3	Design of Concave Capacitance Sensor for Void Fraction Measurement in Gas-Liquid Flow	135
	Lam Ghai Lim (Universiti Teknologi PETRONAS, Malaysia); Tong Boon Tang (Universiti Teknologi PETRONAS, Malaysia)	

Track 4: Information Technology

IT-1-1	Optimized A-Star Algorithm in Hexagon-Based Environment using Parallel Bidirectional Search	143
	Pratyaksa Ocsa Nugraha Saian (Universitas Atma Jaya Yogyakarta, Indonesia); Suyoto (Universitas Atma Jaya Yogyakarta, Indonesia); Pranowo (Universitas Atma Jaya Yogyakarta, Indonesia)	
IT-1-2	2FMA-NetBank: A Proposed Two Factor and Mutual Authentication Scheme for Efficient and Secure Internet Banking	148
	Andreyanto Pratama (National Crypto Institute, Indonesia); Edit Prima (National Crypto Institute, Indonesia)	
IT-1-3	I Forex Trend Prediction Technique Using Multiple Indicators and Multiple Pairs Correlations DSS: A Software Design	152
	Ardiana Rangga Pradana Putra (Universitas Gadjah Mada, Indonesia); Adhistya Erna Permanasari (Universitas Gadjah Mada, Indonesia); Silmi Fauziati (Universitas Gadjah Mada, Indonesia)	
IT-1-4	Handwriting Rearrangement for Thai Calligraphy	157
	Karun Tonmaithong (King Mongkut's Institute of Technology Ladkrabang, Thailand); Supawan Annanab (King Mongkut's Institute of Technology Ladkrabang, Thailand); Nopporn Chotikakamthorn (King Mongkut's Institute of Technology Ladkrabang, Thailand)	
IT-1-5	Study of Raspberry Pi 2 Quad-core Cortex-A7 CPU Cluster as a Mini Supercomputer	161
	Abdurrachman Mappuji (Universitas Gadjah Mada, Indonesia); Nazrul Effendy (Universitas Gadjah Mada, Indonesia); Muhamad Mustaghfirin (Universitas Gadjah Mada, Indonesia); Fandy Sondok (Universitas Gadjah Mada, Indonesia); Rara Priska Yuniar (Universitas Gadjah Mada, Indonesia); Sheptiani Putri Pangesti (Universitas Gadjah Mada, Indonesia)	

IT-2-1	Real-time Traffic Classification with Twitter Data Mining	165
	Dwi Aji Kurniawan (Universitas Gadjah Mada, Indonesia); Sunu Wibirama (Universitas Gadjah Mada, Indonesia); Noor Akhmad Setiawan (Universitas Gadjah Mada, Indonesia)	
IT-2-2	Framework Transformation for Local Information on Artificial Potential Field Path Planning	170
	Hendri Himawan Triharminto (Universitas Gadjah Mada, Indonesia); Oyas Wahyunggoro (Universitas Gadjah Mada, Indonesia); Teguh Bharata Adji (Universitas Gadjah Mada, Indonesia); Adha Imam Cahyadi (Universitas Gadjah Mada, Indonesia)	
IT-2-3	An Unsupervised Approach for Traffic Sign Recognition Based on Bag-of-Visual-Words	176
	Catur Supriyanto (Dian Nuswantoro University, Indonesia); Ardytha Luthfiarta (Dian Nuswantoro University, Indonesia); Junta Zeniarja (Dian Nuswantoro University, Indonesia)	
IT-2-4	Texture Analysis Assessment for Images	180
	Taravichet Titijaroonroj (King Mongkut's Institute of Technology Ladkrabang, Thailand); Yothin Kaewaramsri (King Mongkut's Institute of Technology Ladkrabang, Thailand); Ungsumalee Suttapakti (King Mongkut's Institute of Technology Ladkrabang, Thailand); Kuntpong Woraratpanya (King Mongkut's Institute of Technology Ladkrabang, Thailand); Yoshimitsu Kuroki (National Institute of Technology, Kurume College, Japan)	
IT-2-5	Key Generation Algorithm Design Combination of RSA and ElGamal Algorithm	186
	Ni Made Satvika Iswari (Universitas Multimedia Nusantara, Indonesia)	
IT-3-1	Social Commerce Credibility Analysis	191
	Keeta Kraichit (King Mongkut's Institute of Technology Ladkrabang, Thailand); Jantharat Amarittakul (King Mongkut's Institute of Technology Ladkrabang, Thailand); Ponrudee Netisopakul (King Mongkut's Institute of Technology Ladkrabang, Thailand); Bundit Thanasopon (King Mongkut's Institute of Technology Ladkrabang, Thailand)	
IT-3-2	Forecasting Option Price by GARCH Model	196
	Navaches Jiratumpradub (King Mongkut's University of Technology North Bangkok, Thailand); Walailuck Chavanasporn (King Mongkut's University of Technology North Bangkok, Thailand)	
IT-3-3	Design and Implementation of Virtual Class Box 5.0 for Distance Learning in Rural Areas	201
	Joshua Nainggolan (Institut Teknologi Bandung, Indonesia); Garrysen Christian (Institut Teknologi Bandung, Indonesia); Kevin Adari (Institut Teknologi Bandung, Indonesia); Yoanes Bandung (Institut Teknologi Bandung, Indonesia); Kusprasapta Mutijarsa (Institut Teknologi Bandung, Indonesia); Luki B. Subekti (Institut Teknologi Bandung, Indonesia)	
IT-3-4	Design and Implementation of Cakra Wahana Paksa, A Collaborative Whiteboard Application Based On WebSocket Technology for Distance Learning	207
	Muhammad F. Adianto (Institut Teknologi Bandung, Indonesia); Muhamad Ilham (Institut Teknologi Bandung, Indonesia); Arief K. Miharja (Institut Teknologi Bandung, Indonesia); Yoanes Bandung (Institut Teknologi Bandung, Indonesia); Luki B. Subekti (Institut Teknologi Bandung, Indonesia)	
IT-3-5	Investigation of Visual Attention in Day-Night Driving Simulator during Cybersickness Occurrence	213
	Muhammad Bahit (Universitas Gadjah Mada, Indonesia); Sunu Wibirama (Universitas Gadjah Mada, Indonesia); Hanung A. Nugroho (Universitas Gadjah Mada, Indonesia); Titis Wijayanto (Universitas Gadjah Mada, Indonesia); Mumtaz N. Winadi (Universitas Gadjah Mada, Indonesia)	
IT-4-1	Development and Evaluation of A Low Cost Music Based Exergame Using Microsoft Kinect	217
	Ricky Julianjatsono (Universitas Gadjah Mada, Indonesia); Ridi Ferdiana (Universitas Gadjah Mada, Indonesia); Rudy Hartanto (Universitas Gadjah Mada, Indonesia)	

IT-4-2	Interactive Topography Simulation Sandbox for Geography Learning Course	221
	Natapon Pantuwong (King Mongkut's Institute of Technology Ladkrabang, Thailand); Napat Chutchomchuen (King Mongkut's Institute of Technology Ladkrabang, Thailand); Patphimon Wacharawisoot (King Mongkut's Institute of Technology Ladkrabang, Thailand)	
IT-4-3	A Tangible Interface for 3D Character Animation Using Augmented Reality Technology	225
	Natapon Pantuwong (King Mongkut's Institute of Technology Ladkrabang, Thailand)	
IT-4-4	Design Architecture Enterprise Service Bus to Support Multi-Tenant Client and Resource Provider	231
	Taufik Sulaeman (Institut Teknologi Bandung, Indonesia); Albarda (Institut Teknologi Bandung, Indonesia)	
IT-4-5	Modeling the Flow Experience for Personalized Context Aware E-learning	236
	Dadang Syarif Sihabudin Sahid (Universitas Gadjah Mada, Indonesia); Lukito Edi Nugroho (Universitas Gadjah Mada, Indonesia); Paulus Insap Santosa (Universitas Gadjah Mada, Indonesia)	
IT-5-1	Smartway: A Predictive Model for Traffic Management Decision	242
	Sayuri Egaravanda (Universitas Gadjah Mada, Indonesia); Lukito Edi Nugroho (Universitas Gadjah Mada, Indonesia); Teguh Bharata Adji (Universitas Gadjah Mada, Indonesia); Widyanan (Universitas Gadjah Mada, Indonesia); Ahmad Munawar (Universitas Gadjah Mada, Indonesia)	
IT-5-2	Hybrid Decision Tree and Logistic Regression Classifier for Email Spam Detection	247
	Adi Wijaya (Mohammad Husni Thamrin University, Indonesia); Achmad Bisri (Pamulang University, Indonesia)	
IT-5-3	Implementation AES with Digital Signature for Secure Web-based Electronic Archive	251
	Tofan Hermawan (National Crypto Institute, Indonesia); Rini Wisnu Wardhani (National Crypto Institute, Indonesia)	
IT-5-4	Data Mining Approach for User Profile Generation on Advertisement Serving	257
	Wisely Liu Dennis (Swiss German University, Indonesia); Alva Erwin (Swiss German University, Indonesia); Maulahikmah Galinium (Swiss German University, Indonesia)	
IT-5-5	Performance Analysis of Objective Function MRHOF and OF0 in Routing Protocol RPL IPV6 Over Low Power Wireless Personal Area Networks (6LoWPAN)	263
	Nurrahmat Pradeska (Universitas Gadjah Mada, Indonesia); Widyanan (Universitas Gadjah Mada, Indonesia); Warsun Najib (Universitas Gadjah Mada, Indonesia); Sri Suning Kusumawardani (Universitas Gadjah Mada, Indonesia)	
IT-6-1	Anomaly Detection and Monitoring in Internet of Things Communication	269
	Deris Stiawan (Sriwijaya University, Indonesia); Mohd. Yazid Idris (Universiti Teknologi Malaysia, Malaysia); Reza Firsandaya Malik (Sriwijaya University, Indonesia); Siti Nurmaini (Sriwijaya University, Indonesia); Rahmat Budiarto (Albaha University, Saudi Arabia)	
IT-6-2	Metadata Development for Ethnophytomedicine Resources Using Metadata Analysis Approach	273
	Handrie Noprisson (Universitas Indonesia, Indonesia); Dana Indra Sensuse (Universitas Indonesia, Indonesia); Yudho Giri Sucahyo (Universitas Indonesia, Indonesia); Lukman (Indonesian Institute of Science, Indonesia)	
IT-6-3	Frequent Itemsets Mining Using Random Walks for Record Insertion and Deletion	279
	Panita Thusaranon (King Mongkut's Institute of Technology Ladkrabang, Thailand); Worapoj Kreesuradej (King Mongkut's Institute of Technology Ladkrabang, Thailand)	
IT-6-4	Choosing Industrial Wireless Sensor by Using Analytic Hierarchy Process	285
	Saksiri Meesawad (King Mongkut's Institute of Technology Ladkrabang, Thailand); Sumet Prapawat (King Mongkut's Institute of Technology Ladkrabang, Thailand); Olarn Wongwirat (King Mongkut's Institute of Technology Ladkrabang, Thailand)	

IT-6-5	Toward SCORM Generating Based on Semantic Representation of Knowledge Organizer	290
	Istiadi (Widyagama University of Malang, Indonesia); Lukito Edi Nugroho (Universitas Gadjah Mada, Indonesia), Paulus Insap Santosa (Universitas Gadjah Mada, Indonesia)	

Track 5: Power Systems

PS-1-1	Analytical Design and Optimization of Flat-Quasi Linear Generator for Sea Wave Power Plant in South Java Ocean	297
	F. Danang Wijaya (Universitas Gadjah Mada, Indonesia); Budi Azhari (Universitas Gadjah Mada, Indonesia)	
PS-1-2	Dynamic Response Of Maximum Power Point Tracking Using Particle Swarm Optimization For Wind Energy Conversion System	303
	Kukuh Daud Pribadi (Universitas Gadjah Mada, Indonesia); F. Danang Wijaya (Universitas Gadjah Mada, Indonesia); Sarjiya (Universitas Gadjah Mada, Indonesia)	
PS-1-3	Performance of Microgrid with Photovoltaic, Synchronous Generator and Induction Generator Power Sources	309
	Wahyu Apriliyanto (Universitas Gadjah Mada, Indonesia); F. Danang Wijaya (Universitas Gadjah Mada, Indonesia); Eka Firmansyah (Universitas Gadjah Mada, Indonesia)	
PS-1-4	Optimal Capacity and Placement of Distributed Generation Using Metaheuristic Optimization Algorithm to Reduce Power Losses in Bantul Distribution System, Yogyakarta	315
	Syahrial Shaddiq (Universitas Gadjah Mada, Indonesia); Dian Budhi Santoso (Universitas Gadjah Mada, Indonesia); Fikriyan Fajar Alfarobi (Universitas Muhamadiyah Yogyakarta, Indonesia); Sarjiya (Universitas Gadjah Mada, Indonesia); Sasongko Pramono Hadi (Universitas Gadjah Mada, Indonesia)	
PS-1-5	Comparison of Two High Frequency Transformer Designs to Achieve Zero Voltage Switching in a 311/100 v 1 kW Phase-Shifted Full-Bridge DC-DC Converter	320
	Toni (Universitas Gadjah Mada, Indonesia); F. Danang Wijaya (Universitas Gadjah Mada, Indonesia); Eka Firmansyah (Universitas Gadjah Mada, Indonesia)	
PS-2-1	Current Control and Protection of Block Commutated for 3 Phase Inverter BLDC Motor	325
	Ridwan Wicaksono (Universitas Gadjah Mada, Indonesia); Eka Firmansyah (Universitas Gadjah Mada, Indonesia); Muhammad Isnaeni BS (Universitas Gadjah Mada, Indonesia)	
PS-2-2	Comparison of Three Popular PLL Schemes under Balanced and Unbalanced Grid Voltage Conditions	331
	Iwan Setiawan (Diponegoro University, Indonesia); Mochammad Facta (Diponegoro University, Indonesia); Ardyono Priyadi (Institut Teknologi Sepuluh Nopember, Indonesia); Mauridhi Hery Purnomo (Institut Teknologi Sepuluh Nopember, Indonesia)	
PS-2-3	Comparison of Linear Flux Permanent Magnet Generator Topologies by Using FEMM 2D	337
	Leontius Dwi Mesantono (Universitas Gadjah Mada, Indonesia); Francisco Danang Wijaya (Universitas Gadjah Mada, Indonesia); Tarcisius Haryono (Universitas Gadjah Mada, Indonesia)	
PS-2-4	Modified Electrical Controller Structure of Doubly-Fed Induction Generator (DFIG) in Grid Connected Wind Power Plant	342
	Irfan Joyokusumo (Universitas Gadjah Mada, Indonesia); Sasongko P.H. (Universitas Gadjah Mada, Indonesia); M. Isnaeni B.S. (Universitas Gadjah Mada, Indonesia)	
PS-2-5	Modified Flower Pollination Algorithm for Nonsmooth and Multiple Fuel Options Economic Dispatch	346
	Sarjiya (Universitas Gadjah Mada, Indonesia); Pradipta Hafiza Putra (Universitas Gadjah Mada, Indonesia); Toga Ardian Saputra (Universitas Gadjah Mada, Indonesia)	

PS-3-1	Investigation on the Zero Speed Sensorless Capability of 9-Slot 8-Pole with Asymmetrical-Winding PM Brushless DC Motor	351
	Alfi Satria (Institut Teknologi Bandung, Indonesia); Andri Setiyoso (Institut Teknologi Bandung, Indonesia); Tri Desmana Rachmildha (Institut Teknologi Bandung, Indonesia); Agus Purwadi (Institut Teknologi Bandung, Indonesia); Yanuarsyah Haroen (Institut Teknologi Bandung, Indonesia)	
PS-3-2	Field Data Accuracy Analysis of Phasor Measurement Unit Application	357
	Buyung Sofiarto Munir (Bina Nusantara University, Indonesia); Agung Triseyarso (Bina Nusantara University, Indonesia)	
PS-3-3	Reactive Power Optimization of Distributed Generation for Voltage Regulation of Distribution Systems	361
	Jimmy Trio Putra (Universitas Gadjah Mada, Indonesia); Sarjiya (Universitas Gadjah Mada, Indonesia)	
PS-3-4	Effect of Characteristic Signal Disturbance to Mitigate Conducted EMI Towards LED Luminance	367
	Mohammad Yanuar Hariyawan (Universitas Gadjah Mada, Indonesia); Risanuri Hidayat (Universitas Gadjah Mada, Indonesia); Eka Firmansyah (Universitas Gadjah Mada, Indonesia)	

Track 6: Signal Processings

SP-1-1	Construction of Comfort Evaluation System for Streetscape Improvement Using Electroencephalogram	375
	Sunao Yamaguchi (Keio University, Japan); Yasue Mitsukura (Keio University, Japan)	
SP-1-2	Visualization of Happiness Elicited Taking a Food Using Near Infra-red Spectroscopy	380
	Maoka Endo (Keio University, Japan); Suguru Kanoga (Keio University, Japan); Yasue Mitsukura (Keio University, Japan)	
SP-1-3	Feature Scaling for EEG Human Concentration using Particle Swarm Optimization	384
	Koh Guan Li (Universiti Teknologi Malaysia Kuala Lumpur, Malaysia); Mohd Ibrahim Shapiah (Universiti Teknologi Malaysia Kuala Lumpur, Malaysia); Asrul Adam (University of Malaya, Malaysia); Zuwairie Ibrahim (Universiti Malaysia Pahang, Malaysia)	
SP-1-4	A Comparison between Shallow and Deep Architecture Classifiers on Small Dataset	390
	Kitsuchart Pasupa (King Mongkut's Institute of Technology Ladkrabang, Thailand); Wisuwat Sunhem (King Mongkut's Institute of Technology Ladkrabang, Thailand)	
SP-1-5	q-Gaussian Activation Function Circular Extreme Learning Machine for Classification Problems	396
	Sarutte Atsawaraungsuk (Udon Thani Rajabhat University, Thailand)	
SP-2-1	Color Clustering and Learning for Image Segmentation based on Immune Mechanism	401
	Wittaya Sitthivet (King Mongkut's Institute of Technology Ladkrabang, Thailand); Suripon Somkuarnpanit (King Mongkut's Institute of Technology Ladkrabang, Thailand); Kittipaihoonwattanakij (King Mongkut's Institute of Technology Ladkrabang, Thailand)	
SP-2-2	EEG-Based Microsleep Detector using Microcontroller	405
	Agianto Eko Putra (Universitas Gadjah Mada, Indonesia); Catur Atmaji (Universitas Gadjah Mada, Indonesia); Tifani Galuh Utami (Universitas Gadjah Mada, Indonesia)	
SP-2-3	Bearing Faults Analysis Using Modified ANFIS Architecture in AC Motors Implementation	409
	Fenty Pandansari (Universitas Gadjah Mada, Indonesia); Oyas Wahyunggoro (Universitas Gadjah Mada, Indonesia); F. Danang Wijaya (Universitas Gadjah Mada, Indonesia)	

SP-2-4	Performance Analysis of Image Segmentation for Breast Ultrasound Images	415
	Yuli Triyani (Universitas Gadjah Mada, Indonesia); Hanung Adi Nugroho (Universitas Gadjah Mada, Indonesia); Made Rahmawaty (Universitas Gadjah Mada, Indonesia); Igi Ardiyanto (Universitas Gadjah Mada, Indonesia); Lina Choridah (Universitas Gadjah Mada, Indonesia)	
SP-2-5	Light Sport Exercise Detection Based on Smartwatch and Smartphone using k-Nearest Neighbor and Dynamic Time Warping Algorithm	421
	Fajri Nurwanto (Universitas Gadjah Mada, Indonesia); Igi Ardiyanto (Universitas Gadjah Mada, Indonesia); Sunu Wibirama (Universitas Gadjah Mada, Indonesia)	
SP-3-1	DWT Analysis of sEMG for Muscle Fatigue Assessment of Dynamic Motion Flexion-Extension of Elbow Joint	426
	Triwiyanto (Universitas Gadjah Mada, Indonesia); Oyas Wahyunggoro (Universitas Gadjah Mada, Indonesia); Hanung Adi Nugroho (Universitas Gadjah Mada, Indonesia); Herianto (Universitas Gadjah Mada, Indonesia)	
SP-3-2	Analysis of Excitation Frequency to Performance of Electrical Capacitance Tomography	432
	Arba'i Yusuf (Universitas Indonesia, Indonesia); Dodi Sudiana (Universitas Indonesia, Indonesia); Agus Santoso Tamsir (Universitas Indonesia, Indonesia); Harry Sudibyo S. (Universitas Indonesia, Indonesia)	
SP-3-3	Offline Handwritten Signature Recognition Using Polar-Scale Normalization	436
	Ruangroj Sa-Ardship (King Mongkut's Institute of Technology Ladkrabang, Thailand); Kuntpong Woraratpanya (King Mongkut's Institute of Technology Ladkrabang, Thailand)	
SP-3-4	Evaluating the Usage of Short-time Energy on Voice Biometrics System for Cerebral Palsy	441
	Syifaun Nafisah (Universitas Gadjah Mada, Indonesia); Oyas Wahyunggoro (Universitas Gadjah Mada, Indonesia); Lukito Edi Nugroho (Universitas Gadjah Mada, Indonesia)	
SP-3-5	Fractal Dimension for Classifying 3D Brain MRI Using Improved Triangle Box-Counting Method	447
	Yothin Kaewaramsri (King Mongkut's Institute of Technology Ladkrabang, Thailand); Syukron Abu Ishaq Alfarozi (King Mongkut's Institute of Technology Ladkrabang, Thailand); Kuntpong Woraratpanya (King Mongkut's Institute of Technology Ladkrabang, Thailand); Yoshimitsu Kuroki (National Institute of Technology, Kurume College, Japan)	
SP-4-1	Identification of Rice Using Symbolic Regression	453
	Pakorn Watanachaturaporn (King Mongkut's Institute of Technology Ladkrabang, Thailand)	
SP-4-2	Digital Image Analysis of Wayang Kulit Movements	457
	Indraswari Kusumaningtyas (Universitas Gadjah Mada, Indonesia); Gea Oswah Fatah Parikesit (Universitas Gadjah Mada, Indonesia)	
SP-4-3	Shape based Recognition Using Freeman Chain Code and Modified Needleman-Wunsch	461
	Ema Rachmawati (Institut Teknologi Bandung, Indonesia); Masayu Leylia Khodra (Institut Teknologi Bandung, Indonesia); Iping Supriana (Institut Teknologi Bandung, Indonesia)	
SP-4-4	On the Impact of Normalizing Power-Based Features on Robustness Against Noise for Speech Recognition	467
	Hilman F. Pardede (Indonesian Institute of Sciences, Indonesia)	
SP-4-5	Playing the Game of Congklak with Reinforcement Learning	473
	Muhammad Firmansyah Kasim (University of Oxford, United Kingdom)	
SP-5-1	Feature Extraction of the Indonesian Phonemes Using Discrete Wavelet and Wavelet Packet Transform	478
	Risanuri Hidayat (Universitas Gadjah Mada, Indonesia); Domy Kristomo (STMIK AKAKOM of Yogyakarta, Indonesia); Immer Togarma (Universitas Gadjah Mada, Indonesia)	

SP-5-2	Android Based Real-Time Static Indonesian Sign Language Recognition System Prototype	484
	Rudy Hartanto (Universitas Gadjah Mada, Indonesia); Annisa Kartikasari (Universitas Gadjah Mada, Indonesia)	
SP-5-3	Video Game Seizure Rating: a Qualitative Approach to Measure Photosensitive Seizures on a Video Game	490
	Ridi Ferdiana (Universitas Gadjah Mada, Indonesia); Daniel Rinaldi (Universitas Gadjah Mada, Indonesia)	
SP-5-4	Social Media User Personality Classification using Computational Linguistic	495
	Louis Christy Lukito (Swiss German University, Indonesia); Alva Erwin (Swiss German University, Indonesia); James Purnama (Swiss German University, Indonesia); Wulan Danoekoesoemo (Binus University, Indonesia)	



Optimized A-Star Algorithm in Hexagon-Based Environment using Parallel Bidirectional Search

Pratyaksa Ocsa Nugraha Saian
Masters Student
Universitas Atma Jaya Yogyakarta
Yogyakarta, Indonesia
pratyaksa.ocsa@gmail.com

Suyoto
Lecturer
Universitas Atma Jaya Yogyakarta
Yogyakarta, Indonesia
suyoto@yahoo.com

Pranowo
Lecturer
Universitas Atma Jaya Yogyakarta
Yogyakarta, Indonesia
pran@mail.uajy.ac.id

Abstract—Shortest path algorithm is one of classic IT problems and already used in many aspects. One of well-known shortest path algorithm is A-Star algorithm. Usually A-Star will be implemented to a Non-Playable Character (NPC) in some games. This paper wants to tell how to optimize A-Star algorithm in a hexagon-based environment using Parallel Bidirectional Search (PBS). The result of this paper is PBS A* can be accelerating classics A-Star algorithm by 68.8% faster in hexagon-based environment.

Keywords—shortest path; A-Star; Parallel Bidirectional Search;

I. INTRODUCTION

Shortest path is one of common problems in IT industry [1] [2], especially in game industry [3]. One of them is creating a non-playable character (NPC) who always move in an available path and sometimes can find the player's character position too [4]. The NPC able to find a path although there are many obstacles around. This NPC looks like have brain and can decide where to move, but actually that just an implementation of a shortest path algorithm. There are many kind of well-known shortest path algorithm [5] [6], but in a game industry, A* is a famous algorithm and being used in many kind of games.

A* algorithm is one of heuristic search which have a good reputation in gaming industry. Many games developer using this algorithm to solve a shortest path problem in their games [7]. Although this algorithm had an accurate and fast to find a solution, there is one weakness in A*. A* need to find the path first before the NPC can moved based on this calculation. It will take some time until the NPC actually moving. The time to calculate the path might be different in every computer because it very dependent on how fast the computer can process it.

Central Processing Unit (CPU) this day have a multi-core in one single chip [8]. Intel and AMD is a processors company who compete -in a good way- to create as many cores as possible in one single chip. Many cores mean many instructions can be executed at the same time (parallel processing). This trends makes any researcher want to use this parallel processing in order to calculate shortest path problems faster than to calculate in serial process.

Parallel Bidirectional Search (PBS) is created based on a Bidirectional Search. Bidirectional Search is one example of how to optimize a classic shortest path algorithm. Searching path

process will be divided into two part, (1) from start node to goal node, and (2) from goal node to start node. They will stopped if they meet in the halfway [9] [10].

The rest of this paper will organize as follows. Section 2 will discuss about some theory and previous works which related with this paper. Section 3 is a research methodology that being used in this paper. Section 4 is the discussion about how to implementing PBS A* on hexagon-based environment and the result of the tests. Section 5 will tell about conclusion and about future works.

II. THEORY AND PREVIOUS WORKS

A. Hexagon-Based Environment

In a game or robotic industry, a real life environment can be modeled as a square-grid environment. There are two type of a square-grid environment, which is center-based grid environment and corner-based grid environment [11].




Fig. 1 Center-based (left) and corner-based (right) grid environment

Fig. 1 is showing the difference of center-based and corner-based grid environment. Every node in center-based grid environment will be placed in the middle of the square. It makes the NPC who moved in this kind environment will always stopped in the middle of the square. Corner-based grid environment put every node in the corner of the square. This kind of environment will make NPC always walks in the edge of the square.

NPC in grid-based environment had eight possible movements from where he stands. There are, north, north west, west, south west, south, south east, east, and north east. Game developer usually think that grid-based environment is a perfect way to modeling an environment because it really simple and very intuitive for the players. Although it easier to implement, there is one shortage in a grid-based environment. The NPC will

have a strange movements and will not look naturally. When NPC want to move vertical or horizontal it will take p long, but if the NPC move diagonally it will take $p\sqrt{2}$ long. This problem can be solved by changing the environment into a hexagon.

Hexagon-based environment is a popular environment in game who had turn-based gameplay. With a hexagon as an environment, the distance of every node will be constant. Instead of have eight possibility of movement, hexagon-based environment only has six possibilities.




Fig. 2 Hexagon-based (left) and Grid-based (right) environment

Fig. 2 shows the difference of possible movement in a hexagon-based environment and grid-based environment. NPC movement in hexagon-based environment depends in the hexagon itself. If the creator of hexagon-based environment chooses to use “pointy at top” (see Fig. 3), then the possible movement of the NPC is north, north east, south east, south, south west, and north west. If the hexagon-based environment use “pointy at side”, then the possible movement will be north west, north east, east, south east, south west, and west.




Fig. 3 Pointy at top (left) and pointy at side (right) hexagon

B. A* Algorithm

A* algorithm first introduced by Peter Hart, Nils Nilsson, and Bertram Raphael [12]. A* algorithm is an implementation of heuristic search. Heuristic search is a searching process that will give an estimation value from current node to goal node. A* will choose the smallest value from $f(n) = g(n) + h(n)$ where n is a node, $g(n)$ is a distance from starting node to n node, and $h(n)$ is a heuristic value of estimation distance from node n to finish node.

Fig. 4 shows a general description of how A* looking for a path. A* mainly used an open list and closed list to separate which node had been visited and node that never visited. A* will check every neighbor node and one by one inputted in to open or closed list. Started with find the lowest value of $f(n)$, A* will looking for possibility movement from every neighbor of current node. It will have repeated until the current node to be checked is a goal node. The path will generate from every node which already selected from searching process before.

Bidirectional A* is a modification of A* algorithm. It is a Bidirectional Search used in A* algorithm [13]. The main

component in A* is the open list and closed list, so both of them will be stored in a share memory. They can be accessed together by searching process in both directions.

```
function AStar(StartNode, GoalNode)
{
    closed_list = {};
    open_list = {};
    open_list.add(StartNode);
    path = {};
    while open_list.isNotEmpty()
    {
        //Find the node with lowest value of
        //f(n)=g(n)+h(n) from neighbor.
        CurrentNode = FindLowestValue();
        open_list.remove(CurrentNode);
        if(CurrentNode == FinishNode)
        {
            //Path found, stop iteration
            break;
        }
        for(each NeighborNode of CurrentNode)
        {
            current_cost = NeighborNode.getGValue()+
            findDistanceCost(CurrentNode,NeighborNode);
            if(NeighborNode is in open_list)
            {
                if(NeighborNode.getGCost()<=current_cost)
                    continue;
            }
            else if (NeighborNode is in closed_list)
            {
                if(NeighborNode.getGValue()<=current_cost)
                    continue;
                closed_list.remove(NeighborNode);
                open_list.add(NeighborNode);
            }
            else
            {
                open_list.add(NeighborNode);
                NeighborNode.setHvalue();
            }
            NeighborNode.setGValue(current_cost);
            path.add(CurrentNode);
        }
        closed_list.add(CurrentNode);
    }
}
```

Fig. 4 Pseudocode of A* Algorithm

A* will always find a solution path if at least there is one available. This capability makes another researcher always want to optimize this algorithm more and more every day. Like Lawrence & Bulitko [14] who do some research about A* in *Dragon Games™* and *Counter-Strike: Source* games. Moreover, Lee & Lawrence optimized A* algorithm by reducing its iteration using a database generation [15]. So, when A* start to do its calculation, instead search all possible way, A* will look in database first.

C. Parallel Bidirectional Search

Bidirectional Search still use one core to do the job, but it will use a shared memory to store their calculation. It appears that this process can be optimized by use more than one cores to do the calculation. This is the main idea of how Parallel Bidirectional Search implemented. Pathfinding process will handle by two different cores in CPU which make both of them can run at the same time. PBS will be stop when each of

searching process meet in the halfway and usually both of them will be meet at the same node [16].

Implementing PBS in a shortest path problem is commonly do by some researchers. Like Rios & Chaimowicz who do some research about PBS. They slightly modify PBS A* who runs in a grid-based environment. They called their algorithm a Parallel New Bidirectional A* (PNBA*). PNBA* will tweak how to use cores in CPU and will be used a share memory allocation [17].

III. RESEARCH METHODOLOGY

The purpose of this research is to prove that PBS can be a solution to optimize A* to find a shortest path in hexagon-based environment. Not only that, this research will tell how optimized the A* algorithm with PBS compared with A* without PBS is.




Fig. 5 Research Flowchart

Fig. 5 shows step-by-step of how this research done. It divided in three main step, first is a literature study and some code review to understand more about both A* or parallel processing. Literature study conducted by finding a previous works which related to this paper such as hexagon-based environment, A* algorithm, and PBS. The second step is technical way about how to prove that PBS can be a solution to optimize A* in hexagon-based environment. For second step will be explained more details in the next section. The last step is working in report writing.

IV. DISCUSSION

This sections will tell how to compare an A* algorithm with PBS and without PBS. Based on Fig. 5 to do this testing process, it need four main step which is, (1) generating a maze with a hexagon-based environment, (2) Defining a start node and goal node in the maze, (3) implement A* algorithm with PBS or without PBS, (4) get the execution time.

This PBS A* implemented using C# language and being tested in a PC which used Intel Core i7-6700 3.40 GHz and 16 GB RAM.

A. Generating a maze with a hexagon-based environment

Generating a maze is a common way to test shortest path problems [18]. For testing purpose, the maze that being used is not a random generated maze by computer, but it will be defined piece by piece manually. The size of the maze is 55 hexagon width and 30 hexagon height. The maze will have two different color which symbolized an available path to get through and a path that can't be used. Available path will have white color and unavailable path will have black color. The generated maze can be seen in Fig. 6 .




Fig. 6 Generated Maze

B. Defining Start and Goal Node

Generated maze can be looked as a Cartesian coordinate system, which every hexagon position can be mapped to be an x and y. For example, hexagon tile in top left corner is (0, 0) and bottom right corner is (54, 29). This position will be used to tell the algorithm which hexagon tile will be the start node and the goal node. To make it a valid test, start node or goal node can't be a "black" hexagon.

C. Implement A* Algorithm

The next step is implement the A* algorithm in the generated maze. As it tells before, there are two shortest path algorithm that being tested in this research. Every start and goal node being chosen and it will be tested with both of this algorithm. The test result will be recorded in the next step.

First, A* without PBS will run and search a shortest path from start node to goal node. There is no modification in the A*, so it will run as it tells in Fig. 4.

Second, A* with PBS will be run with a same start node and goal as the first one. PBS will be implemented with a two different threads. This two threads working and running at the same time. To make this two threads can communicate with each

other, we need to do a little modification in the A* algorithm pseudocode (see Fig. 4) that presented before.

```

function checkFromAnotherThread()
{
    for(each Node in ThisThread.path)
    {
        if(Node is in AnotherThread.path)
        {
            ThisThread.stop();
            AnotherThread.stop();
            return true;
        }
    }
    return false;
}

function PBSAStar(StartNode, GoalNode)
{
    closed_list = {};
    open_list = {};
    open_list.add(StartNode);
    path = {};
    while open_list.isNotEmpty()
    {
        //Find the node with lowest value of
        //f(n)=g(n)+h(n) from neighbor.
        CurrentNode = FindLowestValue();
        open_list.remove(CurrentNode);
        if(checkFromAnotherThread())
        {
            //Path found, stop iteration
            break;
        }
        ...
    }
}

```

Fig. 7 Pseudocode of PBS A* Algorithm

Fig. 7 shows the pseudocode of how PBS A* works. It is almost same what A* and PBS A* do in the search process. The only modification is in the start of iteration (marked with dashed lines). In A* algorithm the iteration will be stopped when it found the goal node, but in PBS A* it will be stopped when the two threads met. Condition that makes the two threads met each other is from node which included as a solution path they found is a same node.

D. Get execution time

The last step of this testing process is to record all of execution time in every test case. Since this testing process use C# as programming language, it will be easy to use any .NET library that already prepared to be used. In .NET, it is possible to check the execution time with their library (see Fig. 8).

```

var watch =
System.Diagnostics.Stopwatch.StartNew();
// the code that you want to measure comes here
watch.Stop();
var elapsedMs = watch.ElapsedMilliseconds;

```

Fig. 8 Get execution time implementation

After every test cases were done, the result will be collected and it will be examined later to see the difference between A* without optimization and PBS A*. Table I shows the execution time test result on every test cases.

TABLE I TEST RESULT

Test Case	A* implementation	Start Node	Goal Node	Execution Time
1	PBS A*	(0,0)	(54,29)	14ms
	Not optimized A*	(0,0)	(54,29)	45ms
2	PBS A*	(0,0)	(54,0)	8ms
	Not optimized A*	(0,0)	(54,0)	11ms
3	PBS A*	(0,0)	(0,29)	8ms
	Not optimized A*	(0,0)	(0,29)	23ms

Compared to not optimized A*, PBS A* have a faster execution time in hexagon-based environment. Based on some tests in a same maze, same goal node and same finish node, PBS A* have execution time 29ms faster in the first test case, 3ms faster in the second test case, and 15ms faster in the third case than not optimized A*.

From all three test cases, test case number 1 is the longest distance between start node and goal node. More distance means more node need to be expanded to search. It appears PBS A* can accelerate execution time 68.8% faster than not optimized A*.

V. CONCLUSION

This paper proposed that PBS can be an alternative to optimized a shortest path algorithm, especially A*. Two threads needed to run A* from start node and from finish node. Another success to run PBS is a CPU capability to have multiple cores in a single chip. With everything combined, it is possible to run two A* at the same time and find a solution path faster. PBS A* can accelerate path finding process 68.8% faster.

VI. FUTURE WORKS

This paper uses A* algorithm as a main path finding algorithm. In another research, we can find there is a tweak in A* algorithm itself to make it run faster. For future works, PBS can be used in tweaked A* algorithm and see if it makes execution time faster or not.

ACKNOWLEDGMENT

This work was being used as one of college task and it will be used as my Thesis as well.

REFERENCES

- [1] S. Abbasi and F. Moosavi, "Finding shortest path in static networks : using a modified algorithm," *International Journal of Finance & Banking Studies*, vol. 1, no. 1, pp. 29-33, 2012.
- [2] M. Randour, J.-F. Raskin and O. Sankur, "Variations on the Stochastic Shortest Path Problem," *Verification, Model Checking, and Abstract Interpretation*, vol. 8931, pp. 1-18, 2015.
- [3] T. Chatzidimitris, D. Gavalas and V. Kasapakis, "PacMap: Transferring PacMan to the Physical Realm," in *Internet of Things. User-Centric IoT*, Rome, Italy, 2014.
- [4] K. E. Merrick and M. L. Maher, "Non-Player Characters in Multiuser Games," in *Motivated Reinforcement Learning*, Berlin, Heidelberg, Springer Berlin Heidelberg, 2009, pp. 3-16.
- [5] H. Qu, Z. Zeng, C. Chen, D. Wang and N. Yao, "An Optimization Method of SNNs for Shortest Path Problem," in *Proceedings of the 18th*

- Asia Pacific Symposium on Intelligent and Evolutionary Systems, Singapore, 2015.*
- [6] A. R., "Path Finding Solutions For Grid Based Graph," *Advanced Computing: An International Journal*, vol. 4, no. 2, pp. 51-60, 2013.
 - [7] P. Cowling, M. Buro, M. Bida, A. Botea, B. Bouzy, M. Butz, P. Hingston, H. Muñoz-Avila, D. Nau and M. Sipper, "Search in Real-Time Video Games," *Artificial and Computational Intelligence in Games*, vol. 6, pp. 1-19, 2014.
 - [8] B. Venu, "Multi-core processors - An overview," Cornell University Library, Ithaca, New York, 2011.
 - [9] W. Pijls and H. Post, "Note on "A new bidirectional algorithm for shortest paths"," *European Journal of Operational Research*, vol. 207, no. 2, pp. 1140-1141, 2010.
 - [10] H. Post and W. Pijls, "Yet another bidirectional algorithm for shortest paths," *Econometric Institute Report EI 2009-10*, pp. 1-9, 2009.
 - [11] K. Yakovlev, E. Baskin and I. Hramoin, "Grid-Based Angle-Constrained Path Planning Konstantin," *KI 2015: Advances in Artificial Intelligence*, vol. 9324, pp. 623-629, 2015.
 - [12] P. Hart, N. Nilsson and B. Raphael, "A Formal Basis for the Heuristic Determination of Minimum Cost Paths," *IEEE Transactions on Systems Science and Cybernetics*, vol. 4, no. 2, pp. 100-107, 1968.
 - [13] A. Goldberg, "Point-to-point shortest path algorithms with preprocessing," *Sofsem*, pp. 9-12, 2007.
 - [14] R. Lawrence and V. Bulitko, "Database-Driven Real-Time Heuristic Search in Video-Game Pathfinding," *IEEE Transactions on Computational Intelligence and AI in Games*, vol. 5, no. 3, pp. 227-241, 2013.
 - [15] W. Lee and R. Lawrence, "Fast Grid-Based Path Finding for Video Games," in *Advances in Artificial Intelligence*, Canada, 2013.
 - [16] S. Brand and R. Bidarra, "Parallel Ripple Search – Scalable and Efficient Pathfinding for Multi-core Architectures," in *Motion in Games*, Berlin, Heidelberg, Springer Berlin Heidelberg, 2011, pp. 290-303.
 - [17] L. Rios and L. Chaimowicz, "PNBA*: A Parallel Bidirectional Heuristic Search Algorithm," *ENIA VIII Encontro Nacional de Inteligência Artificial*, 2011.
 - [18] C. Reuter, V. Wendel, S. Göbel and R. Steinmetz, "Towards Puzzle Templates for Multiplayer Adventures," in *7th International Conference, Edutainment 2012 and 3rd International Conference, GameDays 2012*, Darmstadt, Germany, 2012.

