



The 3rd International Conference on
Sustainable Civil Engineering Structures
and Construction Materials

Certificate of Appreciation

is awarded to

AM. Ade Lisantono

in recognition of valuable contribution as

Invited Speaker

entitled

Shear Behavior of High-Volume Fly Ash Concrete as Replacement of Portland-Cement in RC Beam

in the 3rd International Conference on Sustainable Civil Engineering Structures and Construction Materials
September 5-7, 2016, Bali, Indonesia

Prof. Henricus Priyosulistyo
Chairman

also developed by scimago:



SCIMAGO INSTITUTIONS RANKINGS

SJR

Scimago Journal & Country Rank

Enter Journal Title, ISSN or Publisher Name



Home

Journal Rankings

Country Rankings

Viz Tools

Help

About Us

Procedia Engineering

Country

Netherlands - SIR Ranking of Netherlands

Subject Area and Category

Engineering
Engineering (miscellaneous)

Publisher

Publication type

Conferences and Proceedings

ISSN

18777058

Coverage

2009-ongoing




[Join the conversation about this journal](#)


40

H Index

SJR




Citations per document



Total Cites

Self-Cites



External Cites per Doc

Cites per Doc



% International Collaboration




F



Elena Corera 5 months ago

Citable documents

Non-citable documents



Cited documents

Uncited documents



me
str
gc



Procedia Engineering

Not yet assigned
quartile

SJR 2017

0.28

powered by scimagojr.com



← Show this widget in
your own website

Just copy the code below
and paste within your html
code:

```
<a href="https://www.scim
```

I'm not a robot

reCAPTCHA
Privacy - Terms


Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2018. Data Source: Scopus®

EST MODUS IN REBUS
Horatio (Satire 1,1,106)



Sustainable Civil Engineering Structures and Construction Materials, SCESCM 2016

SCESCM 2016



The 3rd International Conference on Sustainable Civil Engineering
Structures and Construction Materials
Bali, Indonesia, 5-7 September 2016

Guest Editors:

Tam Chat Tim
National University of Singapore, Singapore

Tamon Ueda
Hokkaido University, Japan

Harald S. Müller
Karlsruhe Institute of Technology, Germany

Editors:

Henricus Priyosulistyo
Gadjah Mada University, Indonesia

Antoni
Petra Christian University, Indonesia

Ali Awaludin
Gadjah Mada University, Indonesia

Suharyanto
Diponegoro University, Indonesia

Ay Lie Han
Diponegoro University, Indonesia

Senot Sangadji
Univertas Sebelas Maret, Indonesia

Antonius
Islamic University of Sultan Agung, Indonesia

Harijanto Setiawan
Universitas Atma Jaya Yogyakarta, Indonesia

PREFACE

The 3rd International Conference on Sustainable Civil Engineering Structures and Construction Materials (SCESCM), held in Bali on the 5th to 7th September 2016, is a continuation of previous successful conferences held in Yogyakarta in 2012 and 2014. This biannual conference was initiated by Gadjah Mada University, Indonesia; the Karlsruhe Institute of Technology, Germany; and the Hokkaido University, Japan and has been recognized worldwide since the 2nd SCESCM was held. The initiators considered that more involvement of local and international universities would enliven the conference and enable more knowledge sharing. The organizing universities are: Diponegoro University; Universitas Sebelas Maret; Petra Christian University; Atma Jaya Yogyakarta University; Islamic University of Indonesia; Parahyangan Catholic University; Sultan Agung Islamic University, Indonesia, Delft University of Technology, The Netherlands; Lehigh University of Pennsylvania, USA; Nihon University, Japan; Eindhoven University of Technology, The Netherlands; and the three initiating universities.

The conference, which operates under the theme “**Sustainable Structures for Future Generations**,” disseminates research results and promotes knowledge sharing among current researchers. Furthermore, it is hoped that researchers not only develop the technology that follows the science, but also consider the sustainability of structures and the surrounding environment. The organizing committee of the 3rd SCESCM received more than 400 abstracts. Following a thorough review, 183 titles were selected for full paper submission in Elsevier’s **Procedia Engineering** in addition to their conference presentation.

On behalf of the organizing committee and organizing institutions, we would like to deliver our gratitude to all parties that have contributed their support for this conference: the Indonesian Directorate General of Higher Education; the Ministry of Public Works and Housing of Indonesia; the Indonesian Society of Civil and Structural Engineers (HAKI); Asian Concrete Federation (ACF); Japan Society of Civil Engineers (JSCE); International Federation for Structural Concrete (*fib*); the International Association for Bridge and Structural Engineering (IABSE). Last, but not least, our deepest appreciation is also delivered to the honorable reviewers who have worked hard to assess the papers.

Henricus Priyosulistyo

Conference Chairman

EDITORIAL

The International Conference on Sustainable Civil Engineering Structures and Construction Materials (SCESCM) is a biannual gathering first held in 2012 and then in 2014 in Yogyakarta. For the third conference, we had the opportunity to organize the conference in Bali, Indonesia on the 5th to 7th September, 2016. For this conference, we published the presented paper in Elsevier's **Procedia Engineering** as an open access journal so the papers can be freely accessed worldwide to distribute the knowledge expanded during the conference. We hope that the prolific knowledge in the papers can be shared with other researchers and practitioners.

The SCESCM mainly emphasizes the concept of sustainability, which must be considered and applied in various aspects of civil engineering structures and is indicated by high efficiency in human and material resources and lower impact on the environment. At the same time, the conference also builds on the mutual benefits networking to share information on the latest scientific findings and discussions among civil engineers around the globe to achieve the above-mentioned goal.

In general, the content of this proceeding expounds several main topics: building and environmental engineering, construction management and technology, structural engineering, construction materials, and geotechnical, water, and transportation engineering. These topics emphasize the sustainability aspects of analysis, design, evaluation, safety, and life prediction matters for various kinds of materials commonly used in civil engineering.

We would like to express our gratitude to all contributors for the papers published in this proceeding, the reviewers, and the scientific committee. Meanwhile, we look forward to your contributions at the next conference and, at the same time, we also cordially invite other researchers and practitioners to join us.

SCIENTIFIC COMMITTEE

A.J.M. Leijten, The Netherlands	Iman Satyarno, Indonesia
Abraham Christian, Singapore	Intan Supraba, Indonesia
Ade Lisantono, Indonesia	Januarti Jaya Ekaputri, Indonesia
Agus Maryoto, Indonesia	Jati Utomo Dwi Hatmoko, Indonesia
Aine Kusumawati, Indonesia	K. Van Bruegel, The Netherlands
Aloysius Tjan Hin Hwie, , Indonesia	Kefei Li, China
Anastasia Caroline Sutandi, Indonesia	Klaas Van Breugel, The Netherlands
Anastasia Yunika, The Netherlands	Kresno Wikan Sadono, Indonesia
Andi Arham Adam, Indonesia	Lado Riannevo Chandra, , Singapore
Andreas Triwiyono, Indonesia	M. Agung Wibowo, Indonesia
Antonius, Indonesia	Made Sukrawa, Indonesia
Ary Setyawan, Indonesia	Mitsuyasu Iwanami, Japan
Bagus Hario Setiadji, Indonesia	Mochamad Teguh, Indonesia
Bambang Riyanto, Indonesia	Mohd Zamin Bin Jumaat, Malaysia
Bambang Suhendro, Indonesia	Niken Silmi Surjandari, Indonesia
Bambang Suryoatmono, Indonesia	Petr Hájek, Czech Republic
Barry Jones, United State of America	Prabowo Setiyawan, Indonesia
Benjamin Lumantarna, Indonesia	Purwanto Bakti Santoso, Indonesia
Benny Suryanto, United Kingdom	R. Sony Sulaksono Wibowo, Indonesia
Bonaventura H. W. Hadikusumo, Thailand	Robby Permata, Indonesia
Buan Anshari, Indonesia	Robby Soetanto, United Kingdom
Buntara Sthenly Gan, Japan	Salman Azhar, United State of America
Dina Rubiana Widarda, Indonesia	Sholihin, Indonesia
Djoen San Santoso, Thailand	Shunji Kanie, Japan
Djwantoro Hardjito, Indonesia	Sobriyah, Indonesia
Ediansjah Zulkifli, Indonesia	Sofia Mavridou, Greece
Ehsan Noroozinejad Farsangi, Iran	Stefanus Adi Kristiawan, Indonesia
Endah Wahyuni, Indonesia	Stephen Pessiki, United State of America
Ferry Hermawan, Indonesia	Suprpto, Indonesia
Florentina Pungky Pramesti, Indonesia	Suripin, Indonesia
Frank Dehn, Germany	Takashi Matsumoto, Japan
Gary Ong Khim Chye, Singapore	Tam Chat Tim, Singapore
Gogot Setyo Budi, Indonesia	Teerapong Senjuntichai, Thailand
H. M. Jonkers, The Netherlands	Tor Arne Martius Hammer, Norway
Harald S. Mueller, Germany	Wen-Hsiang Hsieh, Taiwan
Heny Pratiwi Adi, Indonesia	Windu Partono, Indonesia
I Nyoman Arya Thanaya, Indonesia	Wong Foek Tjong, Indonesia
Ilham Nurhuda, Indonesia	Yoyong Arfiadi, Indonesia
Ima Muljati, Indonesia	Yuseph Muslih Purwana, Indonesia



ScienceDirect

Journals & Books



Create account

Sign in

Keywords

Author name

Procedia Engineering

Volume

Issue

Pages



Procedia Engineering

[OPEN ACCESS](#)

[Latest issue](#)

[Special issues](#)

[All issues](#)



[Sign in to set up alerts](#)

The 3rd International Conference on Sustainable Civil Engineering Structures and Construction Materials - Sustainable Structures for Future Generations

Edited by Tam Chat Tim, Tamon Ueda, Harald S. Müller

Volume 171,

Pages 1-1550 (2017)

[< Previous vol/issue](#)

[Next vol/issue >](#)

[Editorial](#) [Open access](#)

[Preface](#)

[Pages 1-4](#)

[Download PDF](#)

Research article *Open access*

Next Generation Wireless Smart Sensors Toward Sustainable Civil Infrastructure

B.F. Spencer, J.-W. Park, K.A. Mechitov, H. Jo, G. Agha

Pages 5-13

[Download PDF](#) Article preview 

Research article *Open access*

Sustainable Construction for Singapore's Urban Infrastructure – Some Research Findings

Khim Chye Gary Ong

Pages 14-21

[Download PDF](#) Article preview 

Research article *Open access*

Design, Material Properties and Structural Performance of Sustainable Concrete

Harald S. Mueller, Michael Haist, Jack S. Moffatt, Michael Vogel

Pages 22-32

[Download PDF](#) Article preview 

Research article *Open access*

Sustainable Seismic Design

Stephen Pessiki

Pages 33-39

[Download PDF](#) Article preview 

Research article *Open access*

Importance of Soft Processing (Low-energy Production) of Advanced Materials for Sustainable Society

Masahiro Yoshimura

Pages 40-52

[Download PDF](#) Article preview 

Research article *Open access*

Societal Burden and Engineering Challenges of Ageing Infrastructure

Klaas van Breugel

Pages 53-63

[Download PDF](#) Article preview 

Research article *Open access*

Smart Graphene Oxide Based Composite Materials and their Electric and Magnetic Stimuli-response

Shang Hao Piao, Hyoung Jin Choi

Pages 64-70

[Download PDF](#) Article preview 

Research article Open access

Effects of Temperature and Moisture on Concrete-PCM Interface Performance

Ueda Tamon, Khuram Rashid, Qian Ye, Zhang Dawei

Pages 71-79

[Download PDF](#) Article preview 

Research article Open access

Shear Behavior of High-volume Fly Ash Concrete as Replacement of Portland Cement in RC Beam

Ade Lisantono, Haryanto Yoso Wigroho, Roy Arnol Purba

Pages 80-87

[Download PDF](#) Article preview 

Research article Open access

Composite Engineering – Direct Bonding of plastic PET Films by Plasma Irradiation

Tamio Endo, Lakshmi Reddy, Hiroaki Nishikawa, Satoru Kaneko, ... Kazuhiro Endo

Pages 88-103

[Download PDF](#) Article preview 

Research article Open access

Europe Goes Green

Adrian J.M. Leijten

Pages 104-112

[Download PDF](#) Article preview 

Research article Open access

Wood Frame Floor Model of LVL *Paraserianthes Falcataria*

Ali Awaludin, Anita Firmanti, Muslikh, Hendra Theodarmo, Dani Astuti

Pages 113-120

[Download PDF](#) Article preview 

Research article Open access

On the Confined High-strength Concrete and Need of Future Research

Antonius, Iswandi Imran, Prabowo Setiyawan

Pages 121-130

[Download PDF](#) Article preview 

Research article Open access

Role of Organizational Factors Affecting Worker Safety Behavior: A Bayesian Belief Network Approach

Bonaventura H.W. Hadikusumo, Bhanupong Jitwasinkul, Abdul Qayoom Memon

Pages 131-139

[Download PDF](#) Article preview 

Research article Open access

Numerical Study on Lateral-torsional Buckling of Honeycomb Beam

Danny Gunawan, Bambang Suryatmono

Pages 140-146

[Download PDF](#) Article preview 

Research article Open access

Post-buckling Behaviour of Axially FGM Planar Beams and Frames

Buntara Sthenly Gan, Trinh Thanh Huong, Nguyen Dinh Kien

Pages 147-158

[Download PDF](#) Article preview 

Research article Open access

Local Wisdom to a Sustainable Non-engineered Brick Building

B. Lumantarna, P. Pudjisuryadi, R.M. Soetanto, G.G. Hindrajaya

Pages 159-167

[Download PDF](#) Article preview 

Research article Open access

Toward Bio-based geo- & Civil Engineering for a Sustainable Society

Henk M. Jonkers

Pages 168-175

[Download PDF](#) Article preview 

Research article Open access

Full Height Rectangular Opening Castellated Steel Beam Partially Encased in Reinforced Mortar

Iman Satyarno, Djoko Sulisty, Dina Heldita, A. Talodaci Corte Real De Oliviera

Pages 176-184

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

Supply Chain Management Strategy for Recycled Materials to Support Sustainable Construction

Mochamad Agung Wibowo, Elizar, Moh Nur Sholeh, Hadjar Seti Adji

Pages 185-190

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

Experimental Evaluation of Masonry Infill Walls of RC Frame Buildings Subjected to Cyclic Loads

Mochamad Teguh

Pages 191-200

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

Nanostructured Oxide Thin Films for Sustainable Development

Paolo Mele, Shiv J. Singh, Shrikant Saini, Alok K. Jha, Malik I. Adam

Pages 201-206

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

Concrete Structures for Sustainability in a Changing World

Petr Hajek

Pages 207-214

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

Role of Visualization Technologies in Safety Planning and Management at Construction Jobsites

Salman Azhar

Pages 215-226

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

EN 206 Conformity Testing for Concrete Strength in Compression

C.T. Tam, Daneti S. Babu, W. Li

Pages 227-237

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

Can Self-healing Mechanism Helps Concrete Structures Sustainable?

Senot Sangadji

Pages 238-249

 [Download PDF](#) Article preview 

Research article *Open access*

Optimization of Sustainable House in Urban Area

Irma N. Nasution, Syahreza Alvan

Pages 250-257

 [Download PDF](#) Article preview 

Research article *Open access*

Urban Farming Construction Model on the Vertical Building Envelope to Support the Green Buildings Development in Sleman, Indonesia

Suparwoko, Betri Taufani

Pages 258-264

 [Download PDF](#) Article preview 

Research article *Open access*

Producing Alternative Concept for the Trans-sumatera Toll Road Project Development using Location Quotient Method

Mohammed Ali Berawi, Teuku Yuri Zagloel, Perdana Miraj, Hadi Mulyanto

Pages 265-273

 [Download PDF](#) Article preview 

Research article *Open access*

Developing a Self-assessment Model of Risk Management Maturity for Client Organizations of Public Construction Projects: Indonesian Context

Andreas Wibowo, Januar Taufik

Pages 274-281

 [Download PDF](#) Article preview 

Research article *Open access*

Neural Network for the Standard Unit Price of the Building Area

Fachrurrazi, Saiful Husin, Tripoli, Mubarak

Pages 282-293


 [Download PDF](#) Article preview 

Research article *Open access*

Impact Factors on the Cost Calculation for Building Services within the Built Environment

Bernhard Bauer, Jörg Koppelhuber, Johannes Wall, Detlef Heck

Pages 294-301

[Download PDF](#) Article preview 

Research article *Open access*

Use of Life Cycle Assessments in the Construction Sector: Critical Review

Charlotte Dossche, Veerle Boel, Wouter De Corte

Pages 302-311

[Download PDF](#) Article preview 

Research article *Open access*

The Sustainable Infrastructure through the Construction Supply Chain Carbon Footprint Approach

Hermawan, Puti F. Marzuki, Muhamad Abduh, R. Driejana

Pages 312-322

[Download PDF](#) Article preview 

Research article *Open access*

Retrofitting in the Middle of Project Execution: Case Study of a Public Hospital Building

Ferry Hermawan, Himawan Indarto, Robby Soetanto

Pages 323-332

[Download PDF](#) Article preview 

Research article *Open access*

Industrialized Timber Building Systems for an Increased Market Share – a Holistic Approach Targeting Construction Management and Building Economics

Joerg Koppelhuber, Bernhard Bauer, Johannes Wall, Detlef Heck

Pages 333-340

[Download PDF](#) Article preview 

Research article *Open access*

Dynamic Modelling of the Relation between Bidding Strategy and Construction Project Performance

Mochamad Agung Wibowo, I. Nyoman Yudha Astana, H.A. Rusdi

Pages 341-347

[Download PDF](#) Article preview 

Research article *Open access*

Building Information Modeling in the Architecture-engineering Construction Project in Surabaya

Herry Pintardi Chandra, Paulus Nugraha, Evan Sutanto Putra

Pages 348-353

[Download PDF](#) [Article preview](#) 

Research article *Open access*

Significant Factors to Motivate Small and Medium Enterprise (SME) Construction Firms in the Philippines to Implement ISO9001:2008

Joseph Berlin P. Juanzon, Manuel M. Muhi

Pages 354-361

[Download PDF](#) [Article preview](#) 

Research article *Open access*

The Critical Point in the Certification System for Project Manager in Indonesia

Putri Anggi Permata Suwandi, M. Agung Wibowo, H.A. Rusdi

Pages 362-369

[Download PDF](#) [Article preview](#) 

Research article *Open access*

Innovation Performance of Large Contractor in Indonesia: Influencing Factors and its Impact on Firm's Performance

B. Julison, S.P.R. Wardani, M.A. Wibowo

Pages 370-378

[Download PDF](#) [Article preview](#) 

Research article *Open access*

Innovativeness: A Key Factor to Support Contractors' Business Success

Harijanto Setiawan, Bilge Erdogan, Stephen O. Ogunlana

Pages 379-386

[Download PDF](#) [Article preview](#) 

Research article *Open access*

Strategy for Small-medium Scale Contractor Performance Improvement in ASEAN Competitive Market

Fajar Sri Handayani

Pages 387-395


[Download PDF](#) [Article preview](#) 

Research article *Open access*

A Model of Integrated Multilevel Safety Intervention Practices in Malaysian Construction Industry

Mazlina Zaira Mohammad, Bonaventura H.W. Hadikusumo

Pages 396-404

[Download PDF](#) Article preview 

Research article *Open access*

Identification of Safety Culture Dimensions Based on the Implementation of OSH Management System in Construction Company

Rossy A. Machfudiyanto, Yusuf Latief, Rosmariansi Arifuddin, Yoko Yogiswara

Pages 405-412

[Download PDF](#) Article preview 

Research article *Open access*

Model of the Maturity of Pre-construction Safety Planning

Bambang Endroyo, Akhmad Suraji, Muhammad Sahari Besari

Pages 413-418

[Download PDF](#) Article preview 

Research article *Open access*

Implementation, Management, and Cost of the Clean Water Act and Storm Water Pollution Prevention Plan

Scott Kelting, Dylan Eads

Pages 419-424

[Download PDF](#) Article preview 

Research article *Open access*

Nitrogen Removal from Landfill Leachate via ex-situ Nitrification and in-situ Denitrification in Laboratory Scale Bioreactor

Gabriel Andari Kristanto, Harry Rialdi, Irma Gusniani

Pages 425-433

[Download PDF](#) Article preview 

Research article *Open access*

Forensic Assessment on Near Surface Landslide Using Electrical Resistivity Imaging (ERI) at Kenyir Lake Area in Terengganu, Malaysia

Mohd Hazreek Zainal Abidin, Aziman Madun, Saiful Azhar Ahmad Tajudin, Mohd Fakhrurrazi Ishak

Pages 434-444

[Download PDF](#) Article preview 

Research article Open access

The Effect of Drainage Channel Type on Seepage Percentage

Sri Amini Yuni Astuti, Munadhir, Dwi Astuti Wahyu Wulan Pratiwi

Pages 445-453

[Download PDF](#) Article preview 

Research article Open access

Settlement of Residential Houses Supported by Piled Foundation Embedded in Expansive Soil

Gogot Setyo Budi

Pages 454-460

[Download PDF](#) Article preview 

Research article Open access

Evaluation of Frost Heave Pressure Characteristics in Transverse Direction to Heat Flow

Chikako Amanuma, Takashi Kanauchi, Satoshi Akagawa, Zheng Hao, Shunji Kanie

Pages 461-468

[Download PDF](#) Article preview 

Research article Open access

Analysis of the Seepage Due to the Thawing of Permafrost, Considering the Gradient of the Impermeable Layer

Masaya Ogawa, Shunji Kanie

Pages 469-475

[Download PDF](#) Article preview 

Research article Open access

Shear Behavior of Calcium Carbide Residue - Bagasse Ash Stabilized Expansive Soil

John Tri Hatmoko, Hendra Suryadharma

Pages 476-483

[Download PDF](#) Article preview 

Research article Open access

A Study of the Effectiveness of the Use of Cement and Bottom ash Towards the Stability of Clay in Terms of UCT Value

Ika Puji Hastuty, Roesyanto, B.S. Jeriko

Pages 484-491

[Download PDF](#) Article preview 

Research article *Open access*

Effect of Clay Core Configuration of the Rock Fill Dams Against Hydraulic Fracturing

Didiek Djarwadi, Kabul Basah Suryolelono, Bambang Suhendro, Hari Christady Hardiyatmo

Pages 492-501

[Download PDF](#) Article preview 

Research article *Open access*

Back Calculation of Excessive Deformation on Deep Excavation

M.F. Ma'ruf, H. Darjanto

Pages 502-510

[Download PDF](#) Article preview 

Research article *Open access*

Resistance of Concrete with Calcium Stearate Due to Chloride Attack Tested by Accelerated Corrosion

Agus Maryoto

Pages 511-516

[Download PDF](#) Article preview 

Research article *Open access*

Study of Pitting Resistance of Rebar Steels in Jakarta Coastal Using Simulated Concrete Pore Solution

Moch. Syaiful Anwar, Bobby Fadillah, Arini Nikitasari, Soesaptri Oediyani, Efendi Mabruri

Pages 517-525

[Download PDF](#) Article preview 

Research article *Open access*

Effect of Pit Distance on Failure Probability of a Corroded RC Beam

Mahdi Kioumars, Gro Markeset, Sheida Hooshmandi

Pages 526-533

[Download PDF](#) Article preview 

Research article *Open access*

Influence of Vacuum Mixing on the Carbonation Resistance and Microstructure of Reactive Powder Concrete Containing Secondary Copper Slag as Supplementary Cementitious Material (SCM)

Romy Suryaningrat Edwin, Elke Gruyaert, Jeroen Dils, Nele De Belie

Pages 534-542

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

Compressive Strength and Chloride Penetration Tests of Modified Type IP Cement Concrete with Rice Ash

Anna Rose A. Javier, Neslyn E. Lopez, Joseph Berlin P. Juanzon

Pages 543-548

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

Need for Further Development in Service Life Modelling of Concrete Structures in Chloride Environment

Gro Markeset, Mahdi Kioumars

Pages 549-556

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

Properties of Plain and Blended Cement Concrete Immersed in Acidic Peat Water Canal

Monita Olivia, Tomy Pradana, Iskandar Romey Sitompul

Pages 557-563

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

Mechanical and Durability Performance of Novel Self-activating Geopolymer Mortars

Cheah Chee Ban, Part Wei Ken, Mahyuddin Ramli

Pages 564-571

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

Effect of Curing Temperature and Fiber on Metakaolin-based Geopolymer

Januarti Jaya Ekaputri, Subaer Junaedi, Wijaya

Pages 572-583

[Download PDF](#) [Article preview](#) ✓

Research article *Open access*

An Alternative Method for Determining Tensile Properties of Engineered Cementitious Composites

Benny Suryanto, Blair Cockburn, Han Ay Lie, W. John McCarter

Pages 584-591

[Download PDF](#) Article preview 

Research article Open access

Mechanical Properties of Concrete with *Enterococcus Faecalis* and Calcium Lactate

J.M. Irwan, L.H. Anneza, N. Othman, A. Faisal Alshalif, ... T. Teddy

Pages 592-597

[Download PDF](#) Article preview 

Research article Open access

Bacillus Subtilis HU58 Immobilized in Micropores of Diatomite for Using in Self-healing Concrete

Nguyen Ngoc Tri Huynh, Nghi Mai Phuong, Nguyen Phung Anh Toan, Nguyen Khanh Son

Pages 598-605

[Download PDF](#) Article preview 

Research article Open access

The Use of Alkaliphilic Bacteria-based Repair Solution for Porous Network Concrete Healing Mechanism

Senot Sangadji, Virginie Wiktor, Henk Jonkers, Erik Schlangen

Pages 606-613

[Download PDF](#) Article preview 

Research article Open access

The Influence of Pet Plastic Waste Gradations as Coarse Aggregate Towards Compressive Strength of Light Concrete

Nursyamsi, Winner Syukur Berkat Zebua

Pages 614-619

[Download PDF](#) Article preview 

Research article Open access

Experimental Study of Fly Ash Density Effect to the Mortar Compressive Strength with Recycled Fine Aggregate

Altho Sagara, Johannes Adhijoso Tjondro, Dinda Karina Putri

Pages 620-626

[Download PDF](#) Article preview 

Research article Open access

Mechanical Properties of Concretes with Recycled Aggregates and Waste Brick Powder as Cement Replacement

Viviana Letelier, Ester Tarela, Giacomo Moriconi

Pages 627-632

[Download PDF](#) Article preview 

Research article *Open access*

Potential of Substituting Waste Glass in Aerated Light Weight Concrete

Lim Sheau Hooi, Phang Jia Min

Pages 633-639

[Download PDF](#) Article preview 

Research article *Open access*

Improving of Recycled Aggregate Quality by Thermal-mechanical-chemical Process

Ni Nyoman Kencanawati, Akmaluddin, I. Nyoman Merdana, Nonik Nuraida, ... Mitsuhiro Shigeishi

Pages 640-644

[Download PDF](#) Article preview 

Research article *Open access*

Proportioning, Microstructure and Fresh Properties of Self-compacting Concrete with Recycled Sand

Diego Carro-López, Belén González-Fonteboa, Fernando Martínez-Abella, Iris González-Taboada, ... Fernando Varela-Puga

Pages 645-657

[Download PDF](#) Article preview 

Research article *Open access*

Properties of Concrete Containing Ground Waste Cockle and Clam Shells

Monita Olivia, Revina Oktaviani, Ismeddiyanto

Pages 658-663

[Download PDF](#) Article preview 

Research article *Open access*

Utilization of Polystyrene Waste for Wall Panel to Produce Green Construction Materials

Suprpto Siswosukarto, Ashar Saputra, I. Gede Yohan Kafrain

Pages 664-671



[Download PDF](#) Article preview 

Research article *Open access*

Valorization of the Crushed Dune Sand in the Formulation of Self-compacting-concrete

Farid Benmerioul, Abdelkadir Makani, Ahmed Tafraoui, Said Zaouai

Pages 672-678

 [Download PDF](#) Article preview 

Research article *Open access*

Calcium Silicate Board as Wall-facade

Luciana Kristanto, Handoko Sugiharto, S.W. Dwi Agus, S. Aditya Pratama

Pages 679-688



 [Download PDF](#) Article preview 

Research article *Open access*

Compressive Strength of Mortar Containing Ferronickel Slag as Replacement of Natural Sand

Ashish Kumer Saha, Prabir Kumar Sarker

Pages 689-694

 [Download PDF](#) Article preview 

Research article *Open access*

Physical and Mechanical Properties of WPC Board from Sengon Sawdust and Recycled HDPE Plastic

Yudhi Arnandha, Iman Satyarno, Ali Awaludin, Inggar Septia Irawati, ... Astri Amalia

Pages 695-704

 [Download PDF](#) Article preview 

Research article *Open access*

Characterization of Fly-ash using Electrochemical Impedance Spectroscopy

Benny Suryanto, W. John McCarter, Gerry Starrs, T. Malcolm Chrisp

Pages 705-714

 [Download PDF](#) Article preview 

Research article *Open access*

Creep Behaviour of Self-compacting Concrete Incorporating High Volume Fly Ash and its Effect on the Long-term Deflection of Reinforced Concrete Beam

Stefanus A. Kristiawan, Agung P. Nugroho

Pages 715-724

 [Download PDF](#) Article preview 

Research article *Open access*

Investigation of Agro-concrete using by-products of Rice Husk in Mekong Delta of Vietnam

Nguyen Khanh Son, Nguyen Phung Anh Toan, Tran Thi Thuy Dung, Nguyen Ngoc Tri Huynh

Pages 725-733

[Download PDF](#) Article preview 

Research article *Open access*

Delamination Tendency of Repair Mortar Incorporating Crumb Rubber

Stefanus A. Kristiawan, Amanah N.D. Hapsari

Pages 734-743

[Download PDF](#) Article preview 

Research article *Open access*

Effect of Phosphogypsum on the Properties of Portland Cement

G.M. Sadiqul Islam, Fazlul Habib Chowdhury, Muhammad Tanveer Raihan, Shishir Kumar Sikder Amit, Mohammad Rafiqul Islam

Pages 744-751

[Download PDF](#) Article preview 

Research article *Open access*

Optimizing Polycarboxylate Based Superplasticizer Dosage with Different Cement Type

Antoni, James Gabriel Halim, Owen Chandra Kusuma, Djwantoro Hardjito

Pages 752-759

[Download PDF](#) Article preview 

Research article *Open access*

Influence of the Stiffness Modulus and Volume Fraction of Inclusions on Compressive Strength of Concrete

Han Ay Lie, Buntara Shently Gan, Benny Suryanto, Yulita Arni Priastiwi

Pages 760-767

[Download PDF](#) Article preview 

Research article *Open access*

Thermal Conductivity and Compressive Strength of Lightweight Mortar Utilizing Pumice Breccia as Fine Aggregate

Slamet Widodo, Faqih Ma'arif, Buntara Sthenly Gan

Pages 768-773

[Download PDF](#) Article preview 

Research article *Open access*

The Effect of Seawater Curing on the Correlation between Split Tensile Strength and Modulus of Rupture in High-strength Concrete Incorporating Rice Husk Ash

Galuh Chrismaningwang, Achmad Basuki, Kusno Adi Sambowo

Pages 774-780

 [Download PDF](#) Article preview 

Research article *Open access*

Numerical Modelling of Hexagonal Castellated Beam under Monotonic Loading

Richard Frans, Herman Parung, Desi Sandy, Surianti Tonapa

Pages 781-788

 [Download PDF](#) Article preview 

Research article *Open access*

Numerical Analysis of R/C Cylindrical Shell with Hoop Edge Beams

Takashi Hara

Pages 789-796

 [Download PDF](#) Article preview 

Research article *Open access*

Structural Characteristics of Hagia Sophia under Consideration of the Ribs Inside the Dome

Akito Oto, Takashi Hara

Pages 797-804

 [Download PDF](#) Article preview 

Research article *Open access*

Development of the DKMQ Element for Buckling Analysis of Shear-deformable Plate Bending

Foek Tjong Wong, Erwin, Alexander Richard, Irwan Katili

Pages 805-812

 [Download PDF](#) Article preview 

Research article *Open access*

Lateral Torsional Buckling of Castellated Beams Analyzed using the Collapse Analysis

Sandhi Kwani, Paulus Karta Wijaya

Pages 813-820

 [Download PDF](#) Article preview 

Research article *Open access*

Numerical Analysis of RC Columns Accompanied with Friction Damping Mechanism under Cyclic Loading

Angga Fajar Setiawan, Yoshikazu Takahashi, Junji Kiyono, Sumio Sawada

Pages 821-835

[Download PDF](#) [Article preview](#) 

Research article [Open access](#)

Numerical Approximation of Acoustic Equation using Radial Basis Function-discontinuous Galerkin Method

W.S. Kresno, S.P.R. Wardani, Endra Susila, Pranowo

Pages 836-846

[Download PDF](#) [Article preview](#) 

Research article [Open access](#)

Three-dimensional Finite Element Analysis of Circular Reinforced Concrete Column Confined with FRP using Plasticity Model

Bambang Pisceca, Mario M. Attard, Ali K. Samani

Pages 847-856

[Download PDF](#) [Article preview](#) 

Sustainable Civil Engineering Structures and Construction Materials, SCESCM 2016

Shear behavior of high-volume fly ash concrete as replacement of Portland cement in RC beam

Ade Lisantono^{a,*}, Haryanto Yoso Wigroho^a, Roy Arnol Purba^a

^a*Department of Civil Engineering, Universitas Atma Jaya Yogyakarta, Jl. Babarsari 44, Yogyakarta 55281, Indonesia*

Abstract

An experimental program was conducted to study the shear behavior of high-volume fly ash concrete as replacement Portland cement of Reinforced Concrete (RC) beams. Eight beam specimens were tested in this study. Two beams used normal concrete as control beams, while six others beams used High-Volume Fly Ash Concrete (HVFAC) as a replacement of Portland cement by mass (two beams with 50 % of fly ash; two beams with 60 % fly ash; and two beams with 70 % of fly ash). The beams had longitudinal bars, and with stirrups were kept constant in the bending-test region. There were no shear reinforcements in the shear-test regions. The results showed that increasing substitutions of fly ash as replacement of Portland cement tend towards a reduction of shear strength and led the HVFAC beams became brittle. Comparing all the series of HVFAC beams that better results could be achieved by the beams with 50 % of fly ash due to the higher shear strength than the beam with 60 % and 70 % of fly ash. The HVFAC beams failed in shear due to low shear strength of the beams

© 2017 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Peer-review under responsibility of the organizing committee of SCESCM 2016.

Keywords: high-volume fly ash; OPC replacement; shear strength;

1. Introduction

Indonesia's construction industry has been emerged since several decades ago. As emerging of construction industry in Indonesia, a need of building material for construction also increase. Concrete has been emerged as a famous material for building due to easily in making and forming the concrete, and of course concrete structures is more resistant from corrosion than steel structures. The basic materials for making concrete are Portland cement,

* Corresponding author. Tel.: +62-274-487711; fax: +62-274-487748.

E-mail address: adelisantono@mail.uajy.ac.id

fine aggregates and coarse aggregates. The Portland cement is the most essential ingredient in production of concrete. However, Portland cement also contributes to the global warming due to carbon dioxide (CO₂) emissions as a side effect of Portland cement production. Roy [1] stated that Portland cement contribution to global warming because of production of one ton ordinary Portland cement will produce one ton CO₂ which is released to the air.

One of the solutions for this global warming issue is reducing the utility of Portland cement in production of concrete. To reduce the Portland cement in production of concrete is the use of supplementary cementitious materials. Bilodeau and Malhotra [2] stated that the most available supplementary cementitious material is fly ash which is produced by coal-burning thermal power stations. Fly ash has been used as supplementary cementitious material in concrete since 1937 [3]. According to American Concrete Institute [4], fly ash is categorized into three classes: class N, F, and C based on the chemical compositions. Study of utilization of fly ash as supplementary in concrete has been extensively conducted since several decades ago [2, 5-9]. The utilization of fly ash as supplementary in concrete has benefit such as reducing heat generation, low permeability, and high durability [10]. Therefore, development of utilization of fly ash as supplementary in concrete is still promising for the future.

In the early, fly ash was used as replacement of cement limited into the range of 15-25 % [11]. While for high strength concrete the portion of replacement at 35 % to control peak hydration temperature [12]. In the next development, a high volume fly ash concrete (HVFAC) where the replacement of cement with fly ash at least at 50 % was developed [13-14]. These studies had shown that HVFAC has lower shrinkage, creep, and water permeability, and has higher modulus of elasticity compared to the conventional concrete. Koyama et al. [15] investigated the mechanical properties of concrete beam made of a large amount of fly ash where the cement content was kept constant, the results showed that the shear strength and deformability of the beam increased as the mixed quantity of fly ash increased. Rao et al. [16] investigated shear resistance of high volume fly ash reinforced concrete beams without web reinforcement where the replacement of cement with the portion of 0 % and 50 % and with the various longitudinal tensile steel reinforcement, the result showed that shear strength of the beam increased with increasing of longitudinal tensile steel ratio. Soman and Sobha [17] also investigated the shear and behavior of high volume fly ash concrete with the replacement of fly ash 50 %, the result showed that the HVFAC beams improved the deflection and the load carrying capacity of the beams. Thangaraj, R., and Thenmozhi, R. [18] investigated the performance of high volume fly ash concrete structures with the replacement of cement of 50 %, 55 %, and 60 %, it was observed that the compressive strength of HVFAC was improved by about 50 % cement replacement. Arezoumandi et al. [10] conducted an experimental program on shear behavior of high-volume fly ash concrete versus conventional concrete with the replacement of cement of 50 %, and 70 %, the results showed that the HVFAC beams gave the superior shear strength compared to the conventional concrete beams.

There were several investigations on shear strength of the HVFAC beams. However it is still questionable in what portion of fly ash replacement which makes the maximum shear strength of the HVFAC beams. Therefore, this research will conduct the experimental program to investigate the shear behavior of high-volume fly ash concrete beams as a replacement of cement. The various portion of fly ash replacement in this research were 50 %, 60 %, and 70 %.

2. Experimental program

2.1. Materials

The Portland Pozzolan Cement (PPC) was used in this study. The water used in this study was taken from the Laboratory of Structures and Materials. The fine and coarse aggregates were taken from local materials. The fine aggregates were passed through sieve 4.75 mm. The specific gravity and fineness modulus of fine aggregates were 2.77 and 2.92, respectively. While the coarse aggregates used in this research were passed through 20 mm and retained on 10 mm sieve. The specific gravity and fineness modulus of coarse aggregates were 2.68 and 7.16, respectively. The fly ash class F was used in this study. To enhance the workability of concrete a super plasticizer was used to make the concrete. The mix design of concrete was designed following the ACI 211.1-91 [19]. The mix proportion per m³ of concrete with 0 % replacement of cement was as follows: Portland Pozzolan Cement=336.07 kg; water=207.39 kg; coarse aggregates=892.09 kg; fine aggregates=958.67 kg, and with super plasticizer=2.073 kg.

For HVFAC with the replacement 50 %, 60 %, and 70 % of cement, just replaced the cement in the proportion with 50 %, 60 %, and 70 % of fly ash, respectively.

2.2. Materials testing

To see the chemical composition of fly ash, the fly ash was tested in the Laboratory of Chemical Engineering, Universitas Gadjah Mada. The tested result of fly ash was shown in Table 1. It can be seen that the fly ash can be classified as fly ash type F.

Table 1. The chemical composition of fly ash.

No	Chemical element	Content (%)	Note
1	SiO ₂	43.250	
2	Al ₂ O ₃	27.492	
3	Fe ₂ O ₃	11.292	
4	SiO ₂ + Al ₂ O ₃ + Fe ₂ O ₃	82.034	> 70 %
5	Loss on Ignition	-	
6	CaO	7.246	< 10 %
7	MgO	7.125	
8	SO ₃	1.499	
9	K ₂ O	0.864	
10	Na ₂ O	-	
11	H ₂ O	-	

Reinforcement bar with diameter of 12 mm was used for longitudinal bar, and reinforcement bar with diameter of 6 mm was used for stirrup. The yield stress of reinforcement bars was obtained according to the guidelines in ASTM E8/E8M-09 [20], Standard Test Methods for Tension Testing of Metallic Materials. Universal Testing Machine (UTM) with capacity of 30,000 kgf was used to conduct the tension test of reinforcement bars. The average yield stresses of 240 MPa were obtained for both reinforcing bars of 12 mm and 6 mm.

2.3. Specimens preparation

Cylinder specimens with the size of 150 mm x 300 mm were cast for testing of compressive strength and modulus elasticity of concrete. Thirty six cylinder specimens were tested in this study (see Table 2).

Table 2. The number of cylinder specimens.

Cylinder Designation	Fly ash content (%)	For 7 days testing	For 14 days testing	For 28 days testing
0FA	0	3	3	3
50FA	50	3	3	3
60FA	60	3	3	3
70FA	70	3	3	3

Eight beam specimens were tested in this study. Two beams used normal concrete as control beams, while six others beams used High-Volume Fly Ash Concrete (HVFAC) as a replacement of Portland cement by mass (two beams with 50 % of fly ash; two beams with 60 % fly ash; and two beams with 70 % of fly ash). The beams had a rectangular section of 150 mm x 260 mm and overall length of 2600 mm. The beams had longitudinal bars with diameter of 12 mm. Three bars were for bottom reinforcement and two bars for top reinforcement. The shear reinforcements used diameter of 6 mm with stirrups spacing of 100 mm were kept constant in the bending-test region, and there were no shear reinforcements in the shear-test regions. The beam designation and the number of the beam in every variant can be seen in Table 3.

Table 3. The beam designation and the number of beam specimens.

Beam Designation	Fly ash content (%)	The number of beam specimen
B1-Normal	0	2
B2-Normal	0	
B1-50FA-SS	50	2
B2-50FA-SS	50	
B1-60FA-SS	60	2
B2-60FA-SS	60	
B1-70FA-SS	70	2
B2-70FA-SS	70	

2.4. Setup of beam specimens

The beam specimens were tested on the loading frame of the Laboratory of Structures and Materials. The actuator with load capacity of 250 kN was used to test all beam specimens. The specimen was tested under load control. A transfer beam was used to transfer the load from the actuator to the beam specimen. The beams were simply supported and loaded symmetrically under two-point-loading. A Linear Variable Differential Transformers (LVDT) was used to measure deflection of the specimen. The LVDT was placed at the middle of the specimen. Measured data of load and deflection were read through a computer driven data acquisition system using data logger. The setup of the beam specimen was shown in Fig.1.




Fig.1. Setup of beam specimen

3. Results and discussion

3.1. Properties of concrete

The average density, compressive strength, and modulus of elasticity of concrete tested at 28 days were shown in Table 4. It can be seen from Table 4 that the average density of HVFAC increased when the content of fly ash increased. While the average compressive strength and modulus of elasticity of HVFAC decreased when the content of fly ash increased. Compare to the normal concrete, it can be seen also from Table 4 that the average compressive strength and average modulus of elasticity of HVFAC were lower than normal concrete.

Table 4. The mechanical properties of concrete.

Code	Fly ash content (%)	Average density (Kg/m ³)	Average Compressive Strength (MPa)	Average Modulus of Elasticity (MPa)
0FA	0	2256.222	20.441	22527.32
50FA	50	2252.100	15.342	15200.28
60FA	60	2305.669	13.753	14541.86
70FA	70	2402.134	11.672	11482.64

3.2. Shear Behavior of HVFAC Beam

The first crack was observed visually during the testing specimen. The first crack load was noted as the load at first crack occurred. The first crack load of every beam specimen was presented in Table 5. It can be seen from Table 5 that the average first crack load of HVFAC beams was lower than the control beam. It can be seen also that the first crack load of HVFAC beams decreased when the replacement of the cement by fly ash was increased.

Table 5. The first cracking load of every beam specimen.

Beam Designation	Fly ash content (%)	The load at first crack (kN)	Average load at first crack (kN)
B1-Normal	0	26.12	31.31
B2-Normal	0	36.50	
B1-50FA-SS	50	25.50	22.30
B2-50FA-SS	50	19.10	
B1-60FA-SS	60	22.00	18.73
B2-60FA-SS	60	15.46	
B1-70FA-SS	70	21.85	18.55
B2-70FA-SS	70	15.25	

The ultimate load of every beam specimen was shown in Table 6. Compared to the control beam, it can be seen that the average ultimate load of HVFAC beams were lower than the control beam. It can be seen also that the ultimate load of HVFAC beam was decreased when the replacement of cement by fly ash was increased. Among the HVFAC beams, it can be seen that the HVFAC beam with 50 % fly ash was the optimum replacement of fly ash, because it had the largest ultimate load compared to others HVFAC beams. If the HVFAC beam with 50 % fly ash had the largest ultimate load, it means that the HVFAC beam with 50 % fly ash had the largest shear strength compared to others HVFAC beams.

Table 6. The ultimate load of beam specimens.

Beam Designation	Fly ash content (%)	Ultimate load (kN)	Average ultimate load (kN)
B1-Normal	0	65.094	70.003
B2-Normal	0	74.912	
B1-50FA-SS	50	58.091	57.263
B2-50FA-SS	50	56.434	
B1-60FA-SS	60	55.256	48.869
B2-60FA-SS	60	42.482	
B1-70FA-SS	70	38.182	41.893
B2-70FA-SS	70	45.604	

The load-deflection relationship of every beam specimen was shown in Fig. 2(a); (b); (c); and (d). It can be seen from Fig. 2(a), the load-deflection behavior of B1-Normal and B2-Normal (control beams) were virtually identical. Before first cracking the curve increased linearly which was presenting elastic behavior. After cracking, the curve increased nonlinearly up to an ultimate load. After reaching the ultimate load, the curve decreased non-linearly and

proceeded with a section of an approximately horizontal curve, indicating a state of yielding and large deformation of the beam before collapse.




Fig.2. The load-deflection relationship of beam specimens

While the load-deflection of the HVFAC beams (B1-50FA-SS; B2-50FA-SS; B1-60FA-SS; B2-60FA-SS; B1-70FA-SS; and B2-70FA-SS) were virtually also identical (see Fig. 2(b), (c), and (d)). Before cracking, the curve displayed linearly elastic behavior. After cracking, the curve increased nonlinearly until reaching the ultimate load. After reaching the ultimate load, the load drop rapidly prior to collapse. The collapse of the HVFAC beams was indicated with a sudden failure and large shear crack in shear-test-region (region without stirrups).

The comparison among the beam specimens can be seen in Fig. 3. It can be seen that the control beams were more ductile compared to the HVFAC beams. It indicated that replacement of cement by fly ash made the HVFAC beams become brittle due to the lower compressive strength of HVFAC beams compared to the control beams.

The crack pattern of beam specimens was shown in Fig. 4. The control beams (B1-Normal and B2-Normal) failed in flexural. The first crack appeared in the maximum moment region, and then followed by additional flexural crack which developed vertically. As the load increased, a small inclined flexure-shear crack appeared then the

beam gave large deformation prior to collapse. While all HVFAC beams failed in shear. The first crack appeared in the maximum moment region, and then followed by additional flexural crack. As the load increased, a large inclined flexure-shear crack appeared between the load and support then the beam was collapse suddenly. It indicated that the shear strength of the HVFAC was low and it was easily to be crack in the shear-test-region.




Fig. 3. Comparison load-deflection relationship among the beam specimens




Fig. 4. The crack pattern of beam specimens.

4. Conclusions

Based on the obtained experimental results, the following conclusion can be drawn:

- Increasing the substitutions of fly ash as replacement of portland cement tend towards a reduction of shear strength and led the HVFAC beams became brittle.
- Comparing all the series of HVFAC beams that better results could be achieved by the beams with 50 % of fly ash due to the higher shear strength than the beam with 60 % and 70 % of fly ash.
- The HVFAC beams failed in shear due to the low shear strength of the beams.

Acknowledgements

The experimental program reported herein was made possible due to fund of Internal Research Grant of Civil Engineering Department, Faculty of Engineering, Universitas Atma Jaya Yogyakarta. The authors gratefully acknowledge of this financial support. The authors would like to thanks to the Head and Staff of Laboratory of Structures and Materials, Department of Civil Engineering, Faculty of Engineering, Universitas Atma Jaya Yogyakarta for the use of their research facilities. In this chance, the authors would like also to thanks to Daniel Krisna Mukti for the help during the testing of the specimens in the Laboratory of Structures and Materials.

References

- [1] Roy, D.M., Alkali-activated cements, opportunities and challenges. *Cement and Concrete Research*, 1999, pp. 249-254.
- [2] Bilodeau, A., and Malhotra, V.M., High-volume fly ash system: Concrete solution for sustainable development, *ACI Materials Journal*, 97(1), 2000, pp. 41-48.
- [3] Davis, R.E., Carlson, R.W., Kelly, J.W., and Davis, H.E., Properties of cements and concretes containing fly ash. *Journal American Concrete Institute*, 33(5), 1937, pp. 577-612.
- [4] ACI Committee 232, Use of fly ash in concrete. ACI 232.2R-03, 2003, Farmington Hills, MI.
- [5] Malhotra, V.M., Zhang, M.H., Read, P.H., and Ryell, J., Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions. *ACI Materials Journal*, 97(5), 2000, pp. 518-525.
- [6] Bilodeau, A., Sivasundaram, V., Painter, K.E., and Malhotra, V.M., Durability of concrete incorporating high volume of fly ash from sources in the USA, *ACI Materials Journal*, 91(1), 1994, pp. 3-12.
- [7] Langley, W.S., Carette, G.G., and Malhotra, V.M., Strength development and temperature rise in large concrete blocks containing high volumes of low-calcium (ASTM Class F) fly ash. *ACI Materials Journal*, 89(2), 1992, pp. 362-368.
- [8] Sivasundaram, V., Carette, G.G., and Malhotra, V.M., Mechanical properties, creep, and resistance to diffusion of chloride ions of concretes incorporating high volume of ASTM class F fly ash from seven different sources. *ACI Materials Journal*, 88(4), 1991, pp. 384-389.
- [9] Langley, W.S., Carette, G.G., and Malhotra, V.M., Structural concrete incorporating high volumes of ASTM class F fly ash. *ACI Materials Journal*, 86(5), 1989, pp. 507-514.
- [10] Arezoumandi, M., Volz, J.S., Ortega, C.A., and Myers, J.J., Shear behaviour of high-volume fly ash concrete versus conventional concrete: Experimental study. *ASCE Journal of Structural Engineering*, 141 (3), 2015.
- [11] Berry, E.E., Hemmings, R.T., Zhang, M.H., Cornelious, B.J., and Golden, D.M., Hydration in high-volume fly ash binders, *ACI Materials Journal*, 91(4), 1994, pp. 382-389.
- [12] Myers, J.J., and Carrasquillo, R.L., Mix proportioning for high-strength HPC bridge beams, *ACI Special Publication 189*, Detroit, MI, pp. 37-56.
- [13] Malhotra, V.M., Superplasticized fly ash concrete for structural application. *Concrete International*, 8(12), pp. 28-31.
- [14] Gopalan, M.K., Nucleation and pozzolanic factors in strength development of class F fly ash. *ACI Materials Journal*, 90(2), 1993, pp. 117-121.
- [15] Koyama, T., Sun, Y.P., Fujinaga, T., Koyamada, H., and Ogata, F., Mechanical properties of concrete beam made of a large amount of fine fly ash. *Proceeding of the 14th World Conference on Earthquake Engineering*, October 12-17, 2008, Beijing, China.
- [16] Rao, R.M., Mohan, S., and Sekar, S.K., Shear resistance of high volume fly ash reinforced concrete beams without web reinforcement. *International Journal of Civil and Structural Engineering*, 1 (4), 2011, pp. 986-993.
- [17] Soman, M., and Sobha, K., Strength and behaviour of high volume fly ash concrete. *International Journal of Innovative Research in Science, Engineering and Technology*, 3(5), 2014, pp. 12416-12424.
- [18] Thangaraj, R., and Thenmozhi, R., Performance of high volume fly ash in concrete structures. *IOSR Journal of Mechanical and Civil Engineering*, 3(1), 2012, pp. 28-33.
- [19] ACI Committee 211, Standard practice for selecting proportions for normal, heavyweight, and mass concrete (ACI 211.1-91), *ACI Manual of Concrete Practice*, Part I, 1995, pp. 211.1-1 to 211.1-38.
- [20] ASTM, American society for testing and materials annual book of ASTM standards. Vol. 04.09, 2008, West Conshohocken, PA.