

# CERTIFICATE OF RECOGNITION

is hereby awarded to :

**Ade Lisantono**

in recognition of valuable contribution as

**Author and Presenter**


entitled

**High Volume Fly Ash as Substitution of Fine Aggregates with The Proportion of 50%, 60%, and 70% to The Shear Strength of Reinforced Concrete Beams**

**July, 11-12 2018 Solo, Indonesia**

For participating in the

**4<sup>th</sup> International Conference on Rehabilitation and Maintenance in Civil Engineering**



Dr. (techn) Sholihin As'ad  
Dean of Engineering Faculty UNS



Yusep Muslih Purwana, Ph.D.  
Chairman of 4<sup>th</sup> ICRMCE



also developed by scimago:



SCIMAGO INSTITUTIONS RANKINGS



Scimago Journal & Country Rank

Enter Journal Title, ISSN or Publisher Name



Home

Journal Rankings

Country Rankings

Viz Tools

Help

About Us

# MATEC Web of Conferences

**Country**

France - [SJR Ranking of France](#)

**Subject Area and Category**

- Chemistry
  - Chemistry (miscellaneous)
- Engineering
  - Engineering (miscellaneous)
- Materials Science
  - Materials Science (miscellaneous)

# 12

H Index

**Publisher**

**Publication type**

Conferences and Proceedings

**ISSN**




2261236X

**Coverage**


2012-ongoing



[Join the conversation about this journal](#)





A



### % International Collaboration

International Collaboration accounts for the articles that have been produced by researchers from several countries. The chart shows the ratio of a journal's documents signed by researchers from more than one country; that is including more than one country address.

Year	International Collaboration
2012	36.11



**MATEC Web of Conferences**

Not yet assigned quartile

**SJR 2017**  
**0.15**

powered by scimagojr.com

← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com/journalsearch.php?q=21100316064&tip=sid...">
```

**Leave a comment**

Name

Email

(will not be published)

I'm not a robot

reCAPTCHA  
Privacy - Terms


Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2018. Data Source: Scopus®



# 4<sup>th</sup> International Conference on Rehabilitation and Maintenance in Civil Engineering (ICRMCE)

Best Western Solo Baru  
July, 11-12 2018



“Smart Rehabilitation and Maintenance in Civil Engineering for Sustainable Construction”



In collaboration with:



Partner Universities:



Delft University of Technology



Karlsruhe Institute of Technology



Brindhan University



Bhamanishik Jyotiarka University



Malaysia University of Technology



Rzeszow University



Nataran University



Jember Hardiman University



Jember University

## Preface

As a set of structural elements that serve and supports purposeful function, Infrastructure – buildings, roads, bridges, ports, power plants, water supply, underground spaces – is vital and essential for the development of human society. It supports manufacture of products, creates jobs, facilitates mobility of goods and people, helps distribution of water and energy, keeps people healthy, and protects communities from natural and man-made hazards. Infrastructure drives economic growth in many countries and enables society to thrive and have better living condition. People recognise the importance of infrastructure when they discover that it fails to serve their needs

In developing countries there is an obvious demand to build more infrastructures to boost the economy, distribute income, and move forward the progress of these countries. Despite the careful planning, design, and construction many infrastructures exhibit unsatisfactory performance and deteriorates in its operational phase of service life. In developed countries, many infrastructures have achieved its end of service life and shows ageing phenomena with declining function and performances.

In the era where our planet is now under severe ecological stress, depletion of natural resources, and threat of adverse climate change, it's not just a matter of building more. We must maintain our infrastructure stocks to its adequate level of performances in order to sustain our earth life support capabilities and capacities. Building or maintaining, infrastructure needs to sustainable.

The 4<sup>th</sup> International Conference on Rehabilitation and Maintenance in Civil Engineering raise this issue by taking theme of “Smart Rehabilitation and Maintenance in Civil Engineering for Sustainable Construction”. Public works professionals, engineers, planners, policy makers, researchers, academicians, and students gather together to discuss and share ideas on the issues of rehabilitation, repairs, maintenance, and its wide aspect within the field of civil engineering. In meeting highly technical specifications, tackling challenging problem, and addressing community needs, the conference provides a forum for broad spectrum of relevant topics.

The keynote papers address innovative technology in construction system that to make buildings resilient and sustainable, the use of artificial intelligence for managing and maintaining large scale, complex and interconnected asset, ingenious rehabilitation techniques and waterproofing, and perspectives of maintenance at urban scale.

All peer reviewed papers published in the proceedings discuss various topics from detailed engineering rehabilitation techniques and numerical modelling of service life prediction, to the higher abstraction such as maintenance strategies and policies. The papers examines multiscale level of infrastructure from material levels to the structural levels to the networks of infrastructure at urban level. The papers address testing and inspection procedure to the use of new innovative material and techniques for Restoration, preservation, rehabilitation and maintenance. The paper covers wide areas of rehabilitation and maintenance in the field of Civil Engineering; material, structure, soil mechanics, transportation, water resources, and construction management

The proceedings of the 4th International Conference on Rehabilitation and Maintenance in Civil Engineering (ICRMCE) provides wealth of information and ideas for the professionals in civil engineering in supporting their day-to-day works of rehabilitation and maintenance of infrastructure.

## Statement of Peer review

In submitting conference proceedings to *Web of Conferences*, the editors of the proceedings certify to the Publisher that

1. They adhere to its **Policy on Publishing Integrity** in order to safeguard good scientific practice in publishing.
2. All articles have been subjected to peer review administered by the proceedings editors.
3. Reviews have been conducted by expert referees, who have been requested to provide unbiased and constructive comments aimed, whenever possible, at improving the work.
4. Proceedings editors have taken all reasonable steps to ensure the quality of the materials they publish and their decision to accept or reject a paper for publication has been based only on the merits of the work and the relevance to the journal.

Title, date and place of the conference

The 4th International Conference on Rehabilitation and Maintenance in Civil Engineering (ICRMCE)  
July 11-12, 2018, Solo Baru, Indonesia

Proceedings editor(s):

1. Prof. Petr Hajek (Czech Technical University)
2. Prof. Han Ay Lie (Universitas Diponegoro)
3. Prof. Stefanus Kristiawan (Universitas Sebelas Maret)
4. Prof. Chan Weng Tat (National University of Singapore)
5. Prof. Muhammad bin Ismail (Universiti Teknologi Malaysia)
6. Prof. Buntara Sthenly Gan (College of Engineering, Nihon University)
7. Dr. Rasiah Sriravindrarajah (University of Technology Sidney)
8. Mr. Banu Ardi Hidayat (Universitas Diponegoro)

Date and editor's signature

July 30, 2018

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)



Journals

Books

Conferences

EDPS Account



**MATEC** Web of Conferences

All issues Series  
Forthcoming About

Search Menu

[All issues](#) ▶ Volume 195 (2018)

[◀ Previous issue](#)

[Table of Contents](#)

[Next issue ▶](#)

**Free Access** to the whole issue

## MATEC Web of Conferences

Volume 195 (2018)

### The 4<sup>th</sup> International Conference on Rehabilitation and Maintenance in Civil Engineering (ICRMCE 2018)

Solo Baru, Indonesia, July 11-12, 2018

P. Hajek, A.L. Han, S. Kristiawan, W.T. Chan, M.b. Ismail, B.S. Gan, R. Sriravindrarah and B.A. Hidayat  
(Eds.)

Export the citation of the selected articles [Export](#)

[Select all](#)

Open Access

Statement of Peer review

Published online: 22 August 2018

[PDF \(40.8 KB\)](#)

Open Access

About the conference



By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks. [More information and setup](#)

OK

- ∨ [Construction Materials](#)
- ∨ [Structural Engineering](#)
- ∨ [Geotechnical Engineering](#)
- ∨ [Transportation Engineering](#)
- ∨ [Hydrologic Engineering](#)
- ∨ [Construction Management and Maintenance](#)

Open Access

## [Preface](#) 00001

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819500001>

[PDF \(83.21 KB\)](#)

## - *Construction Materials*

Open Access

### [Advanced high-performance concrete structures - challenge for sustainable and resilient future](#) 01001

Petr Hajek

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501001>

[PDF \(612.5 KB\)](#) | [References](#)

Open Access

### [Waterproofing practices in Australia for building construction](#) 01002

Rasiah Sriravindrarajah and Elizebeth Tran

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501002>

[PDF \(738.9 KB\)](#) | [References](#)

Open Access

### [Proposed concrete compaction method using an electrical internal vibrator: a review of compaction standard for concrete in laboratory according to SNI 2493:2011](#) 01003

Agus Maryoto


Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501003>

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks. [More information and setup](#)

---

OK

 Open Access

### [Microscopic investigation on concrete cured internally by using porous ceramic roof-tile waste aggregate](#) 01004

Azusa Shigeta, Yuko Ogawa and Kenji Kawai

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501004>

[PDF \(514.3 KB\)](#) | [References](#)

---

 Open Access

### [Modulus elasticity of the graded concrete, a preliminary research](#) 01005

M. Mirza Abdillah Pratama, B. Sri Umniati, Bunga Arumsari Mutiara Wulandari, Ay Lie Han, Buntara Sthenly Gan and Zhabrinna Zhabrinna

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501005>

[PDF \(381.4 KB\)](#) | [References](#)

---

 Open Access

### [Strength development of cement-treated sand using different cement types cured at different temperatures](#) 01006

Lanh Si Ho, Kenichiro Nakarai, Kenta Eguchi, Takashi Sasaki and Minoru Morioka

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501006>

[PDF \(561.0 KB\)](#) | [References](#)

---

 Open Access

### [Effect of co-existing ions on lead leaching behaviour from hardened cement paste](#) 01007

Takumi Nishiwaki, Shaojun Zhou, Masaharu Yamasaki, Yuko Ogawa and Kenji Kawai

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501007>

[PDF \(395.2 KB\)](#) | [References](#)

---

 Open Access

### [Mechanical properties of concrete composed of sintered fly ash lightweight aggregate](#) 01008

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

DOI: <https://doi.org/10.1051/mateconf/201819501008>

[PDF \(295.5 KB\)](#) | [References](#)

---

Open Access

### [Rice husk as an alternative energy for cement production and its effect on the chemical properties of cement](#) 01009

Agus Maryoto and Gathot Heri Sudiby

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501009>

[PDF \(405.6 KB\)](#) | [References](#)

---

Open Access

### [The influence of molarity variations to the mechanical behavior of geopolymer concrete](#) 01010

Purwanto, Ay Lie Han, Nuroji and Januarti Jaya Ekaputri

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501010>

[PDF \(566.6 KB\)](#) | [References](#)

---

Open Access

### [The effect of additional aluminium to the strength of geopolymer paste](#) 01011

Aulia Rahman and Januarti Jaya Ekaputri

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501011>

[PDF \(415.2 KB\)](#) | [References](#)

---

Open Access

### [Effects of microbial agents to the properties of fly ash-based paste](#) 01012

Kiki Dwi Wulandari, Januarti Jaya Ekaputri, Triwulan, Chikako Fujiyama and Davin H. E. Setiamarga

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501012>

[PDF \(944.4 KB\)](#) | [References](#)

---

Open Access

### [Microstructure and mechanical properties of FA/GGBS-based geopolymer](#) 01013

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

DOI: <https://doi.org/10.1051/mateconf/201819501013>

[PDF \(2.117 MB\)](#) | [References](#)

---

Open Access

### [Repair of rigid pavement using micro concrete material](#) 01014

Jonbi Jonbi, A. R. Indra Tjahjani, Nuryani Tinumbia, A. M. Pattinaja and Bambang S. Haryono

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501014>

[PDF \(764.4 KB\)](#) | [References](#)

---

Open Access

### [Evaluation of bond strength between normal concrete and high performance fiber reinforced concrete \(HPFRC\)](#) 01015

Nur Adibah Ayuni Abd Malek, Khairunnisa Muhamad, Mohd Zulham Affandi Mohd Zahid,

Nur Ain Hamiruddin, Norrazman Zaiha Zainol, Norhaizura Yahya, Nurulashikin Bahaman and

Nurfaraheen Mohd Ramli

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501015>

[PDF \(1011 KB\)](#) | [References](#)

---

Open Access

### [Slant shear strength of fibre reinforced polyvinyl acetate \(PVA\) modified mortar](#)

01016

Stefanus Kristiawan, Bambang Santosa, Edy Purwanto and Rachmad A. Caesar

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501016>

[PDF \(587.5 KB\)](#) | [References](#)

---

Open Access

### [The effect of recycled coarse aggregate \(RCA\) with surface treatment on concrete mechanical properties](#) 01017

Anggun Tri Atmajayanti, Chrisyanto Daniel Saragih G. and Yanuar Haryanto

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501017>

[PDF \(670.7 KB\)](#) | [References](#)



By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

---

## [The use of grinded andesite-sand and foaming-agent to improve the porosity of foam-concrete](#) 01018

Rommel Erwin, Rusdianto Yunan, Dawara Kiki Ruris and Eddy S Tri

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501018>

[PDF \(1.094 MB\)](#) | [References](#)

---

 Open Access

## [A comparative analysis of the quality of concrete blocks produced from coconut fibre, oil palm empty fruit bunch, and rice husk as filler material](#) 01019

Mohammad Lutfi, Muh Yamin, Mujibu Rahman and Elisa Ginsel Popang

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501019>

[PDF \(686.5 KB\)](#) | [References](#)

---

 Open Access

## [Effect of added the polycarboxylate ether on slump retention and compressive strength of the high-performance concrete](#) 01020

Jonbi Jonbi, Resti Nur Arini, Basori Anwar and Mohamad Ali Fulazzaky

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501020>

[PDF \(370.8 KB\)](#) | [References](#)

---

 Open Access

## [The influence of OPC and PPC on compressive strength of ALWA concrete](#) 01021

Fedya Diajeng Aryani, Tavio, I Gusti Putu Raka and Puryanto

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501021>

[PDF \(512.9 KB\)](#) | [References](#)

---

 Open Access

## [A preliminary study of the low density particle boards quality using rice husks and oil palm empty fruit bunch with plastic waste adhesive](#) 01022

Muh. Yamin, Rudito, Andi Lisnawati and Mohammad Lutfi

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501022>

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks. [More information and setup](#)

OK

Open Access

### [Characterization and compressive strength of fly ash based-geopolymer paste](#)

01023

Ari Widayanti, Ria Asih Aryani Soemitro, Hitapriya Suprayitno and Januarti Jaya Ekaputri

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501023>

[PDF \(997.6 KB\)](#) | [References](#)

Open Access

### [The effect of addition of banana tree bark for compressive strength and crack tensile strength of rice husk ash concrete](#)

01024

Muhammad Rizqi, Hernu Suyoso and Gati Annisa Hayu

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501024>

[PDF \(516.3 KB\)](#) | [References](#)

Open Access

### [Experimental study of accelerating early age concrete strength under elevated temperature, steaming, and chemical admixture addition of normal and high strength concrete](#)

01025

Suryawan Murtiadi, Akmaluddin Akmaluddin, Buan Anshari and Suparjo Suparjo

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819501025>

[PDF \(819.4 KB\)](#) | [References](#)

## **- Structural Engineering**

Open Access

### [Shear-bond behavior of fiber reinforced polymer \(FRP\) rods and sheets](#)

02001

Aylie Han, Buntara S. Gan and Agung Budipriyanto

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502001>

[PDF \(1.606 MB\)](#) | [References](#)

Open Access

### [Performance of composite local glass fibre sheets and epoxy on flexural](#)

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502002>

[PDF \(646.9 KB\)](#) | [References](#)

 Open Access

### [Flexural performance of HPFRC plates using PPC and variation of steel fiber composition](#) 02003

Krisnamurti, Agoes Soehardjono, Achfas Zacoeb and Ari Wibowo

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502003>

[PDF \(762.2 KB\)](#) | [References](#)

 Open Access

### [Shear properties evaluation of natural fibre reinforced epoxy composites using V-notch shear test](#) 02004

Jauhar Fajrin and Nasmi Herlina Sari

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502004>

[PDF \(762.0 KB\)](#) | [References](#)

 Open Access

### [Analytical prediction of tension force on stirrups in concrete beams longitudinally reinforced with CFRP bars](#) 02005

Rendy Thamrin

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502005>

[PDF \(445.7 KB\)](#) | [References](#)

 Open Access

### [Experimental analysis of T-beam reinforced concrete with holes](#) 02006

Hotma Panggabean and Nicxson Pakpahan

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502006>

[PDF \(1013 KB\)](#) | [References](#)

By using this website, you agree that EDP Sciences may store web audience measurement

OK

---

[Numerical analysis on stress and displacement of tapered cantilever castellated steel beam with circular openings](#) 02007

Taufiq Ilham Maulana, Hakas Prayuda, Bagus Soebandono, Martyana Dwi Cahyati and Eva Hanifatu Zahra

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502007>

[PDF \(1.270 MB\)](#) | [References](#)

---

 Open Access

[Numerical analysis of castellated beams with oval openings](#) 02008

Yanuar Setiawan, Ay Lie Han, Buntara Sthenly Gan and Junaedi Utomo

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502008>

[PDF \(1.234 MB\)](#) | [References](#)

---

 Open Access

[Numerical study on beam-column connection of cantilever precast concrete beam with asymmetric shape under static load](#) 02009

Hakas Prayuda, Robbi'al Rollyas Syandy, Bagus Soebandono, Taufiq Ilham Maulana and Martyana Dwi Cahyati

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502009>

[PDF \(815.2 KB\)](#) | [References](#)

---

 Open Access

[Analytical study on creep shear failures of RC slender beams without web reinforcement](#) 02010

Halwan Alfisa Saifullah, Kenichiro Nakarai, Nobuhiro Chijiwa and Koichi Maekawa

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502010>

[PDF \(1.299 MB\)](#) | [References](#)

---

 Open Access

[Building evaluation using two components of acceleration time histories causes by shallow crustal fault earthquakes with maximum magnitude 7 Mw](#) 02011

Windu Partono, Masyhur Irsyam, Indrastono Dwi Atmanto, Andi Retno Ari Setiaji, Sigit Purnomo and



By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)  
DOI: <https://doi.org/10.1051/mateconf/201819502011>

[PDF \(738.2 KB\)](#) | [References](#)

---

Open Access

### [One-way translational magnetic mass damper model for structural response control against dynamic loadings](#) 02012

Nurulashikin Bahaman, Sk Muiz Sk Abdul Razak, Azlan Adnan, Norrazman Zaiha Zainol,

Norhaizura Yahya, Khairunnisa Muhamad, Ahmad Nurfaidhi Rizalman, Mazizah Ezdiani Mohamad

and Nur Adibah Ayuni Abd Malek

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502012>

[PDF \(487.6 KB\)](#) | [References](#)

---

Open Access

### [A comparative study of base isolation devices in light rail transit structure featured with lead rubber bearing and friction pendulum system](#) 02013

Santi Nuraini, Asdam Tambusay and Priyo Suprobo

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502013>

[PDF \(1.236 MB\)](#) | [References](#)

---

Open Access

### [Improving resilience of moment frames using steel pipe dampers](#) 02014

Junaedi Utomo and Antonius

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502014>

[PDF \(1.348 MB\)](#) | [References](#)

---

Open Access

### [Application of high strength reinforcing bars in earthquake-resistant structure elements](#) 02015

Kurniawan Setiadi Kamaruddin, Iswandi Imran, Maulana Derry Imansyah, Muhammad Riyansyah

and Aris Ariyanto

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502015>

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks. [More information and setup](#)

---

OK

 Open Access

### [A comparison of retrofitting methods on nursing faculty building of Andalas University with concrete jacketing and shear wall systems](#) 02016

Fauzan, Febrin Anas Ismail, Oswin Dezardo and Zev Al Jauhari

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502016>

[PDF \(656.0 KB\)](#) | [References](#)

---

 Open Access

### [Seismic performance of four-storey masonry infilled reinforced concrete frame building](#) 02017

Isyana Ratna Hapsari, Senot Sangadji and Stefanus Adi Kristiawan

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502017>

[PDF \(891.7 KB\)](#) | [References](#)

---

 Open Access

### [A structural performance evaluation of vertical housing model due to the increased seismic loads in Semarang, Indonesia using a pushover analysis](#) 02018

Arnie Widyaningrum, Yanuar Haryanto and Nor Intang Setyo Hermanto

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502018>

[PDF \(871.9 KB\)](#) | [References](#)

---

 Open Access

### [Dynamic bayesian updating approach for predicting bridge condition based on Indonesia-bridge management system \(I-BMS\)](#) 02019

Jojok Widodo Soetjipto, Tri Joko Wahyu Adi and Nadjadji Anwar

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502019>

[PDF \(576.7 KB\)](#) | [References](#)

---

 Open Access

### [Influence of shape modification and stirrups on the axial capacity of concrete columns](#) 02020

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)  
DOI: <https://doi.org/10.1051/mateconf/201819502020>

[PDF \(1.491 MB\)](#) | [References](#)

---

Open Access

### [Comparative study of behaviour of reinforced concrete beam-column joints with reference to monolithic and non-monolithic connection](#) 02021

Ninik Catur Endah Yuliati, Dewi Sri Murni, Wisnumurti and Wibowo Ari

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502021>

[PDF \(1.782 MB\)](#) | [References](#)

---

Open Access

### [Effect of monotonic lateral load on the performance of reinforced graded concrete column, an experimental study](#) 02022

M. Mirza Abdillah Pratama, B. Sri Umniati, Gista Prasiwi, Ay Lie Han, Buntara Sthenly Gan, Puput Risdanareni and Zhabrinna Zhabrinna

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502022>

[PDF \(547.1 KB\)](#) | [References](#)

---

Open Access

### [Stress-strain response of high-volume fly ash self-compacting concrete \(HVFA-SCC\) under uniaxial loading and its effect on the reinforced HVFA-SCC nominal strength](#) 02023

Stefanus Kristiawan, Sunarmasto, Agus S Budi and Desi C Kurniawati

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502023>

[PDF \(692.7 KB\)](#) | [References](#)

---

Open Access

### [High volume fly ash as substitution of fine aggregates with the proportion of 50%, 60%, and 70% to the shear strength of reinforced concrete beams](#) 02024

Ade Lisantono, Haryanto Yoso Wigroho and Daniel Krisna Murti

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502024>

[PDF \(1.217 MB\)](#) | [References](#)

By using this website, you agree that EDP Sciences may store web audience measurement

OK

---

[Analysis of floating house platform stability using polyvinyl chloride \(PVC\) pipe material](#) 02025

Aswad Asrasal, Slamet Imam Wahyudi, Henny Pratiwi Adi and Rick Heikoop

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502025>

[PDF \(394.6 KB\)](#) | [References](#)

---

Open Access

[The study of ultrasonic pulse velocity on plain and reinforced damaged concrete](#) 02026

Ni Nyoman Kencanawati, Akmaluddin, Buan Anshari, Ahmad Gazi Paedullah and Mitsuhiro Shigeishi

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502026>

[PDF \(932.0 KB\)](#) | [References](#)

---

Open Access

[Survey, investigation and repairing on concrete wall of waste water treatment building](#) 02027

Partogi H Simatupang and Jonbi

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502027>

[PDF \(1.160 MB\)](#) | [References](#)

---

Open Access

[Predicting bending creep of laminated veneer lumber \(LVL\) sengon \(\*Paraserianthes falcataria\*\) beams from initial creep test data](#) 02028

Achmad Basuki, Ali Awaludin, Bambang Suhendro and Suprpto Siswosukarto

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502028>

[PDF \(1021 KB\)](#) | [References](#)

---

Open Access

[Performance of glue laminated timber beams composed of sengon wood \(\*Albizia falcatara\*\) and coconut wood \(\*Cocos nucifera\*\) with nylon-threads reinforcement](#) 02029

Kusnindar, Sri Murni Dewi, Agoes Soehardjono and Wisnumurti



By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)  
[PDF \(1.425 MB\)](#) | [References](#)

---

Open Access

### [Study of inertia weight parameter for boundary element inverse analysis to detect RC corrosion](#) 02030

Syarizal Fonna, Gunawarman and Syifauly Huzni

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502030>

[PDF \(493.8 KB\)](#) | [References](#)

---

Open Access

### [Analysis of steel reinforced functionally graded concrete beam cross sections](#) 02031

Shota Kiryu, Ay Lie Han, Ilham Nurhuda and Buntara S. Gan

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502031>

[PDF \(384.7 KB\)](#) | [References](#)

---

Open Access

### [Aerodynamic performance of long span steel truss bridges in Indonesia](#) 02032

Suangga Made and Irpanni Herry

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502032>

[PDF \(726.4 KB\)](#) | [References](#)

---

Open Access

### [Diagonal reinforcement as strengthening to increase the stiffness and strength of concrete frame](#) 02033

Yenny Nurchasanah, Muhammad Ujjianto and Abdul Rochman

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502033>

[PDF \(425.5 KB\)](#) | [References](#)

---

Open Access

### [Comprehensive condition assessment program on the fire damaged structure - a project case in Singapore](#) 02034

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)  
DOI: <https://doi.org/10.1051/mateconf/201819502034>

[PDF \(1.335 MB\)](#) | [References](#)

---

 Open Access

### [Application of NDT apparatus for possible use as structural health monitoring of concrete building in the field](#) 02035

Akmaluddin Akmaluddin, Ni Nyoman Kencanawati and Ahmad Gazi Paedullah

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819502035>

[PDF \(1.275 MB\)](#) | [References](#)

---

## **- Geotechnical Engineering**

 Open Access

### [Ground anchors corrosion - the beginning of the end](#) 03001

Hung-Jiun Liao

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503001>

[PDF \(2.611 MB\)](#) | [References](#)

---

 Open Access

### [Quantification of root reinforcement in bio-slope stabilization: laboratory and field studies](#) 03002

Apiniti Jotisankasa, Danainut Taworn, Nattasit Chumchey and Jirarothe Sukolrat

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503002>

[PDF \(1.817 MB\)](#) | [References](#)

---

 Open Access

### [Improve the California bearing ratio of expansive subgrade using SiCC column](#) 03003

Agus Setyo Muntohar, Willis Diana, Edi Hartono and Anita Widiyanti

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503003>

[PDF \(670.6 KB\)](#) | [References](#)

By using this website, you agree that EDP Sciences may store web audience measurement

OK

---

[Contribution of suction on the stability of reinforced-soil retaining wall](#) 03004

Nurly Gofar and Hanafiah

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503004>

[PDF \(881.1 KB\)](#) | [References](#)

---

Open Access

[Bearing capacity analysis of helical pile foundation on peat](#) 03005

Ferry Fatnanta and Andarsin Ongko

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503005>

[PDF \(1.366 MB\)](#) | [References](#)

---

Open Access

[Method of removing secondary compression on clay using preloading](#) 03006

Ega Dhianty and Indrasurya B. Mochtar

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503006>

[PDF \(985.3 KB\)](#) | [References](#)

---

Open Access

[Application of woven waste tires gabion wall as slope reinforcement for preventing landslide in laboratory](#) 03007

Arwan Apriyono, Sumiyanto, Yanto and Bogie Arif Hidayat

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503007>

[PDF \(1.029 MB\)](#) | [References](#)

---

Open Access

[Predicting heave on the expansive soil](#) 03008

Willis Diana, Anita Widiанти, Edi Hartono and Agus Setyo Muntohar

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503008>

[PDF \(601.4 KB\)](#) | [References](#)

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

## [Expansive soil improvement of Glagahagung village, Purwoharjo sub-district, Banyuwangi district, which is chemically stabilized](#) 03009

Paksitya Purnama Putra, Diah Ayu Paramiswari, Abdullah Ilham and M. Farid Ma'ruf

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503009>

[PDF \(366.5 KB\)](#) | [References](#)

 Open Access

## [Effect of moisture content of cohesive subgrade soil](#) 03010

Adnan Zainorabidin and Dian Hastari Agustina

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503010>

[PDF \(504.1 KB\)](#) | [References](#)

 Open Access

## [The effect of egg shell powder on the compression strength of fine-grained soil](#)

03011

Niken Silmi Surjandari, Raden Harya Dananjaya and Ely Jauharotus S

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503011>

[PDF \(907.8 KB\)](#) | [References](#)

 Open Access

## [The effect of cement stabilization on the strength of the Bawen's siltstone](#) 03012

Edi Hartono, Sri Prabandiyani Retno Wardani and Agus Setyo Muntohar

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503012>

[PDF \(565.1 KB\)](#) | [References](#)

 Open Access

## [Inverse distance weighting interpolated soil properties and their related landslide occurrences](#) 03013

Purwanto B. Santoso, Yanto, Arwan Apriyono and Rani Suryani

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503013>

[PDF \(2.126 MB\)](#) | [References](#)

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup.](#)

## [Ground settlement prediction of embankment treated with prefabricated vertical drains in soft soil](#) 03014

Siswoko Adi Saputro, Agus Setyo Muntohar and Hung Jiun Liao

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503014>

[PDF \(1.488 MB\)](#) | [References](#)

 Open Access

## [Parametric study on the behaviour of bagasse ash-calcium carbide residue stabilized soil](#) 03015

John Tri Hatmoko and Hendra Suryadharma

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503015>

[PDF \(364.5 KB\)](#) | [References](#)

 Open Access

## [Water table evaluation post the construction of canal blocks on peatland in West Kalimantan, Indonesia](#) 03016

Henny Herawati, Aji Ali Akbar, Dwi Farastika and Azmeri

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503016>

[PDF \(842.4 KB\)](#) | [References](#)

 Open Access

## [Application of microtremor HVSR method for preliminary assessment of seismic site effect in Ngipik landfill, Gresik](#) 03017

Siti Nurlita Fitri, Ria Asih Aryani Soemitro, Dwa Dewa Warnana and Nila Sutra

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503017>

[PDF \(2.447 MB\)](#) | [References](#)

 Open Access

## [Determination of the seismicity and peak ground acceleration for Lombok island: an evaluation on tectonic setting](#) 03018

Didi S. Agustawijaya, Heri Sulistiyono and Ikhwan Elhuda

Published online: 22 August 2018

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks. [More information and setup](#)

OK

Open Access

### [Peak ground acceleration at surface for Mataram city with a return period of 2500 years using probabilistic method](#) 03019

Rian Mahendra Taruna, Vrieslend Haris Banyunegoro and Gatut Daniarsyad

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503019>

[PDF \(2.036 MB\)](#) | [References](#)

Open Access

### [Stability evaluation of Sermo dam, Yogyakarta, using two components acceleration time histories causes by Java subduction earthquake scenarios](#) 03020

Windu Partono and Undayani Cita Sari

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503020>

[PDF \(2.061 MB\)](#) | [References](#)

Open Access

### [Numerical modelling of dynamic stability of RCC dam](#) 03021

Omer Mughieda, Kenan Hazirbaba, Khaldoon Bani-Hani and Wassim Daoud

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503021>

[PDF \(873.0 KB\)](#) | [References](#)

Open Access

### [Study of geotechnical aspect base on GIS as basic design of road](#) 03022

Indrayani, Arfan Hasan, Andi Herius and Ahmad Mirza

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819503022>

[PDF \(1.951 MB\)](#) | [References](#)

## **- *Transportation Engineering***

Open Access

### [Design and optimization of a rubber-bitumen blend in preparation for a rubberized-asphalt road trial in the state of Kuwait](#) 04001



By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)  
DOI: <https://doi.org/10.1051/mateconf/201819504001>

[PDF \(683.0 KB\)](#) | [References](#)

---

 Open Access

### [Application of deflection bowl parameters for assessing different structures of road pavement](#) 04002


Bagus Hario Setiadji

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504002>

[PDF \(725.3 KB\)](#) | [References](#)

---

 Open Access

### [The influence of vehicle speed changes at mechanistic performance of asphalt mixture](#) 04003

Senja Rum Harnaeni, Arif Budiarto, F. Pungky Pramesti and Ary Setyawan

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504003>

[PDF \(318.9 KB\)](#) | [References](#)

---

 Open Access

### [Assessment of Magetan regency's road performance based on pavement and off pavement components](#) 04004

Joko Tri Haryanta, Mamok Suprpto and Syafi'i

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504004>

[PDF \(664.3 KB\)](#) | [References](#)

---

 Open Access

### [System model for physical conditions of road components in Magetan district](#) 04005

Ferro Gadha Gilang Kencana, Ary Setyawan and Syafi'i

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504005>

[PDF \(370.9 KB\)](#) | [References](#)

---

 Open Access

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504006>

[PDF \(337.6 KB\)](#) | [References](#)

Open Access

### [Data mining applied for national road maintenance decision support system](#) 04007

Andri Irfan Rifai, Susanty Handayani and Ronal Al Rasyid

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504007>

[PDF \(821.0 KB\)](#) | [References](#)

Open Access

### [Crashworthiness assessment of double-hull tanker structures under ship grounding actions](#) 04008

Aditya Rio Prabowo, Jung Min Sohn, Dong Myung Bae and Bangun IR Harsritanto

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504008>

[PDF \(1.396 MB\)](#) | [References](#)

Open Access

### [Evaluation of hub-spoke airport networks in Sumatra island, Indonesia to increase efficiency of air transportation](#) 04009

Gito Sugiyanto, Purwanto Bektis Santosa, Jajang, Ari Fadli and Mina Yumei Santi

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504009>

[PDF \(633.7 KB\)](#) | [References](#)

Open Access

### [Evaluation of urban freight transport operations in Surakarta city](#) 04010

Yulianto Budi

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504010>

[PDF \(1.517 MB\)](#) | [References](#)

Open Access

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504011>

[PDF \(1.491 MB\)](#) | [References](#)

 Open Access

### [Analysis of signalized intersection performance using IHCM 1997 method and PTV Vistro software](#) 04012

Budi Yulianto, Setiono, Adventaras Bani Setiawan and Dyan Radite Wijaya Putra

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504012>

[PDF \(517.4 KB\)](#) | [References](#)

 Open Access


### [Correlation analysis between speed bump dimensions and motorcycle speed in residential areas](#) 04013

RA Dinasty Purnomo A, Dewi Handayani and Syafi'i

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504013>

[PDF \(390.0 KB\)](#) | [References](#)

 Open Access

### [Analysis of influencing factors on using rental bikes at shopping tourism sites in Surakarta](#) 04014

Erlin Setyowati, Dewi Handayani and Syafi'i

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504014>

[PDF \(251.1 KB\)](#) | [References](#)

 Open Access

### [The influence of age and gender of student motorcycle riders on traffic violations and accidents using a structural equation model](#) 04015

I Wayan Suteja, Mifta Holman, D.M. Priyantha Wedagama and P. Alit Suthanaya

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504015>

[PDF \(615.5 KB\)](#) | [References](#)

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

---

## [Application of android-based parking violations reporting system to support green campus program](#) 04016

Setiono and Budi Yulianto

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504016>

[PDF \(1.402 MB\)](#) | [References](#)

---

 Open Access

## [Analysis of travel pattern and the need to develop sustainable transportation infrastructure in Sarbagita metropolitan area](#) 04017

Putu Alit Suthanaya

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504017>

[PDF \(1.152 MB\)](#) | [References](#)

---

 Open Access

## [The analysis of land use weights on road traces selection](#) 04018

Indrayani, Erika Buchari, Dinar D. A. Putranto and Edward Saleh

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504018>

[PDF \(310.7 KB\)](#) | [References](#)

---

 Open Access

## [Data mining applied for earthworks optimisation of a toll road construction project](#) 04019

Andri Irfan Rifai, Yusuf Latief and Leni Sagita Rianti

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504019>

[PDF \(652.9 KB\)](#) | [References](#)

---

 Open Access

## [Control of urban parking based on zoning rates in the context of sustainable transportation](#) 04020

Ismiyati Ismiyati, Yohannes Inigo Wicaksono, Bambang Riyanto, Mochamad Iqbal Rajani and Rizki Parulian

Published online: 22 August 2018

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks. [More information and setup](#)

---

OK

Open Access

### [Analysis of air pollution caused by mass transportation design changes](#) 04021

Budiman Napitupulu, Ismiyati Ismiyati and Mudjiastuti Handajani

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504021>

[PDF \(810.3 KB\)](#) | [References](#)

---

Open Access

### [A study of CO<sub>2</sub> emission reduction due to transportation activities in Brebes district through road repair](#) 04022

Fajar Mubarak, Dewi Handayani and Syafi'i

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819504022>

[PDF \(479.9 KB\)](#) | [References](#)

---

## ***- Hydrologic Engineering***

Open Access

### [Temporal variations of bed load transport rate and the grain size distribution of non-uniform size sediment during a constant flow rates](#) 05001

Yusron Saadi, Ida Bagus Giri Putra and Agus Suroso

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505001>

[PDF \(445.7 KB\)](#) | [References](#)

---

Open Access

### [Evaluation of sediment management for two large reservoirs in Lombok island](#) 05002

Ery Setiawan, Syamsul Hidayat, Ida Bagus Giri Putra, Muhammad Bagus Budianto and Salehudin

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505002>

[PDF \(423.0 KB\)](#) | [References](#)

---

Open Access

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

Ignatius Sriyana

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505003>

[PDF \(610.2 KB\)](#) | [References](#)

 Open Access

### [Analysis of the distribution of domestic wastewater in the Brantas river area of Malang city](#) 05004

Prihatiningsih Bekti, Zaenal Kusuma, Agus Suharyanto and Amin Setyoleksono

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505004>

[PDF \(2.188 MB\)](#) | [References](#)

 Open Access

### [The interrelationship between ISTN lake, Babakan lake and the surrounding wells of shallow groundwater using stable isotopes \$\delta^2\text{H}\$ and \$\delta^{18}\text{O}\$ for the lake bank filtration potential](#) 05005

W. Marsiano, S. Syafalni, Wawan Kuswaya, M. Falaqi Djamhuri and BungKus Pratikno

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505005>

[PDF \(654.4 KB\)](#) | [References](#)

 Open Access

### [Field performance of shallow recharge well](#) 05006

Edy Susilo, Suripin and Suharyanto

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505006>

[PDF \(972.5 KB\)](#) | [References](#)

 Open Access

### [Multisite daily precipitation simulation in Singapore](#) 05007

Suroso Suroso and András Bárdossy

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505007>

[PDF \(823.1 KB\)](#) | [References](#)



By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

## The analysis of Ancol polder system as flood prevention infrastructure in Jakarta

05008

Rian Mantasa Salve Prastica

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505008>

[PDF \(1.947 MB\)](#) | [References](#)

 Open Access

## The concept of Lomaya and Pilohayanga weir rehabilitation based on technical and economic aspects 05009

Ninik Khorida, Mamok Suprpto and Syafi'i

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505009>

[PDF \(1.137 MB\)](#) | [References](#)

 Open Access

## Priority development of small dam in Wonogiri regency 05010

Fisnu Yudha Pramono, Yunitta Chandra Sari and Suripin

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505010>

[PDF \(1.818 MB\)](#) | [References](#)

 Open Access

## Technical audit of operations and maintenance needs in the Tlatok irrigation area in East Java's Magetan regency 05011

Yuli K Iswahyudi and Mamok Suprpto

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505011>

[PDF \(360.0 KB\)](#) | [References](#)

 Open Access

## The impact of drainage towards roads in maintenance cost 05012

Erna Ismiyani, Dewi Handayani and RR. Rintis Hadiani

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819505012>

[PDF \(1.590 MB\)](#) | [References](#)

By using this website, you agree that EDP Sciences may store web audience measurement

OK

---

cookies and, on some pages, cookies from social networks. [More information and setup](#)

## Tsunami simulation using particle method 05013

Raden Harya Dananjaya

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/matecconf/201819505013>

[PDF \(997.3 KB\)](#) | [References](#)

## - *Construction Management and Maintenance*

 Open Access

### The implementation of sustainable concept in waste management through project life cycle process in Gold Coast 06001

Zhabrinna and M. Mirza Abdillah Pratama

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/matecconf/201819506001>

[PDF \(291.3 KB\)](#) | [References](#)

---

 Open Access

### Reducing carbon emission in construction base on project life cycle (PLC) 06002

Mochamad Agung Wibowo, Subrata Aditama K. A. Uda and Zhabrinna

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/matecconf/201819506002>

[PDF \(519.4 KB\)](#) | [References](#)

---

 Open Access

### BIM adoption towards the sustainability of construction industry in Indonesia 06003

Zhabrinna, Richard J. Davies, M. Mirza Abdillah Pratama and Muhammad Yusuf

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/matecconf/201819506003>

[PDF \(335.2 KB\)](#) | [References](#)

---

 Open Access

### Intelligent BIM record model for effective asset management of constructed facility 06004

Hossain Md Aslam and Haron Ahmad Tarmizi

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/matecconf/201819506004>

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks. [More information and setup](#)

---

OK

 Open Access

### [The development of quality management systems in maintenance and monitoring the process of risk-based repair work in government buildings](#) 06005

Yusuf Latief, Rossy Armyn Machfudiyanto, Budi Susilo Soepandji, Khairina and Riany Aldesty

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819506005>

[PDF \(335.6 KB\)](#) | [References](#)

---

 Open Access

### [Improving business processes to develop standard operation procedures on government building maintenance work in Indonesia](#) 06006

Rossy Armyn Machfudiyanto, Yusuf Latief, Budi Susilo Soepandji and Prisca Anggia Putri

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819506006>

[PDF \(469.7 KB\)](#) | [References](#)

---

 Open Access

### [The management strategy for government building disposal process in Jakarta](#) 06007

Mulyadi and Ayomi Rarasati

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819506007>

[PDF \(273.1 KB\)](#) | [References](#)

---

 Open Access

### [The priority of maintaining the reliability of sustainable construction at the Ampel Mosque Surabaya](#) 06008

Agung Sedayu

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819506008>

[PDF \(1.329 MB\)](#) | [References](#)

---

 Open Access

### [A study on association between tilt angle, solar insolation exposure and output of solar PV panel using BIM 3D modelling](#) 06009

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819506009>

[PDF \(1.528 MB\)](#) | [References](#)

Open Access

### [Service life planning for electronics, mechanical and electrical components of a hotel building](#) 06010

Peter F. Kaming, Desi Maryani and Michael Boenardi

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819506010>

[PDF \(386.6 KB\)](#) | [References](#)

Open Access

### [User cost estimation on flexible and rigid pavement](#) 06011

Fajar Sri Handayani, Rheza Imam Prabowo, Aria Ramandika Kurnia, Florentina Pungky Pramesti, Mochamad Agung Wibowo and Ary Setyawan

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819506011>

[PDF \(574.4 KB\)](#) | [References](#)

Open Access

### [Are Indonesia contractors ready to implement last planner system? – an early investigation](#) 06012

Jati Utomo Dwi Hatmoko, Human Adi Darmawan, Zuldi Sabrian and Mochamad Agung Wibowo

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819506012>

[PDF \(740.7 KB\)](#) | [References](#)

Open Access

### [Corporate entrepreneurship level: a case study of contractors in Indonesia](#) 06013

Harijanto Setiawan and Bilge Erdogan

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819506013>

[PDF \(394.3 KB\)](#) | [References](#)

By using this website, you agree that EDP Sciences may store web audience measurement

OK

cookies and, on some pages, cookies from social networks. [More information and setup](#)

## Towards a competitive traditional market through infrastructure performance and redefinition categories: a case in Semarang city 06014

Ferry Hermawan, Ismiyati Ismiyati and Himawan Indarto

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819506014>

[PDF \(273.0 KB\)](#) | [References](#)

 Open Access

## Current state mapping of the supply chain in engineering procurement construction (EPC) project: a case study 06015

Moh Nur Sholeh and Shifa Fauziah

Published online: 22 August 2018

DOI: <https://doi.org/10.1051/mateconf/201819506015>

[PDF \(363.6 KB\)](#) | [References](#)

## MATEC Web of Conferences

eISSN: 2261-236X

Copyright / Published by: [EDP Sciences](#)



[Mentions légales](#)

[Contacts](#)

[Privacy policy](#)

# High volume fly ash as substitution of fine aggregates with the proportion of 50%, 60%, and 70% to the shear strength of reinforced concrete beams

Ade Lisantono<sup>1,\*</sup>, Haryanto Yoso Wigroho<sup>1</sup>, and Daniel Krisna Murti<sup>1</sup>

<sup>1</sup> Department of Civil Engineering, Faculty of Engineering, Universitas Atma Jaya Yogyakarta, Jl. Babarsari 44, Yogyakarta 55281, Indonesia.

**Abstract.** Indonesia has plenty of fly ash as waste materials of coal-burning thermal power stations. Fly ash was usually used as a supplementary cementitious material in concrete. One of the basic materials of concrete is fine aggregates which are taken from natural resources. Substitution of fine aggregates by using high volume fly ash concrete (HVFAC) can save the natural deposit of fine aggregates. Fly ash with the portion of 50 %; 60 %; and 70 % as replacement of fine aggregates in concrete was carried out to study the effect on the shear strength of reinforced concrete beam through an experimental program. Eight beams were cast and tested. Two beams were cast and made of normal concrete as control beams, while six others beams were cast and made of HVFAC as replacement of fine aggregates by mass (two beams with 50 % of fly ash; two beams with 60 % of fly ash; two beams with 70 % of fly ash). There were no shear reinforcements in the shear-test regions of the beams. The experimental results show that the load-carrying capacities of HVFAC beams increased with the increase of the portion of fly ash as replacement of fine aggregates.

## 1 Introduction

Indonesia as a developing country has used mineral resources to produce energy. One of the minerals that can be used to produce energy is coal. According to the Directorate General of Mineral and Coal, Ministry of Energy and Mineral Resources [1], the total coal resources in Indonesia are 124,796.74 million tons and the reserves have 32,384.74 million tons. Indonesia has many thermal power stations for electricity. The power station used coal burning to produce electricity. As a side effect of the burning of coal to produce electricity, fly ash was produced as a waste material.

Fly ash as a waste material can be used as a pozzolanic material in concrete, because of this material contents cementitious material. The cementitious material, when it is used as pozzolanic material in concrete will contribute to the hardened concrete

---

\* Corresponding author: [adelisantono@mail.uajy.ac.id](mailto:adelisantono@mail.uajy.ac.id)

through hydraulic or pozzolanic reaction. According to ASTM C618 [2], the specification of fly ash is divided into two classes based on its composition, namely class F and class C. The class F must have the composition of  $\text{SiO}_2 + \text{Al}_2\text{O}_3 + \text{Fe}_2\text{O}_3 \geq 70\%$ , while the class C must have the composition of  $\text{SiO}_2 + \text{Al}_2\text{O}_3 + \text{Fe}_2\text{O}_3 \geq 50\%$ .

Concrete as a material for building construction, generally composes of portland-cement, water, fine aggregates and coarse aggregates. Fine aggregates usually were taken from natural resources. When the utility of concrete in building construction increases, the need for fine aggregates also increases. Therefore, the natural resources of fine aggregates will reduce. The way out to suppress the utility of fine aggregates is to reduce the utility of fine aggregates in concrete, and the fine aggregates were substituted by waste material such as fly ash. The substitution of fine aggregates by fly ash also has the benefit that the fly ash can be used as a supplementary pozzolanic material.

Studies into the substitution of fine aggregates with fly ash have been carried out by several researchers. Siddique [3] studied the substitution of fine aggregates using fly ash class F with the proportion of substitution 10 %, 20 %, 30 %, 40 %, and 50 % by weight. Siddique [4] continued the study but with the proportion of substitution being 35 %, 45 %, and 55 % by weight. The result of the study shows that the mechanical properties of concrete increases when the proportion of fly ash also increases. Koyama et al. [5] studied the mechanical properties of concrete beams made of a large amount of fine fly ash. Their study showed that the shear strength and the beam deformation increase linearly with the increasing of fly ash. While Khanti and Kavitha [6] carried out an experimental program about the substitution of fine aggregates using fly ash in concrete with the proportion of substitution being 20 %, 40 %, 60 %, 80 %, and 100 % by weight. The result shows that substitution with the proportion 50 % gave a good result.

According to the previous studies, the mechanical property of concrete increase with increasing fly ash substitution of fine aggregates. Therefore, it needs research to study the optimum proportion of the high-volume fly ash concrete (HVFA) that will give the maximum shear strength of the beam. This study will give the basis for future research.

## 2 Experimental programs

### 2.1 Materials

The fine aggregates were taken from Progo River the Northern part of Yogyakarta Province which had properties as follows: fineness modulus = 2.924; mud content = 0.8%; bulk specific gravity = 2.604 gr/cm<sup>3</sup>; bulk specific SSD = 2.664 gr/cm<sup>3</sup>; apparent specific gravity = 2.770 gr/cm<sup>3</sup>; absorption = 2.308%; and water content = 1.595%. The coarse aggregates were taken from Clereng in the Western part of Yogyakarta Province which had a maximum size of 20 mm and had properties as follows: fineness modulus = 7.168; mud content = 1.57%; bulk specific gravity = 2.470 gr/cm<sup>3</sup>; bulk specific SSD = 2.551 gr/cm<sup>3</sup>; apparent specific gravity = 2.687 gr/cm<sup>3</sup>; absorption = 3.266%; and water content = 3.704%. Fly ash that was used in this study classified was as F type, because based on the chemical testing the fly ash that was used in this study had



$\text{SiO}_2 + \text{Al}_2\text{O}_3 + \text{Fe}_2\text{O}_3 = 82,034\%$  and  $\text{CaO} = 7,246\%$ . The reinforcement that was used for beam specimens were reinforcements with a diameter of 12 mm for longitudinal reinforcement with  $f_y$  average of three samples = 314.927 MPa and a diameter of 6 mm for stirrup with  $f_y$  average of three samples = 358.287 MPa.


## 2.2 Specimens

### 2.2.1 Cylinder specimen

The mechanicals properties of concrete that were tested in this study were compressive strength and modulus of elasticity. The specimen for compressive strength and modulus of elasticity testing was a cylinder with the standard size of (150 mm × 300 mm). The compressive strength and modulus of elasticity of concrete were tested on the age of concrete at 7; 14; and 28 days.

### 2.2.2 Beam specimens

Beam specimens had a section of (150 mm × 260 mm) and span of 2300 mm. The beam has simple support (roll and hinge support). Three longitudinal reinforcements with a diameter of 12 mm were put at the bottom as tensile reinforcements and two longitudinal reinforcements with diameter of 12 mm were put at the top as compressive reinforcements. Stirrup with a diameter of 6 mm and spacing of 100 mm were put at the middle span and at both ends of the beam. There were no stirrups put in the shear region. The detail of the beam specimen was depicted in Figure 1.



**Fig. 1.** The detail of beam specimen.

Designation of the eight beam specimens was written as follow:

- B1-Normal : Beam was made and cast with normal concrete (specimen 1)
- B2-Normal : Beam was made and cast with normal concrete (specimen 2)
- B1-50FA-SP : Beam was made and cast with 50% of fly ash (specimen 1)
- B2-50FA-SP : Beam was made and cast with 50% of fly ash (specimen 2)
- B1-60FA-SP : Beam was made and cast with 60% of fly ash (specimen 1)
- B2-60FA-SP : Beam was made and cast with 60% of fly ash (specimen 2)
- B1-70FA-SP : Beam was made and cast with 70% of fly ash (specimen 1)
- B2-70FA-SP: Beam was made and cast with 70% of fly ash (specimen 2)

### 2.2.3 Setup beam specimen

The beam specimen was tested on the loading frame. The beam specimen was tested under monotonic loading. An actuator with the capacity of 250 kN was applied through the transfer beam, so the beam specimen was subjected to two-point loadings as shown in Fig. 1. A Linear Variable Differential Transformers (LVDT) was utilized to measure the deflection of the beam specimen and was placed at the middle span to measure the deflection of the beam in the vertical direction. Measuring data of load and deflection were read using a data logger through a computerized data acquisition system. Setup of the beam specimen was depicted in Fig. 2.




Fig. 2. Setup of beam specimen in loading frame.

## 3 Results and discussion

### 3.1 Properties of materials

The properties of concrete that were tested in this study were density, compressive strength and modulus of elasticity. The average density, compressive strength and modulus of elasticity of concrete at 28 days were shown in Table 1. It can be shown in Table 1 that the average density of the concrete with the larger proportion of fly ash has the larger density. The average compressive strength of the concrete which contains of fly ash has the higher compressive strength compared to the normal concrete and beyond the prediction. This indicates that the amount of fly ash in the concrete as a supplementary cementitious material will react with portland-cement and give better properties of the hardened concrete through the hydraulic or the pozzolanic activity of the fly ash and portland-cement as stated by [7]. The highest compressive strength was the cylinder specimen with 70 % of fly ash as substitution of fine aggregates. While the average modulus elasticity for the cylinder specimen with 70 % fly ash a little bit decreases compared to the cylinder specimen with 60 % fly ash. The different values of the modulus of elasticity might be due to the fact that the specimen of 70 % fly ash was not compacted properly when made into the cylinder specimen.




**Table 2.** The load-carrying capacity of the tested beam specimens.


Content of fly ash	Beam specimen	Maximum load (kg)	Average load (kg)
0%	B1-Normal	6509.47	7000.37
	B2-Normal	7491.28	
50%	B1-50FA-SP	6840.73	6910.95
	B2-50FA-SP	6981.18	
60%	B1-60FA-SP	6751.71	7059.62
	B2-70FA-SP	7367.54	
70%	B1-70FA-SP	6829.13	7311.39
	B2-70FA-SP	7793.66	

### 3.4 The crack pattern of the beam specimen


The crack pattern of the specimen B1-Normal; B1-50FA-SP; B1-60FA-SP; B1-70FA-SP can be seen in Fig. 4; Fig. 5; Fig. 6; and Fig. 7, respectively. It can be seen that none of the beam specimens failed due to the shear. This indicates that the shear capacity of the concrete was higher than the maximum shear force of the beam, as no shear crack failure occurs on the shear region of the beam.




**Fig. 4.** The crack pattern of B1-Normal specimen.



**Fig. 5.** The crack pattern of B1-50FA-SP specimen.



**Fig. 6.** The crack pattern of B1-60FA-SP specimen.



**Fig. 7.** The crack pattern of B1-70FA-SP specimen.

## 4 Conclusions

Based on the experimental program and discussion above, several conclusions can be drawn as follows:

1. Substitution of fine aggregates in concrete using fly ash will increase the compressive strength of concrete. The increase of compressive strength due to the fly ash as pozzolanic material reacts with the portland-cement and gives the hardened concrete better properties through the hydraulic or the pozzolanic activity of the fly ash and portland-cement
2. The behavior of the beam specimens made of fly ash have better ductility compare to the beam specimens made of normal concrete. This indicates that the reinforced concrete beam cast with high volume fly ash was able to have large deflection prior to failure.
3. The load-carrying capacity of the beam specimens with 70 % fly ash as substitution of fine aggregates has the highest load-carrying capacity. The highest load-carrying capacity of this beam specimen is due to the fact that this specimen has the highest compressive strength.
4. None of the beam specimens was failed due to shear, because the shear capacity of the concrete made with fly ash was higher than the maximum shear force of the beam.

The authors would like to thank Universitas Atma Jaya Yogyakarta for the internal research grant, so that this experimental program can be carried out. The authors also would like to thank the head and staff of Laboratory of Structures and Materials, Department of Civil Engineering, Faculty of Engineering, Universitas Atma Jaya Yogyakarta for their research facilities.

## References

1. The Directorate General of Mineral and Coal, *the Indonesia Mineral and Coal Information*, Mini. of Ener. and Mine. Reso., **44** (2015)
2. ASTM C618-05, *Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete*, Ame. Soc. of Test. and Mate., West Conshohocken, PA (2005)
3. R. Siddique, *Cem. and Conc. Res.*, **33**, 539-547 (2003)
4. R. Siddique, *Leo. J. of Scie.*, **12**, 79 (2013)
5. T. Koyama, Y.P. Sun, T. Fujinaga, H. Koyamada, F. Ogata, the **14<sup>th</sup>** Worl. Conf. of Eart. Eng. (2008)
6. A. Khanthi and M. Kavitha, *Eur. J. of Adv. in Eng. and Tech.*, **1**, 89-92 (2014)
7. M. Thomas, *Port. Cem. Ass.*, 1-24 (2007)
8. R.Preetha, P.S. Joanna, J. Rooby, C.S. Pillai, *Int. J. of Sci. & Eng. Res.*, **4**, Iss. **5**, 123-126 (2013)