

Submission date: 19-Jul-2019 02:49PM (UTC+0700) Submission ID: 1153160859 File name: Paper\_05\_IJMOR\_Forward\_with\_Backward.pdf (401.65K) Word count: 7410 Character count: 33695 492 Int. J. Mathematics in Operational Research, Vol. 13, No. 4, 2018

#### A forward with backward inventory policy algorithm for nonlinear increasing demand and shortage backorders

#### Ririn Diar Astanti\*

Department of Industrial Engineering, Universitas Atma Jaya Yogyakarta, Yogyakarta, 55281, Indonesia Email: ririn@staff.uajy.ac.id \*Corresponding author

#### Huynh Trung Luong

Industrial and Manufacturing Engineering Field of Study, fisian Institute of Technology, Pathumthani, 12120, Thailand Email: luong@ait.ac.th

#### Z Hui Ming Wee

Department of Industrial and Systems Engineering, Chung Yuan Christian University, Chung Li, 320, Taiwan Email: weehm@cycu.edu.tw



Department of Industrial Engineering, Universitas Atma Jaya Yogyakarta, Yogyakarta, 55281, Indonesia Email: jinai@staff.uajy.ac.id

Abstract: The traditional inventory policies have been developed for constant demand processes. In reality, demand is not always stable; it might have an increasing pattern. In this paper, a forward with backward inventory policy algorithm is developed to determine the operational parameters of an inventory system with a nonlinear increasing demand rate, shortage backorders and a finite planning horizon. Numerical experiments are also conducted to compare the results with the existing techniques and to illustrate the applicability of the proposed technique.

Keywords: inventory; nonlinear increasing demand pattern; shortage backorders; forward with backward inventory policy algorithm.



Copyright © 2018 Inderscience Enterprises Ltd.

Reference to this paper should be 2 de as follows: Astanti, R.D., Luong, H.T., Wee, H.M. and Ai, T.J. (2018) 'A forward with backward inventory 1 licy algorithm for nonlinear increasing demand and shortage backorders', *Int. J. Mathematics in Operational Research*, Vol. 13, No. 4, pp.492–512.

**Biographical notes:** Ririn Diar Astanti is an Assistant Professor in the Department of Industrial Engineering, Universitas Atma Jaya Yogyakarta, Indonesia. She received her BE in Industrial Engineering and MS in Information Technology Management from the Institut Teknologi Sepuluh Nopember Surabaya, Indonesia respectively. She received a Doctor of Engineering in the Industrial Engineering and Management, Asian Institute of Technology, Thailand. Her research interests are in the field of inventory management and decision making.

Huynh Trung Luong is an Associate Professor in Industrial and Manufacturing Engineering, School of Engineering and Technology, Asian Institute of Technology, Thailand. He received his Doctor of Engineering from Industrial Systems Engineering, Asian Institute of Technology, Thailand. His research interests include establishment of emergency inventory policies, inventory policies for perishable products, supply chain design, measures of bullwhip effect in supply chains, availability-based and reliability-based maintenance.

Hui Ming Wee is a Distinguished Professor of Industrial Engineering at the Chung Yuan Christian University in Taiwan. He received his BSc in Electrical and Electronic Engineering from the Strathclyde University, UK, a MEng in Industrial Engineering and Management from the Asian Institute of Technology (AIT) and a PhD in Industrial Engineering from the Cleveland State University, Ohio (USA). His research interests are in the field of production/inventory control, optimization and supply chain management.

The Jin Ai 48 an Associate Professor in the Department of Industrial ingineering, Universitas Atma Jaya Yogyakarta, Indonesia. He received his Doctor of Engineering in Industrial Engineering and Management, Asian Institute of Technology, Thailand. His research interests are in the field of logistics, operations research and metaheuristics.

#### 1 Introduction

Zhou et al. (2004) mentioned that inventory models considering shortage backorders can be classified into two categories. They are:

- Inventory followed by shortage (IFS) where each cycle starts with replenishment and and with shortage.
- 2 Shortage followed by inventory (SFI) where each cycle starts with shortage before replenishment arrives.

Before, Teng et al. (1997) investigated two categories of intentory model above by taking into consideration whether shortages are allowed or not allowed in the last cycle of the planning horizon.

8 Complexity of the development of inventory model arises when demand is not stable. 47 the best of author's knowledge, initial reseath on IFS policy for shortage backorders case with positive linear trend 1 demand was done by Deb and Chaudhuri (1987) who developed a heuristic method by assuming that the shortage period in each cycle is a constant fraction of the length of the cycle. Later, Dave (1989a) corrected and tested the work of Deb and Chauduri (1987) by using Donaldson's (1977) example and the result from the corrected method was better than that of Silver (1979) and even close to the optimal solution provided by Dave (1989b). Other optimal solution was provided by 1 urdeshwar (1988) and Hariga (1994). It is noted that while Deb and Chauduri (1987), 1 ave (1989b) and Murdeshwar (1988) developed IFS policies for the case where shortages a 1 not allowed in the last cycle.

Ther research on inventory policy for linear demand considering shortage backorder as conducted by Goyal et al. (1996) who concluded through empirical experiments that SFI policy often perform better than IFS policy. Further work was done by Teng et al. (1997) who compared among four inventory models, i.e.

- 1 IFS policy without shortage allowance in the last cycle
- 2 IFS policy with shortage allowance in the last cycle
- 3 SFI policy without shortage allowance in the last cycle
- 4 SFI policy with shortage allowance in the last cycle.

From their results Teng et al. (1997) concluded that model 4 is the best among the four investigated models, which provides the lowest total cost. Other research was done by Goyal and Giri (2000) who stated that the comparisons conducted by Teng et al. (1997) were invalid. They improved the method to make valid comparisons among the four models and came up with the conclusion that when inventory starts with zero demand rates, model 3 will provide the lowest cost, while if inventory starts with positive demand rate, model 4 is the best. It should be noted that, when model 4 is employed, there exist shortages in the last replenishment cycle, and this means that total demands of the whole pla 2 ng horizon will not be met.

In reality, demand is not always linear increasing; it may have a nonlinear increasing pattern. Development of IFS policy for nonlinear increasing demand with shortage backorders case was done by Hariga (1994), who developed an exact solution procedure and also Ast2 ti and Luong (2009) who developed the heuristic technique based on consecutive method.

For SFI policy wid nonlinear increasing demand pattern and inventory star 3 with positive demand rate, Yang et al. (2002) proposed a forward recursive algorithm for the case when shortages are allowed in the last replenishment cycle. For this case, if shortage are assumed to be completely backlogged, an additional replenishment at the end of planning horizon should be taken into consideration to ensure that total demands is fulfilled. The additional replenishment will affect the total cost function and the optimal solution should be revised. However, this fact has not been discussed in the research of Yang et al. (2002).

A recent research for nonlinear increasing demand considering shartage backorders where inventory starts with zero demand rate, was also conducted by Yang (2006) who developed a backward recursive algorithm, compared among the four models

investigated by Teng et al. (1997), and came up with the conclusion that model 4 always provides the lowest total cost. It is noted that this conclusion is contrary to the conclusion of Goyal and Giri (2000) for linear increasing demand case, which stated that, when investory starts with zero demand rate, model 3 will provide a better cost performance.

Other researches on inventory policy problem for nonlinear increasing demand rate were conducted by considering more characterists of inventory policy model in to the model such as deterioration rate, partial backlog and time value of money. However, the solution methodology are developed under the assumption of the very specific nonlinear increasing demand pattern such as quadratic demand pattern (Panda et al., 2017a, 2009b; Sarkar et al. 2010; Sanni and Chukwu, 2016; Vandana and Sharma 2016), polynomial demand pattern (Bai and Kendall, 2008; Lukas and Hofman, 2016), exponential demand pattern (Wu, 2002), and ramp-type demand pattern (Kawakatsu, 2011; Manna and Chiang 2010; Roy and C 12 dhuri 2011; Valliathal and Uthayakumar, 2016). Astanti and Luong (2014) developed a repetitive forward rolling technique for determining inventory policy for nonlinear increasing demand pattern and considering shortage.

Front above literature reviews, it can be seen that past researches conducted for finding exact solution for the case in nonlinear increasing demand considering shortage backorders have not ensured yet that total demand over a pre-established planning horizon will always be fulfilled (Hariga, 1994). In 2 dition, the exact solution methodologies were developed for very specific nonlinear demand pattern. The research presented in this paper therefore focuses on the development of an inventory policy for more general nonlinear in 3 asing demand pattern (i.e., any log-concave function) and shortage backorders case in such a way that the total demand over a pre-established planning horizon can always be met. By working on more general demand pattern, it is expected that the result of this research can be applied to solve problems with various nonlinear demand pattern that may appear in practical situation including some patterns that have been individually discussed in past research, i.e., quadratic, polynomial, exp 2 ential, and ramp-type demand patterns.

The remaining parts of this paper are organized as follows. Section 2 presents the mathematical model in which the expression of total inventory cost will be derived. In Section 3, the proposed technique to find the two replenishment times and the intermediate shortage starting point for any two consecutive cycles in the planning horizon will be dived, followed by the development of the forward with backward rolling procedure in Section 4. Numerical experiments to illustrate the applicability of the proposed forward technique are then presented in Section 1 Sensitivity analysis on the effect of the predefined number of cycles will be conducted in Section 6. And then, some concluding remarks will be discussed in Section 7.

#### 10 2 Mathematical model

The following notation will be used throughout the paper:

- *H* is the length of planning horizon under consideration
- f(t) is the demand rate at time t, which is assumed to be an increasing log-concave function
- c<sub>1</sub> is the ordering cost per order
- c2 is the holding cost per unit per unit time
- c<sub>3</sub> is the shortage cost per unit per unit time
- *n* is the number of replenishment  $a_{34}$  in the planning horizon
- $t_i$  is the  $i^{\text{th}}$  replenishment time (i = 1, 2, ..., n)
- $s_i$  is the *i*<sup>th</sup> shortage starting point (*i* = 1, 2, ..., *n*, *n* + 1), which is also the starting point of the *i*<sup>th</sup> cycle [ $s_i$ ,  $s_{i+1}$ ], except that  $s_{n+1} = H$
- $\overline{I(t)}$  is the inventory level a lime t, which should be evaluated after the replenishment arrives at time  $t = t_i$  in the  $i^{th}$  cycle  $[s_i, s_{i+1}]$ .

The behavior of the inventory level function is illustrated in Figure 1. For the development of the mathematical model, the following assumptions are also used:

Replenishment orders are made only at time  $t_i$  (i = 1, 2, ..., n).

- b Lead time is negligible, i.e., replenishment is instantaneous
- c Shortages are permitted at the beginning the characteristic but no shortages are permitted at the end of planning horizon (i.e.,  $s_{n+1} = H$ )

Figure 1 Inventory level over the whole planning horizon



From the above assumptions, the expression of total inventory cost function, which includes ordering cost, holding cost, and shortage cost; of the inventory system during a planning horizon H when n orders are placed is expressed as follows:

$$TC\left(n, \{s_i\}, \{t_i\}\right) = nc_1 + c_2 \sum_{i=1}^{n} I_i + c_3 \sum_{i=1}^{n} S_i$$
(1)

in which

•  $I_i$  is the cumulative holding inventory during cycle i

•  $S_i$  is the cumulative shortage during cycle *i*.

The expressions of cumulative holding inventory  $I_i$  and cumulative shortage  $S_i$  for each cycle *i* from  $s_i$  to  $s_{i+1}$  will be derived in Sections 2.1 and 2.2 below:

#### 2.1 Cumulative holding inventory $I_i$

If F(t) denotes the cumulative demand from time 0 to time t then

 $F(t) = \int f(t) dt$ 0 46

The inventory level at time  $t \in [t_i, s_{i+1}]$  in cycle *i* can be expressed as:

 $I(t) = \int_{0}^{s_{i+1}} f(\tau) d\tau \quad t_i \le t \le s_{i+1}$ 

. .

Hence, the cumulative holding inventory  $I_i$  in cycle *i* can be determined as:

$$I_{i} = \int_{t_{i}}^{s_{i+1}} \frac{I(t)dt}{I(t)dt} = \int_{t_{i}}^{s_{i+1}} \int_{t}^{s_{i+1}} f(\tau)d\tau dt$$

$$\frac{4}{I_{i} = (s_{i+1} - t_{i})F(s_{i+1}) - \int_{t_{i}}^{s_{i+1}} F(t)dt$$
(2)

2.2 Cumulative shortage  $S_i$ 45 The shortage level at time  $t \in [s_i, t_i]$  in cycle *i* can be expressed as:

$$S(t) = \int_{s_i}^{t} f(\tau) d\tau \quad s_i \le t \le t_i$$

Hence, the cumulative shortage  $S_i$  in cycle i (i = 1, 2, ..., n) can be determined as:

$$S_{i} = \int_{s_{i}}^{t_{i}} S(t) dt = \int_{s_{i}, s_{i}}^{t_{i}} f(\tau) d\tau dt$$
  

$$S_{i} = (S_{i} - t_{i}) F(s_{i}) + \int_{s_{i}}^{t_{i}} F(t) dt$$
(3)

From equations (2) and (3), the expression of the total inventory cost can be defined as follows:

$$TC(n, \{s_i\}, \{t_i\}) = nc_1 + c_2 \sum_{i=1}^{n} \left\{ (s_{i+1} - t_i)F(s_{i+1}) - \int_{t_i}^{s_{i+1}} F(t)dt \right\} + c_3 \sum_{i=1}^{n} \left\{ (s_i - t_i)F(s_i) + \int_{s_i}^{t_i} F(t)dt \right\}$$
(4)

### Proposed technique to determine replenishment times and shortage starting point for two consecutive cycles

Consider two consecutive cycles *i* and (i + 1) of the planning herizon in which  $s_i$  and  $s_{i+2}$  are fixed. The technique proposed in this section is developed to help determ 83 the two replenishment times  $t_i$ ,  $t_{i+1}$  and the intermediate thortage starting point  $s_{i+1}$  so as to minimize total inventory cost of the two cycles (see Figure 1 for the illustration). The total inventory cost of the two consecutive cycles started with cycle *i*, denoted by  $TC2_i$ , is determined as follows.

$$TC2_{i} = 2c_{1} + \frac{1}{c_{2}} \left\{ (s_{i+1} - t_{i})F(s_{i+1}) - \int_{t_{i}}^{s_{i+1}} F(t)dt \right\}$$
  
+  $c_{2} \left\{ (s_{i+2} - t_{i+1})F(s_{i+2}) - \int_{t_{i+1}}^{s_{i+2}} F(t)dt \right\}$   
+  $c_{3} \left\{ (s_{i} - t_{i})F(s_{i}) + \int_{s_{i}}^{t} F(t)dt \right\}$   
+  $c_{3} \left\{ (s_{i+1} - t_{i+1})F(s_{i+1}) + \int_{s_{i+1}}^{t_{i+1}} F(t)dt \right\}$  (5)

Figure 2 Inventory levels of the two consecutive cycles



499

The optimal values of  $t_i$ ,  $t_{i+1}$  and  $s_{i+1}$  (if exist) are the solutions of the following set of equations:

$$\frac{\partial TC2_i}{\partial t_i} = 0, \frac{\partial TC2_i}{\partial t_{i+1}} = 0, \text{ and } \frac{\partial TC2_i}{\partial s_{i+1}} = 0$$

or equivalently,

$$(c_2 + c_3)F(t_i) - c_2F(s_{i+1}) - c_3F(s_i) = 0$$
(6)

$$(c_2 + c_3)F(t_{i+1}) - c_2F(s_{i+2}) - c_3F(s_{i+1}) = 0$$
<sup>(7)</sup>

$$(c_2 + c_3)s_{i+1} - c_3t_{i+1} + c_2t_i = 0$$
(8)

or

$$F(t_i) = \frac{c_2 F(s_{i+1}) + c_3 F(s_i)}{c_2 + c_3}$$
(9)

$$F(t_{i+1}) = \frac{c_2 F(s_{i+2}) + c_3 F(s_{i+1})}{c_2 + c_3}$$
(10)

$$s_{i+1} = \frac{c_2 t_i + c_3 t_{i+1}}{c_2 + c_3} \tag{11}$$

The unique existence of the solution  $\{t_i^*, t_{i+1}^*, s_{i+1}^*\}$  of the set of equations (9), (10), and (11) can be confirmed through the following iterative procedure:

- a In the first iteration, assign  $s_i$  to be the starting value of  $s_{i+1}$ :  $s_{i+1}^{(0)} \leftarrow s_i$ ; then
  - From (9),  $t_i^{(0)}$  can be found
  - From (10),  $t_{i+1}^{(0)}$  can be determined which is a value that satisfy the condition:

$$s_i = s_{i+1}^{(0)} < t_{i+1}^{(0)} < s_{i+2}$$

b In the next iteration,  $s_{i+1}^{(1)}$  will be determined from equation (11) based on  $t_i^{(0)}$  and  $t_{i+1}^{(0)}$ , then  $t_i^{(1)}$  and  $t_{i+1}^{(1)}$  will be determined from equations (9) and (10) based on  $s_{i+1}^{(1)}$ . It is noted that  $s_{i+1}^{(1)} > s_{i+1}^{(0)}$  and hence,  $t_i^{(1)} > t_i^{(0)}$  and  $t_{i+1}^{(1)} > t_{i+1}^{(0)}$ .

The above procedure will be performed until the series  $\{s_{i+1}^{(k)}\}$  converges. The convergence of the series  $\{s_{i+1}^{(k)}\}$  can be ensured due to the fact that  $\{s_{i+1}^{(k)}\}$  is increasing and has an upper bound of  $s_{i+2}$ . From the procedure, it can be seen that the set of equations (9), (10), (11) has uppue solution  $t_i^*$ ,  $t_{i+1}^*$  and  $s_{i+1}^*$ .

In brief, the following step-by-step procedure can be employed to determine  $\{t_i^*, t_{i+1}^*, s_{i+1}^*\}$ ;

Step 0 k = 0; assign  $s_{i+1}^{(0)} \leftarrow s_i$ 

Step 1

- a Determine  $t_i^{(k+1)}$  and  $t_{i+1}^{(k+1)}$  from equations (9) and (10) by using bisection method.
- method. b Determine  $s_{i+1}^{(k+1)}$  from  $t_i^{(k+1)}$  and  $t_{i+1}^{(k+1)}$  using equation (11).
- c Check if  $s_{i+1}^{(k+1)} s_{i+1}^{(k)} > \varepsilon$  then update k = k + 1, go back to step 1a.

Otherwise, stop. The current values  $t_i^{(k+1)}$ ,  $t_{i+1}^{(k+1)}$ ,  $s_{i+1}^{(k+1)}$  will be recorded as the solution for  $t_i^*$ ,  $t_{i+1}^*$ , and  $s_{i+1}^*$ .

In the next paragraphs, the unique solution  $\{t_i^*, t_{i+1}^*, s_{i+1}^*\}$  of (9), (1020)11) determined by the above procedure is optimal will be piper by investigating the Hessian matrix of the total cost function TC2i and proving that the Hessian matrix is positive definite at  $\{t_i^*, t_{i+1}^*, s_{i+1}^*\}$ .

It is noted that the Hessian matrix of *TC2i* can be expressed as:

| [          | $\partial^2 TC2_i$              | $\partial^2 TC2_i$                  | $\partial^2 TC2_i$                  |
|------------|---------------------------------|-------------------------------------|-------------------------------------|
|            | $\partial t_i^2$                | $\partial t_i \partial t_{i+1}$     | $\partial t_i \partial s_{i+1}$     |
| <i>1</i> _ | $\partial^2 TC2_i$              | $\partial^2 TC2_i$                  | $\partial^2 TC2_i$                  |
| <i>J</i> = | $\partial t_{i+1} \partial t_i$ | $\partial t_{i+1}^2$                | $\partial t_{i+1} \partial s_{i+1}$ |
|            | $\partial^2 TC2_i$              | $C_7^2TC2_i$                        | $\partial^2 TC2_i$                  |
|            | $\partial s_{i+1} \partial t_i$ | $\partial s_{i+1} \partial t_{i+1}$ | $\partial s_{i+1}^2$                |

Consider the following determinants:

$$J_{1} = \left| \frac{\partial^{2}TC2_{i}}{\partial t_{i}^{2}} \right| \qquad J_{2} = \left| \frac{\partial^{2}TC2_{i}}{\partial t_{i}^{2}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i}\partial t_{i+1}} \right| \qquad J_{3} = \left| \frac{\partial^{2}TC2_{i}}{\partial t_{i}^{2}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \right| \qquad J_{3} = \left| \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \right| \qquad J_{3} = \left| \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i+1}} \right| \qquad J_{3} = \left| \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i+1}} \right| \qquad J_{3} = \left| \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i+1}} \quad \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i+1}} \right|$$

In order to prove that the Hessian matrix J is positive definite at  $\{t_i^*, t_{i+1}^*, s_{i+1}^*\}$  it is sufficient to prove that  $J_1, J_2, J_3$  are positive at  $\{t_i^*, t_{i+1}^*, s_{i+1}^*\}$  [see Rao (2009)]. In fact,

$$J_{1} \Big|_{\{t_{i}^{*}, t_{i+1}^{*}, s_{i+1}^{*}\}} = \left| \frac{\partial^{2} TC2_{i}}{\partial t_{i}^{2}} \right|_{\{t_{i}^{*}, t_{i+1}^{*}, s_{i+1}^{*}\}} = (c_{2} + c_{3}) f(t_{i}^{*}) > 0$$

$$J_{2} \begin{vmatrix} \mathbf{21} \\ \frac{1}{\{t_{i}^{*}, t_{i+1}^{*}, s_{i+1}^{*}\}} = \begin{vmatrix} \frac{\partial^{2}TC2_{i}}{\partial t_{i}^{2}} & \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} \\ \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} & \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}^{*}} \end{vmatrix} \begin{vmatrix} t_{i}^{*}, t_{i+1}^{*}, s_{i+1}^{*} \end{vmatrix} = \begin{vmatrix} (c_{2} + c_{3})f(t_{i}^{*}) & 0 \\ 0 & [(c_{2} + c_{3})s_{i+1}^{*} - c_{2}t_{i}^{*} - c_{3}t_{i+1}^{*}]f'(s_{i+1}^{*}) \\ 0 & + [c_{2} + c_{3}]f(s_{i+1}^{*}) \end{vmatrix}$$

It is noted that at  $t_i^*, t_{i+1}^*, s_{i+1}^*$ , we have  $(c_2 + c_3)s_{i+1}^* - c_2t_i^* - c_3t_{i+1}^* = 0$  [see equation(8)]. Hence,

$$J_{2}\Big|_{[i_{1},i_{1},i_{2},i_{1},i_{1}]} = \begin{vmatrix} (c_{2}+c_{3})f(t_{i}^{*}) & 0 \\ 0 & (c_{2}+c_{3})f(s_{i+1}^{*}) \end{vmatrix} = (c_{2}+c_{3})^{2}f(t_{i}^{*})f(s_{i+1}^{*}) > 0 \\ J_{3}\Big|_{[i_{1},i_{2},i_{2},i_{2},i_{1}]}^{26} = \begin{vmatrix} \frac{\partial^{2}TC2_{i}}{\partial t_{i}^{2}} & \frac{\partial^{2}TC2_{i}}{\partial t_{i}\partial t_{i+1}} & \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i+1}} & \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i+1}} \\ \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i}} & \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial t_{i+1}} & \frac{\partial^{2}TC2_{i}}{\partial t_{i+1}\partial s_{i+1}} \\ \frac{\partial^{2}TC2_{i}}{\partial s_{i+1}\partial t_{i}} & \frac{\partial^{2}TC2_{i}}{\partial s_{i+1}\partial t_{i+1}} & \frac{\partial^{2}TC2_{i}}{\partial s_{i+1}^{2}} \\ = \begin{vmatrix} (c_{2}+c_{3})f(t_{i}^{*}) & 0 & 6 & -c_{2}f(s_{i+1}^{*}) \\ 0 & (c_{2}+c_{3})f(t_{i+1}^{*}) & -c_{3}f(s_{i+1}^{*}) \\ -c_{2}f(s_{i+1}^{*}) & -c_{3}f(s_{i+1}^{*}) - c_{3}^{2}(f(s_{i+1}^{*})) \end{vmatrix} \\ = (c_{2}+c_{3})f(t_{i}^{*})\Big[(c_{2}+c_{3})^{2}f(t_{i+1}^{*})f(s_{i+1}^{*}) - c_{3}^{2}(f(s_{i+1}^{*}))^{2}\Big] \\ -c_{2}f(s_{i+1}^{*})\Big[c_{2}(c_{2}+c_{3})f(t_{i+1}^{*})f(s_{i+1}^{*})\Big] \\ \text{In order to prove that } J_{3}\Big|_{i_{1}^{*}, i_{1}, i_{2}, i_{3}^{*}}\Big| > 0 \text{ it will be derived that} \\ 6 \\ (c_{2}+c_{3})^{2}f(t_{i+1}^{*})f(s_{i+1}^{*}) - c_{3}^{2}(f(s_{i+1}^{*}))^{2} > c_{2}(c_{2}+c_{3})f(t_{i+1}^{*})f(s_{i+1}^{*}) \end{bmatrix}$$
(13)

and

$$(c_2 + c_3) f(t_i^*) > c_2 f(s_{i+1}^*)$$
(14)

First, it is noted that the inequality (13) is equivalent to  $\frac{6}{6}$ 

$$c_{2}c_{3}f(t_{i+1}^{*})f(s_{i+1}^{*}) + c_{3}^{2}f(s_{i+1}^{*}) \Big[f(t_{i+1}^{*}) - f(s_{i+1}^{*})\Big] > 0$$
which holds true due to the facts that  $t_{i+1}^{*} > s_{i+1}^{*}$  and  $f(.)$  is an increasing function.

501

(13)

Second, inequality (14) can be derived based on the assumption that the demand rate function f(.) is an increasing log-concave function (see Appendix).

From inequalities (13) and (14), it can be easily seen that  $J_3 |_{\{t_i^*, t_{i+1}^*, s_{i+1}^*\}}$  is also positive. This completes the proof that the unique solution  $\{t_i^*, t_{i+1}^*, s_{i+1}^*\}$  of (9), (10), (11) is optimal.

#### 4 Forward with backward rolling technique

In this section, a forward with backward rolling technique will be proposed to help adjust the the defined replenishment times  $t_i$ 's (i = 1, 2, ..., n) and shortage starting points  $s_i$ 's (i = 2, ..., n) for the planning horizon of length H so that the total inventory cost can be gradually reduced. The proposed procedure is as follows:

Step 1 Divide the planning horizon of length H into  $\mathbf{r}_1$  qual cycles in which cycle i goes from  $s_i$  to  $s_{i+1}$  (i = 1, 2, ..., n;  $s_1 = 0$ ;  $s_{n+1} = H$ ). Assign a large value for the total cost function TC = Inf.

Step 2

- a Forward move
  - 1 Set i = 1; consider two consecutive cycle i and i + 1; apply the 31 cedure discussed in Section 3 to determine the optimal solution  $\{t_{i}, t_{i+1}, S_{i+1}\}$   $\{t_i, t_{i+1}, s_{i+1}\}$  of the set of equations (9), (10), and (11).

Record the value of  $t_i$  and update the value of  $s_{i+1}$  by the newly found value. (41) o step 2.a.2.

- 2 Update i = i + 1. If i < n, go back to step 2.a.1. Otherwise, record also the value of  $t_i$ , product the last iteration and go to step 2.a.3.
- 3 Determine the total cost *TC* and check if the total cost function has been improved (i.e., reduced). If yes, go to step 2b. If no, stop the iterative procedure.
- b Backward move
  - 1 Set I = n 1; consider two consecutive cycle *i* and i + 1; apply the procedure discussed in section 3 to determine the optimal solution  $\{t_{j_k}, t_{i+1}, s_{i+1}\}$  of the set of equations (9), (10), and (11).

Record the value of  $t_{i+1}$  and update the value of  $a_{i+1}$  by the newly found value. **C**<sub>11</sub> o step 2.b.2.

- 2 Update i = i 1. If i > 0, go back to step 2.b.1. Otherwise, record also the value of  $t_i$  found in the last iteration and go to step 2.b.3.
- 3 Determine the total cost *TC* and check if the total cost function has been improved (i.e., reduced). If yes, go to step 2a. If no, stop the iterative procedure.

The forward with backward rolling procedures discussed above are illustrated in Figures 3(a) and 3(b).



(b)

Figure 3 (a) Forward rolling procedure (b) Backward rolling procedure

#### 5 Numerical experiments

In this section, numerical experiments are conducted to illustrate the applicability of the proposed method. Three examples will be considered here.

#### 5.1 Example 1 (Yang, 2006)

Consider the demand function of the form: f(t) = bt'' with u = 2, b = 900. The other parameters are set as follows: H = 1,  $c_1 = 4.5$ ,  $c_2 = 1$ ,  $c_3 = 3.5$ .

The number of cycles n used in this sample problem is determined based on the formula developed by Teng (1996) for the case of linear increasing demand, where

*n* = rounded integer of  $\{[c_2c_3HF(H)]/[2c_1(c_2+c_3)]\}^{1/2} = 5$ 

Step 0 Determine the initial values of  $s_i$  (i = 1, 2, ..., n): For  $\overline{s_1} = 0, s_2 = 0.2, s_3 = 0.4, s_4 = 0.6, s_5 = 0.8, s_6 = H = 1.0$ , set TC = Inf.

Step 1 Forward move

• Iteration 1: consider cycles 1 and 2 which goes from  $s_1 = 0$  to  $s_3 = 0.4$ . Solve the set of equations (9), (10), and (11), then the following values are found:  $t_1 = 0.1740$ ,  $t_2 = 0.3197$  and  $s_2 = 0.2873$ .

Record the value of  $t_1$  and update  $s_2$  from 0.2 to 0.2873

• Iteration 2: consider cycles 2 and 3 which goes from  $s_2 = 0.2873$  to  $s_4 = 0.6$ . Solve the set of equations (9), (10) and (11), then the following values are found:  $t_2 = 0.3459$ ,  $t_3 = 0.5044$  and  $s_3 = 0.4692$ .

Record the value of  $t_2$  and update  $s_3$  from 0.4 to 0.4692

- Iteration 3: consider cycles 3 and 4 which goes from  $s_3 = 0.4692$  to  $s_5 = 0.8$ . Solve the set of equations (9), (10) and (11), then the following values are found:  $t_3 = 0.5226$ ,  $t_4 = 0.6925$  and  $s_4 = 0.6547$ .
  - Record the value of  $t_3$  and update  $s_4$  from 0.6 to 0.6547.
- Iteration 4: consider cycles 4 and 5 which goes from  $s_4 = 0.6547$  to  $s_6 = 1.0$ . Solve the set of equations (9), (10) and (11), then the following values are found:  $t_4 = 0.7061$ ,  $t_5 = 0.8838$  and  $s_5 = 0.8443$ .

Record the values of  $t_4$ ,  $t_5$  and update  $s_5$  from 0.8 to 0.8443. Determine total cost *TC* from expression (1): *TC* = 43.67. Continue to step 2.

Step 2 Backward move

 Iteration 1: consider cycles 4 and 5 which goes from s<sub>4</sub> = 0.6547 to s<sub>6</sub> = 1.0. Solve the set of equations (9), (10) and (11), then the following values are found: t<sub>4</sub> = 0.7061,

 $t_5 = 0.8838$  and  $s_5 = 0.8443$ .

Record the value of  $t_5$  and update  $s_5$ .

It is noted that this iteration can be ignored because the solution should be exactly the same as in iteration 4 of step 1.

Iteration 2: consider cycles 3 and 4 which goes from s<sub>3</sub> = 0.4692 to s<sub>5</sub> = 0.8443. Solve the set of equations (9),(10), and (11), then the following values are found: t<sub>3</sub> = 0.5332, t<sub>4</sub> = 0.7244 and s<sub>4</sub> = 0.6817

Record the value of  $t_4$  and update  $s_4$  from 0.6547 to 0.6817

- Iteration 3: consider cycles 2 and 3 which goes from s<sub>2</sub> = 0.2873 to s<sub>4</sub> = 0.6817. Solve the set of equations (9), (10) and (11), then the following values are found: t<sub>2</sub> = 0.3684, t<sub>3</sub> = 0.5655 and s<sub>3</sub> = 0.5217. Record the value of t<sub>3</sub> and update s<sub>3</sub> from 0.4692 to 0.5217.
- Iteration 4: consider cycles 1 and 2 which goes from  $s_1 = 0$  to  $s_3 = 0.5217$ . Solve the set of equations (9), (10) and (11), then the following values are found:  $t_1 = 0.2270$ ,  $t_2 = 0.4619$  and  $s_2 = 0.3747$ .

Record the values of  $t_1$ ,  $t_2$  and update  $s_2$  from 0.2873 to 0.3747.

Determine total cost TC from expression (1): TC = 42.24. Since there is improvement in total cost, another forward move step will be conducted. The forward with backward rolling procedure will be repeated until no improvement in total cost can be realized.

For the current example, the intermediate replenishment schedules after the first forward step and the first backward step, as well as the final replenishment schedule are shown in Table 1. It is noted that the total cost TC = 40.51 resulted from the proposed technique in this example is exactly the same as the one reported by Yang (2006).

Table 1 Replenishment schedule of example 1

| 3                             | After the first forward step |        |             |              |        |        |            |
|-------------------------------|------------------------------|--------|-------------|--------------|--------|--------|------------|
| i                             | 1                            | 2      | 3           | 4            | 5      | 6      | Total cost |
| $t_i^*$                       | 0.1740                       | 0.3459 | 0.5226      | 0.7061       | 0.8838 | -      | 43.67      |
| $S_i^*$                       | 0                            | 0.2873 | 0.4692      | 0.6547       | 0.8443 | 1.0000 |            |
| After the first backward step |                              |        |             |              |        |        |            |
| $t_i^*$                       | 0.2270                       | 0.4169 | 0.5655      | 0.7244       | 0.8838 | -      | 42.24      |
| $S_i^*$                       | 0                            | 0.3747 | 0.5217      | 0.6817       | 0.8443 | 1.0000 |            |
|                               |                              |        | Final reple | nishment sch | edule  |        |            |
| $t_i^*$                       | 0.2760                       | 0.5070 | 0.6708      | 0.8043       | 0.9198 | -      | 40.51      |
| $S_i^*$                       | 0                            | 0.4556 | 0.6343      | 0.7746       | 0.8941 | 1.0000 |            |

5.2 Example 2 (Yang et al., 2002)

Consider the demand function of the form:  $f(t) = (a + bt)^u$  with u = 2, a = 10, b = 30. The other parameters are set as follows: H = 1,  $c_1 = 4.5$ ,  $c_2 = 1$ ,  $c_3 = 3.5$ .

For n = 8, which is also determined from the formula of Teng (1996), the replenishment score in this example can be determined based on the proposition of the interval in a similar way as in example 1. The detailed results are shown in Table 2 and illustrated in Figure 4.

Figure 4 Replenishment schedule of example 2

Inventory level



The corresponding t41 inventory cost for this example is TC = 67.21. It is noted that the total inventory cost reported by Yang et al. (2002) for this example is 66.13 with n = 73 owever, in the resulting replenishment schedule reported by Yang et al. (2002), althoug 3 shortages were assumed to be completely backlogged, there still exist a shortage period at the end of the planning horizon, and the author did not mention how to deal with this shortage (see Figure 5 for illustration).

Figure 5 Replenishment schedule of example 2



Source: Yang et al. (2002)

37

In this example, there are two practical ways to fulfill the demand at the end of the planning horizon. They are:

- 1 adding one more replenishment at the end of the planning horizon with the replenishment quantity exactly equals to the shortage amount
- 2 increasing the time coverage of the last replenishment cycle

The associated costs of these two adjustments are shown also in Table 2 for comp25 on purpose. From the results in Table 2, it can be seen that, if the total demand in the planning horizon is completely fulfilled, the total inventory cost resulted from the proposed technique is smaller when it is compared with the result from the adjusted Yang's models.

|    | Pressed method |         | Adjusted Yan | g's model (1) | Adjusted Yan | g's model (2)   |
|----|----------------|---------|--------------|---------------|--------------|-----------------|
| 1  | Si             | $t_i$   | $s_i$        | $t_i$         | Si           | ti              |
| 1  | 0              | 0.0743  | 0            | 0.0826        | 0            | 0.0826          |
| 2  | 0.2261         | 0.2695  | 0.2457       | 0.2923        | 0.2457       | 0.2923          |
| 3  | 0.3865         | 0.4200  | 0.4171       | 0.4528        | 0.4171       | 0.4528          |
| 4  | 0.5185         | 0.5467  | 0.5574       | 0.5873        | 0.5574       | 0.5873          |
| 5  | 0.6333         | 0.6581  | 0.6791       | 0.7053        | 0.6791       | 0.7053          |
| 6  | 0.7364         | 0.7588  | 0.7881       | 0.8117        | 0.7881       | 0.8117          |
| 7  | 0.8307         | 0.8513  | 0.8876       | 0.9093        | 0.8876       | 0.9093          |
| 8  | 0.9181         | 0.9372  | 0.9798       | 1.0000        | 1.0000       | -               |
| 9  | 1.0000         |         | 1.0000       |               | -            |                 |
| TC | 67.21          | (n = 8) | 70.63        | (n = 8)       | 67.58        | ( <i>n</i> = 7) |

Table 2 Comparisons between the proposed technique and the adjusted Yang's models

#### 5.3 Example 3

Consider the demand function of Example 1, which is in the form f(t) = bt'' with u = 2, b = 900. The other parameters are set as the com 15 ation of following values: H = 1, 1.5, and 2,  $c_1 = 3.5$  and 4.5,  $c_2 = 1, c_3 = 3.5$  and 4.5. In order to demonstrate the capability of the proposed algorithm, the same problems are also solved using Yang' 36 006) method and a Nelder-Mead algorithm. The comparison of the results is presented in Table 3.

 Table 3
 Comparisons among the proposed technique, Yang's method, and Nelder-Mead algorithm

|     | Problem parameters |   |     |       |       |       | Total cost of the solution |                       |                          |  |
|-----|--------------------|---|-----|-------|-------|-------|----------------------------|-----------------------|--------------------------|--|
| No. | b                  | u | H   | $c_1$ | $c_2$ | $c_3$ | Yang's method<br>(2006)    | Proposed<br>algorithm | Nelder-Mead<br>algorithm |  |
| Α   | 900                | 2 | 1   | 4.5   | 1     | 3.5   | 40.51                      | 40.51                 | 42.17                    |  |
| В   | 900                | 2 | 1.5 | 4.5   | 1     | 3.5   | 90.91                      | 90.56                 | 96.53                    |  |
| С   | 900                | 2 | 2   | 4.5   | 1     | 3.5   | 169.41                     | 160.95                | 178.69                   |  |
| D   | 900                | 2 | 1   | 3.5   | 1     | 4.5   | 36.89                      | 36.94                 | 38.13                    |  |
| Е   | 900                | 2 | 1.5 | 3.5   | 1     | 4.5   | 83.72                      | 82.22                 | 83.72                    |  |
| F   | 900                | 2 | 2   | 3.5   | 1     | 4.5   | 159.71                     | 146.33                | 163.48                   |  |

From Table 3, it can be seen that the proposed algorithm is consistently able to provide a good solution, in which it is able to obtain five out of six problems with the smallest total cost. It is noted that the result of proposed algorithm of problem D is slightly worse than Yang's method, however, the deviation is very small, i.e., about 0.14%.

#### 6 Sensitivity analysis

From Section 5, a good initial value of the replenishment cycle n derived by Teng (1996), for linear increasing demand pattern is used. In order to find the best value of n, sensitivity analysis is conducted to investigate the sensitivity analysis results are presented in Tables 4 and 5, respectively. From the results in Tables 4 and 5, it can be seen that the values of n for example 1 and 2 are respectively 5 and 8.

 Table 4
 Sensitivity analysis on the effect of n for example 1

|    | n = 4  |        | ,      | n = 5  |        | = 6    |
|----|--------|--------|--------|--------|--------|--------|
| L  | Si     | $t_i$  | Si     | ti     | Si     | $t_i$  |
| 1  | 0.0000 | 0.3087 | 0.0000 | 0.2760 | 0.0000 | 0.2518 |
| 2  | 0.5097 | 0.5671 | 0.4556 | 0.5070 | 0.4157 | 0.4625 |
| 3  | 0.7096 | 0.7504 | 0.6343 | 0.6708 | 0.5787 | 0.6120 |
| 4  | 0.8665 | 0.8997 | 0.7746 | 0.8043 | 0.7067 | 0.7338 |
| 5  | 1.0000 |        | 0.8941 | 0.9198 | 0.8157 | 0.8392 |
| 6  |        |        | 1.0000 |        | 0.9124 | 0.9333 |
| 7  |        |        |        |        | 1.0000 |        |
| TC | 4      | 10.56  | 4      | 40.51  |        | .97    |

 Table 5
 Sensitivity analysis on the effect of n for example 2

|            | n = 4  |        | ,      | <i>n</i> = 5 |        | = 6    |
|------------|--------|--------|--------|--------------|--------|--------|
| <u>r</u> - | Si     | $t_i$  | Si     | $t_i$        | Si     | $t_i$  |
| 1          | 0.0000 | 0.0852 | 0.0000 | 0.0743       | 0.0000 | 0.0658 |
| 2          | 0.2518 | 0.2994 | 0.2261 | 0.2695       | 0.2055 | 0.2454 |
| 3          | 0.4265 | 0.4629 | 0.3865 | 0.4200       | 0.3540 | 0.3851 |
| 4          | 0.5694 | 0.5999 | 0.5185 | 0.5467       | 0.4769 | 0.5032 |
| 5          | 0.6934 | 0.7202 | 0.6333 | 0.6581       | 0.5841 | 0.6073 |
| 6          | 0.8045 | 0.8286 | 0.7364 | 0.7588       | 0.6805 | 0.7015 |
| 7          | 0.9060 | 0.9281 | 0.8307 | 0.8513       | 0.7688 | 0.7881 |
| 8          | 1.0000 |        | 0.9181 | 0.9372       | 0.8507 | 0.8687 |
| 9          |        |        | 1.0000 |              | 0.9275 | 0.9443 |
| 10         |        |        |        |              | 1.0000 |        |
| TC         | 67     | .28    | 67     | .21          | 68     | .17    |

#### 7 Conclusions

We have developed and solved the inventory replenishment problem for nonlinear increasing demand pattern considering shortag 16 ackorders. A forward with backward inventory policy algorithm has been developed to determine the replenishment times and the shortage points so as to minimize the total inventory cost. Comparing with the other techniques developed in the past, the proposed technique results in either the same or better cost performance. In addition, unlike the past-developed techniques that require specific functional forms of the demand pattern, the proposed technique can be employed for a more general demand pattern (i.e., any log-concave function).

#### Acknowledgements

The authors thank the editor and the anonymous referees for their valuable comments and suggestion to improve the presentation of this paper. The first and the fourth authors received International Resear(8) Collaboration and Scientific Publication Grant No. 005/HB-LIT/III/2016 from the Ministry of Research, Technology, and Higher Education, Republic Indonesia while completing this research work.

#### References

- Astanti, R.D. and Luong, H.T. (2009) 'A heuristic technique for inventory replenishment policy with increasing demand pattern and shortage allowance', *The International Journal of Advanced Manufacturing Technology*, Vol. 41, Nos. 11–12, pp.1199–1207.
- Astanti, R.D. and Luong, H.T. (2014) 'A repetitive forward rolling technique for inventory policy with non-linear increasing demand pattern considering shortage', *International Journal of Mathematics in Operational Research*, Vol. 6, No. 2, pp.217–235.
- Bai, R. and Kendall, G. (2008) 'A model for fresh produce shelf-space allocation and inventory management with freshness-condition-dependent demand', *INFORMS Journal on Computing*, Vol. 20, No. 1, pp.78–85.
- Dave, U. (1989a) 'On a heuristic inventory-replenishment rule for items with a linearly increasing demand incorporating shortages', *The Journal of the Operational Research Society*, Vol. 40, No. 9, pp.827–830.
- Dave, U. (1989b) 'A deterministic lot-size inventory model with shortages and a linear trend in demand', Naval Research Logistics, Vol. 36, No. 4, pp.507–514.
- Deb, M. and Chaudhuri, K. (1987) 'A note on the heuristic for replenishment of trended inventories considering shortages', *The Journal of the Operational Research Society*, Vol. 38, No. 5, pp.459–463.
- Donaldson, W.A. (1977) 'Inventory replenishment policy for a linear trend in demand an analytical solution', Operational Research Quarterly, Vol. 28, No. 3, pp.663–670.
- Goyal, S.K. and Giri, B.C. (2000) 'Note on 'an optimal recursive method for various inventory replenishment models with increasing demand and shortage', Teng et al (Eds): Naval Research Logistics, Vol. 47, No. 7, pp.602–606.
- Goyal, S.K., Hariga, M. and Alyan, A. (1996) 'The trended inventory lot-sizing problem with shortages under a new replenishment policy', *The Journal of the Operational Research Society*, Vol. 47, No. 10, pp.1286–1295.
- Hariga, M. (1994) 'The inventory lot-sizing problem with continuous time-varying demand and shortages', *The Journal of the Operational Research Society*, Vol. 45, No. 7, pp.827–837.
- Kawakatsu, H. (2010) 'Optimal retailer's replenishment policy for seasonal products with ramp-type demand rate', *IAENG International Journal of Applied Mathematics*, Vol. 40, No. 4, pp.262–268.
- Lukas, L. and Hofman, J. (2016) 'Generalized inventory models of EOQ type and their implementation in mathematica', *Production Management and Engineering Sciences -Scientific Publication of the International Conference on Engineering Science and Production Management, ESPM 2015*, pp.169–174.

- Manna, S.K. and Chiang, C. (2010) 'Economic production quantity models for deteriorating items with ramp type demand', *International Journal of Operational Research*, Vol. 7, No. 4, pp.429–444.
- Murdeshwar, T.M. (1988) 'Inventory replenishment policy for linearly increasing demand considering shortages – an optimal solution', *The Journal of the Operational Research Society*, Vol. 39, No. 7, pp.687–692.
- Panda, S., Saha, S. and Basu, M. (2009a) 'Optimal production stopping time for perishable products with ramp-type quadratic demand dependent production and setup cost', *Central European Journal of Operations Research*, Vol. 17, No. 4, pp.381–396.
- Panda, S., Senapati, S. and Basu, M. (2009b) 'A single cycle perishable inventory model with time dependent quadratic ramp-type demand and partial backlogging', *International Journal of Operational Research*, Vol. 5, No. 1, pp.110–129.
- Rao, S.S. (2009) Engineering Optimization: Theory and Practice, 4th ed., p.71, John Wiley & Sons, Hoboken, New Jersey.
- Roy, T. and Chaudhuri, K. (2011) 'A finite time horizon EOQ model with ramp-type demand rate under inflation and time-discounting', *International Journal of Operational Research*, Vol. 11, No. 1, pp.100–118.
- Sanni, S.S. and Chukwu, W.I.E. (2016) 'An inventory model with three-parameter Weibull deterioration, quadratic demand rate and shortages', *American Journal of Mathematical and Management Sciences*, Vol. 35, No. 2, pp.159–170.
- Sarkar, B., Sana, S.S. and Chaudhuri, K. (2010) 'A finite replenishment model with increasing demands under inflation', *International Journal of Mathematics in Operational Research*, Vol. 2, No. 3, pp.347–385.
- Silver, E.A. (1979) 'Simple inventory replenishment decision rule for a linear trend in demand', The Journal of the Operational Research Society, Vol. 30, No. 1, pp.71–75.
- Teng, J.T. (1996) 'A deterministic inventory replenishment model with a linear trend in demand', Operations Research Letters, Vol. 19, No. 1, pp.22–41.
- Teng, J.T., Chern, M.S. and Yang, H.L. (1997) 'An optimal recursive method for various inventory replenishment models with increasing demand and shortages', *Naval Research Logistics*, Vol. 44, No. 8, pp.791–806.
- Valliathal, M. and Uthayakumar, R. (2016) 'Optimal replenishment policies of an EOQ model for non-instantaneous Weibull deteriorating items with ramp-type of demand under shortages', *International Journal of Mathematics in Operational Research*, Vol. 8, No. 1, pp.60–86.
- Vandana and Sharma, B.K. (2016) 'An inventory model for non-instantaneous deteriorating items with quadratic demand rate and shortages under trade credit policy', *Journal of Applied Analysis and Computation*, Vol. 6, No. 3, pp.720–737.
- Wu, K.S. (2002) 'EOQ inventory model for items with Weibull distribution deterioration, time-varying demand and partial backlogging', *International Journal of Systems Science*, Vol. 33, No. 5, pp.323–330.
- Yang, H.L. (2006) 'A backward recursive algorithm for inventory lot-size models with power-form demand and shortages', *International Journal of Systems Science*, Vol. 37, No. 4, pp.235–242.
- Yang, H.L., Teng, J.T. and Chern, M.S. (2002) 'A forward recursive algorithm for inventory lot-size models with power-form demand and shortages', *European Journal of Operational Research*, Vol. 137, No. 2, pp.394–400.
- Zhou, Y.W., Lau, H.S. and Yang, S.L. (2004) 'A finite horizon lot-sizing problem with time-varying deterministic demand and waiting-time-dependent partial backlogging', *International Journal of Production Economics*, Vol. 91, No. 2, pp.109–119.

#### Appendix

By the assumption that the demand function f(t) is a log-concave function, the following inequality holds true:

$$\frac{f'(t)}{f(t)} \ge \frac{f'(s)}{f(s)} \text{ with } t \le s.$$
(A1)

Fix  $t = t_i^*$ , multiply both sides of (A1) by f(s), and integrate with respect to s from  $t_i^*$  to  $s_{i+1}^*$ , we have:

$$\int_{t_{i}^{*}}^{s_{i+1}^{*}} f'(s) ds \leq \int_{t_{i}^{*}}^{s_{i+1}^{*}} \frac{f'(t_{i}^{*})}{f(t_{i}^{*})} f(s) ds$$

or equivalently,

$$f(s_{i+1}^{*}) - f(t_{i}^{*}) \le \frac{f'(t_{i}^{*})}{f(t_{i}^{*})} \int_{t_{i}^{*}}^{s_{i+1}} f(s) ds$$
(A2)

Multiplying both sides of (A2) by  $c_2$ , we have:

$$c_{2}\left[f\left(s_{i+1}^{*}\right) - f\left(t_{i}^{*}\right)\right] \le c_{2} \frac{f'\left(t_{i}^{*}\right)}{f\left(t_{i}^{*}\right)} \int_{t_{i}^{*}}^{s_{i+1}} f(s) ds$$
(A3)

Noted from equation (6) in the main text that

$$(c_{2} + c_{3})F(t_{i}) - c_{2}F(s_{i+1}) - c_{3}F(s_{i}) = 0 \Leftrightarrow c_{2} \int_{t_{i}}^{s_{i+1}} f(t)dt = c_{3} \int_{s_{i}}^{t_{i}} f(t)dt$$
  
We also have:  $c_{2} \int_{t_{i}}^{s_{i+1}} f(t)dt = c_{3} \int_{s_{i}}^{t_{i}^{*}} f(t)dt$ 

Hence, inequality (A3) can be rewritten as:

$$c_{2}\left[f\left(s_{i+1}^{*}\right) - f\left(t_{i}^{*}\right)\right] \le c_{3} \frac{f'(t_{i}^{*})}{f(t_{i}^{*})} \int_{s_{i}^{*}}^{t_{i}^{*}} f(s) ds$$
(A4)

Applying the Cauchy's mean value theorem for the two functions f(.) and F(.), i.e., the demand rate and the cumulative demand functions, in the interval  $[s_i^*, t_i^*]$  there should exist a value  $x \in [s_i^*, t_i^*]$  such that:

$$f'(x)\left[F\left(t_{i}^{*}\right)-F\left(s_{i}^{*}\right)\right]=F'\left(x\right)\left[f\left(t_{i}^{*}\right)-f\left(s_{i}^{*}\right)\right]$$

or equivalently,

$$\int_{s_{i}}^{t_{i}} f(s)ds = \frac{f(x)}{f'(x)} \Big[ f(t_{i}^{*}) - f(s_{i}^{*}) \Big]$$
(A5)

Replacing (A5) into the right-hand side of (A4) we have

$$c_{2}\left[f\left(s_{i+1}^{*}\right) - f\left(t_{i}^{*}\right)\right] \le c_{3}\frac{f'(t_{i}^{*})}{f(t_{i}^{*})}\frac{f(x)}{f'(x)}\left[f\left(t_{i}^{*}\right) - f\left(s_{i}^{*}\right)\right]$$
(A6)

Due to the fact that  $\frac{f'(x)}{f(x)} \ge \frac{f'(t_i^*)}{f(t_i^*)}$ , inequality (A6) implies that:

$$c_{2}\left[f\left(s_{i+1}^{*}\right)-f\left(t_{i}^{*}\right)\right] \leq c_{3}\left[f\left(t_{i}^{*}\right)-f\left(s_{i}^{*}\right)\right]$$

or,

$$(c_2 + c_3) f(t_i^*) \ge c_2 f(s_{i+1}^*) + c_3 f(s_i^*)$$
(A7)

From (A7), we can derive:

$$(c_2 + c_3) f(t_i^*) \ge c_2 f(s_{i+1}^*)$$
 (QED)

| ORIGIN      | ALITY REPORT   |        |
|-------------|--|--------|
| 3<br>SIMILA | 5% 17% 32% 14% INTERNET SOURCES PUBLICATIONS STUDENT   | PAPERS |
| PRIMAR      | RY SOURCES   |        |
| 1           | Astanti, Ririn Diar, and Huynh Trung Luong. "A<br>repetitive forward rolling technique for inventory<br>policy with non-linear increasing demand pattern<br>considering shortage", International Journal of<br>Mathematics in Operational Research, 2014.<br>Publication | 16%    |
| 2           | www.inderscience.com   | 4%     |
| 3           | Ririn Diar Astanti. "A heuristic technique for<br>inventory replenishment policy with increasing<br>demand pattern and shortage allowance", The<br>International Journal of Advanced Manufacturing<br>Technology, 04/2009<br>Publication                                 | 3%     |
| 4           | Submitted to Asian Institute of Technology<br>Student Paper  | 2%     |
| 5           | Lee, Ming Chang, Hui Ming Wee, Simon Wu, C.<br>Edward Wang, and Rih Lung Chung. "A bi-level<br>inventory replenishment strategy using<br>clustering genetic algorithm", European J of  | 1%     |

### Industrial Engineering, 2015.

Publication

| 6  | "New Developments in Computational Fluid<br>Dynamics", Springer Nature, 2005<br>Publication  | 1%             |
|----|--|----------------|
| 7  | Submitted to University of Leeds Student Paper   | 1%             |
| 8  | Ririn Diar Astanti, The Jin Ai, Dah-Chuan Gong,<br>Hunyh Trung Luong. "Comparison of Two<br>Buyer-Vendor Coordination Models", IOP<br>Conference Series: Materials Science and<br>Engineering, 2018<br>Publication                                       | 1%             |
| 9  | www.scribd.com   | <1%            |
| 10 | Ririn Diar Astanti, Huynh Trung Luong. "A<br>heuristic technique for inventory replenishment<br>policy with increasing demand pattern and<br>shortage allowance", The International Journal<br>of Advanced Manufacturing Technology, 2008<br>Publication | < <b>1</b> %   |
| 11 | www.mdpi.com<br>Internet Source  | <b>&lt;1</b> % |
| 12 | fti.uajy.ac.id<br>Internet Source  | <b>&lt;1</b> % |

## Chirakiat Saithong, Huynh Trung Luong. "Effect

| 13 | of supply disruption on inventory policy",<br>European J. of Industrial Engineering, 2019<br>Publication  | <1%            |
|----|---|----------------|
| 14 | Raghu Nandan Giri, Shyamal Kumar Mondal,<br>Manoranjan Maiti. "Joint replenishment models<br>with ramp demands and price dependent<br>substitute ratio during stock-out", International<br>Journal of Operational Research, 2018<br>Publication | <1%            |
| 15 | WWW.CS.UOİ.Gr<br>Internet Source  | <b>&lt;1</b> % |
| 16 | S. Papachristos, K. Skouri. "An optimal<br>replenishment policy for deteriorating items with<br>time-varying demand and partial–exponential<br>type – backlogging", Operations Research<br>Letters, 2000<br>Publication                         | < <b>1</b> %   |
| 17 | isahp.org<br>Internet Source  | <1%            |
| 18 | www.hajarian.com  | <1%            |
| 19 | text-id.123dok.com  | <1%            |
| 20 | Zaid T. Balkhi. "On the global optimality of a general economic order quantity model for  | <1%            |

deteriorating items", Optimization, 1998

| 21 | Chung-Yuan Dye, Horng-Jinh Chang, Jinn-Tsair<br>Teng. "A deteriorating inventory model with<br>time-varying demand and shortage-dependent<br>partial backlogging", European Journal of<br>Operational Research, 2006<br>Publication     | <1% |
|----|---|-----|
| 22 | tel.archives-ouvertes.fr<br>Internet Source   | <1% |
| 23 | Jinwoo Lee, Samer Madanat. "Joint optimization<br>of pavement design, resurfacing and<br>maintenance strategies with history-dependent<br>deterioration models", Transportation Research<br>Part B: Methodological, 2014<br>Publication | <1% |



Submitted to University of Hong Kong

| 25 | A Diponegoro, B R Sarker. "Operations policy  | <1 0/ |
|----|---|-------|
| 20 | for a supply chain system with fixed-interval | 70    |
|    | delivery and linear demand", Journal of the   |       |
|    | Operational Research Society, 2017            |       |
|    | Publication                                   |       |
|    |   |       |

<1%

<1% <1%



27

Student Paper

edoc.site

Internet Source

| 00 |  |
|----|--|
| 28 |  |
| 20 |  |

| 29 | Chen, C.K "Optimal replenishment policies for<br>the case of a demand function with product-life-<br>cycle shape in a finite planning horizon", Expert<br>Systems With Applications, 200701<br>Publication     | < <b>1</b> % |
|----|--|--------------|
| 30 | Hui-Ling Yang. "A Partial Backlogging Inventory<br>Model for Deteriorating Items with Fluctuating<br>Selling Price and Purchasing Cost", Advances in<br>Operations Research, 2012<br>Publication               | < <b>1</b> % |
| 31 | fp.okstate.edu<br>Internet Source  | <1%          |
| 32 | Rau, H "An optimal batch size for integrated<br>production-inventory policy in a supply chain",<br>European Journal of Operational Research,<br>20080301<br>Publication  | < <b>1</b> % |
| 33 | Upendra Dave. "On a Heuristic Inventory-<br>replenishment Rule for Items with a Linearly<br>Increasing Demand Incorporating Shortages",<br>Journal of the Operational Research Society,<br>2017<br>Publication | <1%          |



item with time-varying demand and timedependent partial backlogging", International Journal of Mathematics in Operational Research, 2011 Publication

| 35 | Submitted to National Chin-Yi University of<br>Technology<br>Student Paper  | < <b>1</b> %   |
|----|---|----------------|
| 36 | pnrsolution.org<br>Internet Source  | <1%            |
| 37 | S. K. Goyal, M. A. Hariga, A. Alyan. "The<br>Trended Inventory Lot Sizing Problem with<br>Shortages Under a New Replenishment Policy",<br>Journal of the Operational Research Society,<br>2017<br>Publication | <1%            |
| 38 | Submitted to University of Warwick  | <1%            |
| 39 | MAW-SHENG CHERN. Asia-Pacific Journal of<br>Operational Research, 2005<br>Publication   | <b>&lt;1</b> % |
| 40 | Submitted to University of Hull<br>Student Paper  | < <b>1</b> %   |
| 41 | Igor A. Dmitrenko. "The long-term and interannual variability of summer fresh water   | <1%            |

storage over the eastern Siberian shelf:

## Implication for climatic change", Journal of Geophysical Research, 03/08/2008

Publication

| 42 | Y-W Zhou, H-S Lau. "Optimal production lot-<br>sizing model considering the bounded learning<br>case and shortages backordered", Journal of<br>the Operational Research Society, 2017<br>Publication                           | <1% |
|----|--|-----|
| 43 | Wolfgang Arendt. "The Laplace Integral",<br>Vector-valued Laplace Transforms and Cauchy<br>Problems, 2011<br>Publication   | <1% |
| 44 | Submitted to Universiti Teknologi Petronas<br>Student Paper  | <1% |
| 45 | Hui-Ling Yang. "Deterministic inventory lot-size<br>models under inflation with shortages and<br>deterioration for fluctuating demand", Naval<br>Research Logistics, 03/2001<br>Publication                                    | <1% |
| 46 | Yang, HL "A comparison among various<br>partial backlogging inventory lot-size models for<br>deteriorating items on the basis of maximum<br>profit", International Journal of Production<br>Economics, 20050418<br>Publication | <1% |
|    |  |     |

47 Sudhansu Khanra. "On an EOQ model with SFI <1% policy for a time quadratic demand",

# International Journal of Operational Research, 2011

Publication

 Yosephine Suharyanti, N.A. Subagyo, Nur Aini Masruroh, Indra Bastian. "The way the product development activities affect the product success: a resource allocation analysis using 'Kano like' approach", International Journal of Technology Intelligence and Planning, 2017 Publication
 Ajay S. Gor, Hetal R. Patel. "Optimal selling price and lot size for non-instantaneous deteriorating items with different demand rates and partial backlogging", International Journal of

Procurement Management, 2018 Publication

| Exclude quotes       | Off | Exclude matches | Off |
|----------------------|-----|-----------------|-----|
| Exclude bibliography | On  |                 |     |