International Journal of Applied Engineering Research



International Journal of Applied Engineering Research

discontinued in Scopus as of 2017

Country	India - IIII SIR Ranking of India	38
Subject Area and Category	Engineering Engineering (miscellaneous)	50
Publisher	Research India Publications	H Index
Publication type	Journals	
ISSN	09739769, 09734562	
Coverage	2009, 2011-2018	
Scope	Information not localized	
	\bigcirc	

igsir O Join the conversation about this journal

X ()

Write With Confidence

Grammarly makes sure everything you type is effective and mistakefree. Try now

DOWNLOAD

Quartiles

+

Grammarly

International Journal of Applied Engineering Research

















International Journal of Applied Engineering Research (IJAER)

Print ISSN 0973-4562 Online ISSN 0973-9769

Editor-in-Chief:

Prof. Dr. Eng. Ali MERDJI, Faculty of Science and Technology, Route de Mamounia, University of Mascara, B.P 305, Mascara (29000), Algeria.



Aims and Scope: The *International Journal of Applied Engineering Research (IJAER)* is an international research journal, which publishes top-level work from all areas of Engineering Research and their application including Mechanical, Civil, Electrical, Computer Science and IT, Chemical, Electronics, Mathematics, Environmental, Education Geological etc. Researchers in all technology and engineering fields are encouraged to contribute articles based on recent research. Journal publishes research articles and reviews within the whole field of Engineering Research, and it will continue to provide information on the latest trends and developments in this ever-expanding subject.

Audience: Mechanical, computer, aeronautical, chemical, civil, electronics, mathematic, geology, electrical.

Submission: Authors are requested to submit their papers electronically to <u>IJAEReditor@gmail.com</u>

INDEXING: SCOPUS(2010-2017), EBSCOhost, GOOGLE Scholar, JournalSeek, J-Gate, ICI, Index Copernicus IC Value 82.67 and UGC Approved Journal - 2017 (Journal No. - 64529)

Publication Date and Frequency: Twelve issues per year.

DOI No. DOI:10.37622/000000

- **Publication Ethics and Publication Malpractice Statement**
- **Editorial Board Members**
- **Vol.** 1 No.1 No.2 No.3 (2006)
- **Vol. 2 No.1** <u>No.2 No.3 No.4</u> (2007)
- Vol. 3 No.1 No.2 No.3 No.4 No.5 No.6 No.7 No.8 No.9 No.10 No.11 No.12 (2008)
- Vol. 4 No.1 No.2 No.3 No.4 No.5 No.6 No.7 No.8 No.9 No.10
 No.11 No.12 (2009)

Research India Publications

International Journal of Applied Engineering Research (IJAER)

Editorial Board Members

Vincenzo Niola, Pofessor, Department Of Industial Engineering, University Of Naples Federico Ii – Engineering Faculty, Naples, Italy

Area of Interest : Mechanics, Robotics, Diagnostics Of Mechanical Systems, Non-Linear Analysis Of Mechanical Systems, Vibrations, Tribology

Rose Farahiyan Munawar, Senior Lecturer, Department Of Engineering Materials, Faculty Of Manufacturing Engineering, Universiti Teknikal Malaysia Melaka **Area of Interest :** Nanotechnology, Environmental And Green Materials, Cellulose Derivatives, Materials Characterization And Materials Science & Engineering

Ruaa Alsabah, Lecturer, Department Of Computer Science, Freha Campus, Kerbala University, Kerbala, Iraq

Area of Interest : Internet Of Things & Big Data Analysis, Wireless Communication 4G, 5G And Beyond, Microwave Remote Sensing, Space-Borne – Airborne Platforms And Calibration And Validation Measurements.

Dr. Asim Datta, Associate Professor & Head, Dept. Of Electrical Engineering, Mizoram University (A Central University), Tanhril, Aizawl-796004, Mizoram **Area of Interest :** Electical Pewer Systems, Renewable Energy Sources, Embedded Systems

Pranav Mahamuni, Research Assistant, Department Of Mechanical Engineering, Stony Brook University, Stony Brook, New York, United States Of America **Area of Interest :** Mechanical Engineering - Cad/Cam, Product Design, Rapid Prototyping, Finite Element Analysis

Dr. Diego Bellan, Professor, Department Of Electronics, Information And Bioengineering, Politecnico Di Milano, Piazza Leonardo Da Vinci 32, 20133, Milan, Italy **Area of Interest :** Power Quality, Electromagnetic Compatibility

Dr. Claudia Espro, Assistant Professor, Department Of Engineering, Contrada Di Dio, 4° Piano, Blocco C, 98166 Messina, Italy

Area of Interest : Heterogeneous Catalysis And Development Of Novel Catalytic Green Processes. Catalytic Conversion Of Natural Gas And Light Alkanes Into Intermediates, Fuels And Chemicals Of Higher Added Value. Conversion Of Renewable Biomass For The Production Of Bulk Chemicals, Electrochemical Sensors

Dr. Massila Kamalrudin, Deputy Dean, Associate Professor, Faculty of Information Technology and Communication, Institute of Technology Management and Enterpreneurship, Universiti Teknikal Malaysia Melaka Malaysia

Area of Interest : ICT, software engineering

 Dr. Nilamadhab Mishra, Assistant Professor, School Of Computing, Debre Berhan University, Ministry of Education, Government of Ethiopia.
 Area of Interest : Encompass Network Centric Data Management, Data
 Science: - Analytics and Applications, CIoT Big-Data System, and Cognitive Apps Design & Explorations.

Dr. Liew Pay Jun, Senior Lecturer, Department Of Manufacturing Process, Faculty Of Manufacturing Engineering, Universiti Teknikal Malaysia Melaka, Durian Tunggal, Melaka, Malaysia. **Area of Interest :** Electrical discharge machining, machining, micro/nano machining, nanofluid

Dr. G.PARAMASIVAM, Associate Professor, Department Of Computer Science, KG COLLEGE OF ARTS AND SCIENCE, Tamil nadu, India.

Area of Interest : Image processing, Computer Network

Dr. Ch. Swapna Priya, Assistant Professor, Department Computer Sceince And Engineering, Vignan's institute of Information Technology, Visakhapatnam, Andhra Pradesh, India. **Area of Interest :** Image processing, Pattern recognition deep learning, machine learning

Dr. K. Sangeetha, Assistant Professor, Department Of Computer Science & Engineering, SNS College of Technology, Coimbatore, Tamilnadu, India. **Area of Interest :** Theory of computation, Computer Networks, Advanced Computer Architecture, Operating Systems, Computer Programming, Network Security, Object Oriented Analysis and Design and Data Base Management System

Dr. Deepali Gupta, Professor And Head, Department Of Computer Sceince & Engineering, Maharishi Markandeshwar University, Sadopur, Sadopur, Ambala, India. **Area of Interest :** Computer Engineering & Information Technology, Software Engineering, Genetic Algorithms and Cloud Computing

Dr. Ghassan Fadhil Smaisim, Associate Professor, Department of Mechanical Engineering, University of Kufa, Faculty of Engineering, Kufa, P.O. Box: 21, Najaf Government. **Area of Interest :** Enhancement Heat Transfer, Renewable Energy, Fluid Mechanics, Thermal Nanofluid Flow, Power Generation, Solar Energy, CFD.

Dr. Darshankumar Chandrakant Dalwadi, Associate Professor, Department of Electronics and Communication Department, Birla Vishvakarma Mahavidyalaya Engineering College, Post Box No. 20 **Area of Interest :** Digital Communication, Wireless Communication and M Tech Information Theory and Coding

Jong-Wook Lee, Electrical & Computer Engineering, Ajou University, Worldcupro 206, Yeongtonggu. 16499, Geonggi-do, **South Korea**

Area of Interest: | Device structure and materials for sub-0.5V voltage operation, | Scaling-down enabling technology, | Low-power, high-speed devices and circuits.

Mohd Hafiz bin Jali, Faculty of Electrical Engineering, Universiti Teknikal Malaysia Melaka, Hang Tuah Jaya, 76100, Melaka, *Malaysia*

Area of Interest: Control system, Signal Processing, Rehabilitation, Human assist technology. Pattern Recognition, Robotic.

Timon Rabczuk, Chair of Computational Mechanics, Bauhaus University Weimar, Marienstrasse 15, 99423 Weimar, *Germany*

Hacene Mahmoudi, Vice Rector for Animation, promotion of scientific research, Hassiba Benbouali University, B.P. 151, Chlef, *Algeria*

Mircea Cristian DUDESCU, Technical University of Cluj-Napoca, Faculty of Mechanical Engineering, Departament of Mechanical Engineering, B-dul Muncii 103-105, 400641 Cluj-Napoca, *Romania*

Area of interest: mechanics of materials, experimental mechanics, mechanical testing, structural analysis of MEMS.

Rajeev Ahuja, Physics Department, Uppsala University,Box 530, 751 21 Uppsala, *Sweden* Area of interest: Computational Materials Science, Electronic Materials, Spintronics, High pressure, Dynamics.

Shigeru Aoki, Department of Mechancial Engineering, Tokyo Metropolitan College of Technology, Shinagawa-ku, Tokyo 140-0011, **Japan**

Area of Interest: Random vibration, Seismic response of mechanical system, Approximate analysis of nonlinear vibration.

G.Q. Chen, Department of Mechanics and Engineering science, Peking University, Beijing 100871, *China*

Area of Interest: CFD (Computational fluid dynamics), energy and resources engineering, and systems ecology.

Anna Laura Pisello, Department of Engineering, CIRIAF – Interuniversity Research Center, University of Perugia, *Italy*

Dr. Jahar Sarkar, Department of Mechanical Engineering, IIT (BHU) Varanasi, UP-221005, *India* Area of Interest: Energy, Thermal & Fluid Engineering.

Verena Kantere, Centre Universitaire d' Informatique, University of Geneva, Bâtiment A, Route de Drize 7, 1227 Carouge, *Switzerland*

Kong Fah TEE, Department of Engineering Science, University of Greenwich, Central Avenue, Chatham Maritime, Kent ME4 4TB **United Kingdom** Area of Interest: Structural Health Monitoring and Management, Structural System Identification

and Life Prediction, Forensic Engineering.

B.T.F. Chung, Department of Mechanical Engineering, University of Akron, Akron, Ohio 44325, **USA** Area of interest: Heat Transfer with Phase Changes, Optimum Design of Extended Surfaces, Radiative Heat Transfer System.

Marcelo J.S. De Lemos, Departamento de Energia - IEME, Instituto Tecnologico deAeronautica - ITA, 12228-900 Sao Jose dos Campos S.P. - **Brazil**

Area of interest: Turbulence Modeling, Porous Media, Combustion in Porous Media, Numerical Methods, Finite Volume.

Dimitris Drikakis, Head of Aerospace Sciences Department, Cranfield University, School of Engineering, Cranfield, MK43 0AL, **United Kingdom**

Area of Interest: Computational Fluid Dynamics, Aerodynamics, Turbulence Gas dynamics, Computational Nanotechnology.

A.S. Al-Harthy, Department of Civil, Surveying and Environmental Engineering, University of Newcastle, Callaghan, NSW 2308 *Australia*

Area of interest: Concrete material and durability, Recycling construction materials, reliability assessment of structures.

S.Z. Kassab, Mechanical Engineering Department, Faculty of Engineering, Alexandria University, Alexandria, 21544 *Egypt*

Area of Interest : Experimental Fluid Mechanics, Lubrication, Energy, Environment and Pollution.

Bashar El-Khasawneh, Chairman, Industrial Engineering Department, JUST, P.O. Box 3030, Irbid 22110 *Jordan*

Area of Interest: Design process and manufacturing-related sciences and processes, advanced and parallel kinematics machine tools.

Kazuhiko Kudo, Laboratory of Micro-Energy Systems, Division of Human Mechanical Systems and Design, Graduate School of Engineering, Hokkaido University, **Japan** Area of interest: Radiative heat transfer analysis, transient analysis on surface tension.

Carlos Mario Morales Bautista, Calzada Olmeca 105. Cerrada Chiltepec No. 1. Fraccionamiento la Venta. Villa Parrilla II. C.P. 86280. Villahermosa, Centro, Tabasco, *Mexico*

Ihab Obaidat, Department Of Physics, College of Science, United Arab Emirates University, P.O. Box 15551, Al Ain, **UAE**

Area of Interest: Nanomagnetism, Superconductivity.

Huihe QIU, Department of Mechanical Engineering, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon *Hong Kong*

Area of Interest: Transport phenomena in microscale multiphase flows, mciro sensors and actuators, optical diagnostics and instrumentation.

S.A. Soliman, Electrical Engineering Department, University of Qatar, P. O. Box 2713 Doha *Qatar* **Area of Interest:** Applications of State Estimation to Electric Power Systems, Fuzzy and Neural System Applications to Electric Power Systems.

Dimitri V. Val, Dept. of Structural Engineering, Faculty of Civil and Environmental Engineering, Technion - Israel Institute of Technology, Haifa 32000, *Israel* Area of Interest: structural safety and reliability; analysis, design, and assessment of reinforced concrete and steel structures.

Guo-Xiang Wang, Department of Mechanical Engineering, The University of Akron, AkronOH 44325-3903 **USA**

Area of Interest: Heat and Mass Transfer, Materials Processing, Solidification Theory and Application.

Samir Mekid, Mechanical Engineering Department, King Fahd University of Petroleum and Minerals PO Box 155, Dhahran, 31261, *Saudi Arabia*

Abdul Razak Rehmat, Department of Bioprocess & Polymer Engineering, Faculty of Chemical & Energy Engineering, Universiti Teknologi Malaysia, 81310 Johor Bahru, *Malaysia* Area of Interest: Polymer Processing and Rheology, Biobased Polymer Composite, Microwave Processing of Polymer.

V.R. Mudinepalli, Department of Physics, National Taiwan Normal University, Taipei, 11677, *Taiwan.*

Damodar Maity, Civil Engineering Department Indian Institute of Technology, Kharagpur, West Bengal, *India*

Area of Interest: Damage Assessment of Structures; Seismic Resistant of Structures; Fluid-Structure Interaction; Sloshing; Concrete Gravity Dam.

NG EYK, School of Mechanical & Aerospace Engineering, Nanyang Technological University, 50 Nanyang Avenue, 639798 *Singapore*

Area of Interest: biomedical engg; computational fluid dynamics and numerical heat transfer.

Mohammad Luqman, Chemical Engineering Department King Saud University Chemical Engineering Department, Riyadh, *Saudi Arabia* Area of Interest: Polymer Nanocomposites, Polymer/Plastic, Ionomers, Nanocomposites.

Mohammad Valipour, Department of Irrigation and Drainage Engineering, College of Abureyhan, University of Tehran, Pakdasht, Tehran, *Iran* Area of Interest: Surface and pressurized irrigation, Drainage engineering, Fluid mechanics, Heat transfer in soil media.

Najm Obaid Salim Alghazali, Department of Civil Engineering, Babylon University, Hilla, Babylon, Iraq

Area of Interest: Hydraulic Structures, Hydraulics, Engineering Hydrology, Groundwater Hydrology, Dams Engineering.

Sushant K. Singh, Earth and Environmental Studies Department, Montclair State University, Montclair, 07043, New Jersey, **USA** Area of Interest: Environmental pollution, Environmental management, Environmental toxicology, Environmental policy.

Hongseok Choi, Department of Mechanical Engineering, Clemson University, 205 Fluor Daniel Bldg. Clemson, SC 29634 **USA**

Ling Zhou, National Research Center of Pumps, Jiangsu University, No.301 Xuefu Road, Zhenjiang, Jiangsu 212013, *China* Area of Interest : Fluids Engineering, Multiphase flow, CFD (Computational Fluid Dynamics).

Dr. Jongwan Kim, Al-Farabi Kazakh National University, Almaty, Kazakhstan, Senior Lecturer Area of Interest : Computer and network security, it management, digital forensics, cryptocurrency, blockchain

Marlen Bissaliye, Al-Farabi Kazakh National University, Almaty, Kazakhstan, Senior Lecturer Area of Interest : Computer and network security, it management, digital forensics, cryptocurrency, blockchain

[<u>UP</u>] © All rights are reserved with Research India Publications Contact

Home Journals

International Journal of Applied Engineering Research (IJAER)

Volume 12, Number 19 (2017)

CONTENTS

On Issues, Strategies and Solutions for Computer Security and Disaster Recovery in Online Start-ups pp. 8009-8015 Omoruyi Osemwegie, Kennedy Okokpujie, Nsikan Nkordeh, Samuel John and Adewale Adeyinka A.

Wide-angle Polarization Independent Multilayer Microwave Absorber Using Wind Driven Optimization Technique pp. 8016-8025 Prakash Ranjan, Arvind Choubey and Santosh Kumar Mahto

Speaker Recognition System for Limited Speech Data Using High-Level Speaker Specific Features and Support Vector Machines pp. 8026-8033

Satyanand Singh, Assaf Mansour. H, Nitin Agarwal and Abhay Kumar

<u>A Review on Media Clogging in Attached Growth System</u>

pp. 8034-8039 Gasim Hayder, Ali Najah Ahmed and Nur Farah Syazana Mohamad Fu'ad

An Implementation of Gate Level Controller in Real Time Application pp. 8040-8043

Zarith Liyana Zahari, Rafiuddin Abdubrani and Nur Zahirah Zainuddin

Intelligent Sensor Module For Wireless Sensor Network (WSN) in Electrical Power Management Applications

pp. 8044-8049 Edwar Jacinto G., Fredy H. Martínez S. and Fernando Martínez S.

Black Smoke Elimination Via PID Controlled Co-Firing Technique at Palm Oil Mill

pp. 8050-8056 Noor Atikah Abdullah, Ramizi Mohamed, Wan Mohd Faizal Wan Mahmood and Mohamad Hanif Md Saad

Water Penetration Test on Basaltcrete with Partial Replacement of M-Sand

pp. 8057-8062 T. Kavitha and P. Partheeban

Analysis of Gas Turbine Foundation under Harmonic Loading with and Without Consideration of Soil –Structure Interaction Effect

pp. 8063-8070 Ali Laftah Abbas, Jasim M Abbas and Saba I Jawad

Active Learning Strategy and WebQuest Prototypein the Entrepreneurship Psychology Courses pp. 8071-8075 Wiwik Kusdaryani, W

<u>Mobilemath (Mobile Learning Math) Media Design with Seamless Learning Model on</u> <u>Analytical Geometry Course</u>

pp. 8076-8081

Sunandar, Achmad Buchori, Noviana Dini Rahmawati and Wiwik Kusdaryani

Selection of best novel MCDM method during turning of hardened AISI D3 tool steel under minimum quantity lubrication using Bio-degradable oils as cutting fluids pp. 8082-8091 R.K.Suresh, G.Krishnaiah and P.Venkataramaiah

<u>Implementation of the cryptographic algorithm "Present" in different microcontroller</u> <u>type embedded software platforms</u> pp. 8092-8096 Edwar Jacinto G., Holman Montiel A. and Fernando Martínez S.

A Study on Reduction of Location Management Cost by Maintaining History

pp. 8097-8102 S. Thabasukannan and M. Ponvadivu

Damage Diagnosis Induction Motor Based on Fuzzy Logic pp. 8103-8114

Yunus Tjandi and Abdul Muis Mappalotteng

Acquisition and Tracking of NavIC L5 band signals pp. 8115-8119 Manjula T R and Raju Garudachar

<u>Genetic Algorithm used for Improving the Preventive Maintenance Processes for</u> <u>Electricity Distribution Companies</u>

pp. 8120-8124 Holman Montiel A., Fernando Martínez S. and Fredy H. Martínez S.

Design of Multiband MIMO 2 x 2 Microstrip Antenna with Multi-slot Method

pp. 8125-8130 Nuhung Suleman and Rahmat

A Comparative Study of Big Data Computational Approaches

pp. 8131-8136 Sheikh Ikhlaq and Bright Keswani

<u>The Personal-Centered Model of Development of the Small Enterprises in Universities for</u> <u>High-Tech Sector of the Russian Economy</u>

pp. 8137-8143 Yury Anatolyevich Doroshenko, Andrey Ivanovich Shutenko, Elena Nikolaevna Shutenko and Petr Ivanovich Ospishchev

On Effect of Delayed Differentiation on a Multiproduct Vendor– Buyer Integrated Inventory System with Rework

pp. 8144-8149 Mei-Fang Wu, Tiffany Chiu, Hong-Dar Lin and Singa Wang Chiu

Hough Transform based Approach for Surface Distortion Flaw Detection on Transparent

<u>Glass</u>

pp. 8150-8159 Yuan-Shyi Peter Chiu, Yuan-Chin Lo and Hong-Dar Lin

New System for Adaptive Information Retrieval Based on Fuzzy Sets

pp. 8160-8173 Yasser A. Nada, Khaled M. Fouad, Hossam Meshref and Y. M. Assem

A Study of Optimal Spatial Partition Size and Field of View in Massively Multiplayer Online Game Server

pp. 8174-8178 Youngsik Kim

Development of the Russian Arctic Zone: The Role of Innovation Infrastructure and Legal Regulation

pp. 8179-8187 Diana M. Dmitrieva and Alina A. Ilinova

<u>A Study on the Degree of Pronunciation Improvement by a Denture Attachment Using an</u> <u>Weighted-a Formant</u>

pp. 8188-8195 Seong-Geon Bae, Won-Hee Lee and Myung-Jin Bae

Parameter Identification and Real-Time State Estimation in Hydraulic Actuators

pp. 8196-8201 M. Russo

<u>Neuro-Fuzzy Model for the Prediction of Spectral Occupancy</u> pp. 8202-8208 Angie Cordoba, Sergio Castiblanco, Cesar Hernandez and Luis Pedraza

Development and Calculation-experimental Analysis of Pressure Pulsations and Dynamic Forces Occurrence Models in the Expansion Joints of Pipelines with Fluid pp. 8209-8216 A.V. Kiryukhin, O.O. Milman, A.V. Ptakhin, L.N. Serezhkin and A.V. Kondratev

Product Capabilities Dynamic on Industrial Design Carved Wood in Small and Medium Enterprises (SMES) Jepara Furniture in Promoting the Protection of Intellectual Property Rights pp. 8217-8226 Anis Mashdurohatun & M. Ali Mansyur

<u>A Study on Tube and Flange Joint of Car Propeller Shaft Made of Carbon Composite Fiber</u> pp. 8227-8231 Jeonghoon Ha, Dongchan Shin, Yongtak Lee and Kibong Han

<u>Analysis of Fuel Consumption of HCNG Bus for US and European Test Codes</u> pp. 8232-8237 Jeongok Han, Jungmin Chae, Tongwon Lee and Kwangho Ko

Effect of Factors on the Hydrogen Composition in the Carburizing Process pp. 8238-8244 X.D. Pham, A.T. Hoang, D.N. Nguyen and V.V. Le

Case Study of Energy Management Model in the Threshing System for the Production of

White Rice

pp. 8245-8251

Ruthber Rodriguez Serrezuela, Nelson Corredor Sánchez, Jorge Bernardo Ramírez Zarta, Denicce Licht Ardila and Ana Lucia Paque Salazar

A Robust Image Watermarking Technique using DTCWT and PCA

pp. 8252-8256 M.S. Sudha and T.C. Thanuja

Desorption of Phenol from Lantana camara, Forest waste: Optimization using Response Surface Methodology and Kinetic Studies pp. 8257-8263

C R Girish and V Ramachandra Murty

IoT Based Traffic Signalling System

pp. 8264-8269 Ashok. P.V, SivaSankari.S, Vignesh Mani and Suresh Sankaranarayanan

A Roadmap to Security in IoT

pp. 8270-8272 Raman Dugyala, N Hanuman Reddy, N. Chandra Sekhar Reddy and J. Phani Prasad

Designing an IoT Enabled Vehicular Diagnostics System using Automotive Sensors and Actuators Integrated with Onboard Video Camera pp. 8273-8277

S. Kevin Andrews and V. N. Rajavarman

Encryption Algorithm for defending PUE Attack in Cognitive Radios pp. 8278-8285 T.Lakshmibai and C. Parthasarathy

<u>The Effect of Machining Parameters on Drilling Induced Delamination of Carbon Fiber</u> <u>Reinforced Polymer Composite</u> pp. 8286-8293 Divakara Shetty S, Apurv Rajat, Geet Shetty and Prathamesh Patil

Performance Analysis of Security Protocols in Smart Energy Meter System pp. 8294-8315 Shijo Mathew.T and Suresh Sankaranarayanan

Analysis and Implementation of Fault Tolerant Parallel FFTs & IFFTs Using Parity SOS and ECC pp. 8316-8322 Afroz Banu Syed and Rani R Kodali

Renewable Energy Potential in Jordan pp. 8323-8331

Software Rejuvenation Model for Cloud Computing Platform

pp. 8332-8337 M Umesh, G N Srinivasan and Matheus Torquato

Soft Starter Induction Motor Three Phase With Fuzzy Logic Controller Inside Delta pp. 8338-8345

Ali M Baniyounes

Adhi Kusmantoro, Theodora Indriati W and Sigit Ristanto

DDFF based Low Power Dissipation in Ring Counter using Octree

pp. 8346-8353 Mr. Ngangbam Phalguni Singh, Ndyetabura Y. Hamisi and Hashimu Uledi Iddi

Power System Static Security Assessment for Iraqi Super High Voltage Grid pp. 8354-8365 Mohammed Abdulla Abdulsada and Firas M. Tuaimah

<u>AC Analysis of Octree based Buffer Using Various Data Conditioning Flip Flops</u> pp. 8366-8370 Ngangbam Phalguni Singh, Ndyetabura Y. Hamisi and Hashimu Uledi Iddi

Selecting the Visual Landing Markers Located on a Ship Deck for UAV Automatic Landing pp. 8371-8379 Chupakov M.V., Bezuhlyi N.N., Fedyaeva E.A. and Smirnov D.S.

Estimation of Operational Properties of Lubricant Coolant Liquids by Optical Methods pp. 8380-8391

Sergii Victorovich Sagin and Valerii Grigorovich Solodovnikov

Experimental Studies on a Sand Blanket with Contour Reinforcement in Seasonally Frozen Heaving Soils

pp. 8392-8394

Andrey Nikolaevich Kraev, Dmitriy Sergeevich Skvortsov, Anna Aleksandrovna Shkileva & Mariya Igorevna Kutuzova

The Water Saturated Peat Mechanics Properties Research with Taking into Account Excessive Pore Pressures

pp. 8395-8400 Aleksandr Vladimirovich Kulikov, Leonid Adolfovich Bartolomey and Vyacheslav Viktorovich Vorontsov

Energy Management for Stand Alone Hybrid Photovoltaic – PEM Fuel Cells Systems

pp. 8401-8411 Ntumba Marc-Alain Mutomboa, Freddie L. Inambaob, Remy Tiakoc and Samuel A. O. Ilupejud

Automated Control Technique for a Hybrid Hydropower Plant

pp. 8412-8419 Samuel A.O. Ilupeju, Freddie L. Inambao and Marc Mutombo

Development of a 3D Disparity Estimation Processing Architecture

pp. 8420-8424 Lean Karlo S. Tolentino and Deebee Michelle T. Beleno

Enhanced Oil Recovery of Medium Crude Oil (31 Api) Using Nanoparticles and Polymer pp. 8425-8435 John M. F., Olabode O. A., Egeonu G. I. and Ojo T. I.

An Enhanced Search Optimization Proposal Based on Gossip Protocol for the Cloud pp. 8436-8442 Sudipta Sahana, Rajesh Bose and Debabrata Sarddar An Enhanced HCC Recurrence Prediction with Common Interest Features in Multiple Measurement Time Series Clinical Dataset pp. 8443-8449 P. Badha and P. Divya

P. Radha and R. Divya

Numerical Simulation of a Bubble Rising in an Environment Consisting of Xanthan Gum pp. 8450-8459

Víctor, A, Aguirre, Byron, A, Castillo and Christian, Narvaez Muñoz

Information and Analytical Monitoring Support of Procurement for Public Control pp. 8460-8468 Mamedova N.A., Aleksandrova K.S., Aleksandrov N.A. and Baykova A.N.

An Improved Cryptographic Mechanism for Cloud Storage System pp. 8469-8473 Ranjith Kumar Vollala and L. Venkateswara Reddy

<u>Color and Texture Based Image Retrieval Feature Descriptor using Local Mesh Maximum</u> <u>Edge Co-occurrence Pattern</u> pp. 8474-8486 Harpreet Kaur and Vijay Dhir

<u>Prototype for Effective Utilization of Available Well Water Resource to Irrigate Multiple</u> <u>Agriculture Fields Effectively</u>

pp. 8487-8491 Jaichandran R, Rajaprakash S, Karthik K and Somasundaram K

<u>The Effect of Electromagnetic Stirring on the Homogenization of the Temperature and</u> <u>Composition of a Copper Alloy</u> pp. 8492-8501 B. Hamri and S. Taibi

Throughput and Delay in Wireless Heterogeneous Ad Hoc Networks pp. 8502-8508 Yatendra Singh Bhandari, Yashwant Singh Chauhan and Ashish Negi

Software Defects Prediction based on ANN and Fuzzy logic using Software Metrics pp. 8509-8517 T. Ravi Kumar and T. Srinivasa Rao

Detection a Design Pattern through Merge Static and Dynamic Analysis Using Altova and Lambdes Tools pp. 8518-8522 Hamed J. Fawareh and Mohammad Alshira'h

<u>Transient Stability Analysis of Power System with Wind Generators</u> pp. 8523-8528 S. Surender Reddy

Application of Intelligent Voltage Control System to Korean Power Systems

pp. 8529-8533 WonKun Yu and HeungJae Lee

Experimental Convective Heat Transfer Studies on Graphene Nanofluid for the Cooling of Next Generation Electronic Components

pp. 8534-8539

B.Jefferson Raja Bose, L.Godson Asirvatham and Michael N Kumar

<u>Relative Cost-to-Performance Analysis of Virtual Machine Types in Public Cloud Systems</u> pp. 8540-8547 Jun-Hyeong Choi and Jong Wook Kwak

<u>The Duration Estimate of the Missing Signal with the Unknown Amplitude</u> pp. 8548-8555 Oleg V. Chernoyarov, Yury E. Korchagin, Alexander A. Makarov and Alexey N. Glushkov

<u>A Parametric Study for Optimization of Gas Injector Orientation and Its Effect on Duel</u> <u>Fuel Engine Using CNG as Fuel</u> pp. 8556-8559 Nimit M.Pate and A.D.Pate

Performance Comparison of Switched Inductor Based Quasi Impedance Source Inverter Using Different PWM Technique pp. 8560-8567 Shines T.S and S. Ramamoorthy

A Numerical Model for Adsorption and Bio restoration in a Saturated Porous Media

pp. 8568-8570 Salaheddine Kammouri, Mustapha Htiti and Serghini Elaage

Low Power RF Transceiver using Piezoelectric Vibration Energy Harvesting Technique for Wireless Sensor Node pp. 8571-8576 Sanjay S.Khonde, Ashok Ghatol and Sanjay .V.Dudul

Design and Analysis of Microstrip Patch Antenna Array using Different Substrates for X-Band Applications pp. 8577-8581 Madhukant Patel, Piyush Kuchhal, Kanhiya Lal and Ranjan Mishra

Analysis Intersection Performance Based on Regional Characteristics, Traffic Characteristics and Accessibilities (Case study of central business district area of Ternate city) pp. 8582-8589 Nurmaiyasa Marsaoli, Lawalenna Samang, Shirly Wunas and Sumarni Hamid Aly

<u>Characterization of Shear Strength Properties of Spoil Dump Based on their Constituent</u> <u>Material</u> pp. 8590-8594 Ram Manohar Bishwal, Phalguni Sen and M. Jawed

An Approach to Implement Secure User Authentication Scheme using Secret Values extracted from Private Information and Unique Biometric Images of User directed by Randomize Numeric and Image based OTP pp. 8595-8601 Ramkrishna Das, Aditi Chakraborty, Santosh Nandi and Saurabh Dutta

Simulation of Leakage current and THD Compensation in a Large PV system pp. 8602-8608

Mohamed Youssef Tarnini, Nabil Abdel-Karim and Khaled Chahine

Linear Precoding using Transmitter Site Channel Estimation for MIMO-OFDM systems pp. 8609-8614

R. Raja Kumar and P. Indumathi

Study of Various Algorithms on PAPR Reduction in OFDM System

pp. 8615-8619 R. Raja Kumar and P. Indumathi

<u>Development of Interactive Whiteboard Media To Learning Animal and Plant in the</u> <u>Kindergarten</u> pp. 8620-8624

Eem Kurniasih and Lusi Rachmiazasi Masduki

<u>The Effect of Concentration Nanoparticles MnO2 DOPED in Activated Carbon as</u> <u>Supercapacitor Electrodes</u> pp. 8625-8631

Maryati Doloksaribu, Harsojo, Kuwat Triyana and Bambang Prihandoko

Solving the Interoperability problem between UML modeling tools: Modelio and ArgoUML pp. 8632-8641 W. Lahlayl, N. Berbiche, F. Guerouate and M.Sbihi

<u>Using Poly Sulphonated Phenol –Formal-Dehyde as Additive of Hot Asphalt Mixes to</u> <u>Reduce a Rutting Depth</u> pp. 8642-8650 Lamia Abdul Jaleel Ahmed

SPICE: A Perspective Approach for Gap Analysis to Improve Student Performance Index

pp. 8651-8659 Satish Thatavarti and K. Thammi Reddy

Optimization of Internal Grinding Process Parameters on C40E Steel Using Taguchi

<u>Technique</u> pp. 8660-8664 S. Jeevanantham, N.M. Sivaram, D.S. Robinson Smart and S. Nallusamy

Sensitivity Analysis of Microwave UWB Radar for TWI System

pp. 8665-8675 Sandeep Kaushal and Dharmendra Singh

<u>Real-time Monitoring Technique Using SFC Classifier in NFV Environment</u></u> pp. 8676-8680 Sang-Min Shin and Gu-In Kwon

<u>Behavior of Reinforcement Concrete Beams Using Steel Strips as a Shear Reinforcements</u> pp. 8681-8688 Haider K. Ammash

Cloud Computing for Short-Term Load Forecasting Based on Machine Learning Technique

pp. 8689-8695 Tamer A. Farrag and Ehab. E. Elattar

The Relative Impacts of High School Types on Adjacent Housing Resale Prices in South

Korea¹

pp. 8696-8705 Hyunggwon Nam and Wonseok Seo

Preamble Random Access & Downlink Scheduling-Based QoS Assurance in LTE – A

Applications pp. 8706-8716

SudhanshuTripathi and Rajeev Paulus

<u>Development of Mathematical Model of Heat and Mass Transfer in Soil, with Provision for</u> <u>the Gradients of soil-water and soil-salt potentials. Part 2</u> pp. 8717-8722

Evgeniy V. Markov, Sergey A. Pulnikov, Yuri S. Sysoev and Aleksandr D. Gerber

<u>Investigation of Optimal Proses Parameters in CNC Milling of Insole Shoe Orthotic using</u> <u>Taguchi - Fuzzy Approach</u> pp. 8723-8726 B. Bawono, P.W. Anggoro, M. Tauvigirrahman, J. Jamari and A.P. Bayuseno

Customized Data Filtering For Mobile Signature Verification

pp. 8727-8731 Seungsoo Nam, Hosung Park, Changho Seo and Daeseon Choi

Main Limiting Parameters of Pro-oxidant Additive Production and Processing

pp. 8732-8739 Vladimir I. Korchagin, Artem V. Protasov, Sebastien L. Jean, Marina S. Mel'nova and Alexsandr A. Smirnykh

Development of Media Mobile Learning with Ethnomatematic Model to Learning Geometry in the Open University Indonesia pp. 8740-8746 Lusi Rachmiazasi Masduki, Suparman and Edy Prayitno

Study on Physical Network Separation Method and Maintenance System Composed of Optical Cable in Buildings pp. 8747-8749 EunSang Jang and IlKyoo Lee

The Influence of Defects and Features of the Metal Structure on the Damaging Nature and the Destruction of Welded Joints of the Water-Water Energetic Reactors in the Process of Operation pp. 8750-8762 E. I. Kolokolov, V. A. Rudenko and S. A. Tomilin

Various Schemes for Database Encryption - A Survey pp. 8763-8767 P.R.Hariharan & K.P. Thooyamani

Application of Methods of the Optimum Control Theory for Development of High Efficiency Centrifugal Pumps pp. 8768-8778 A.V. Volkov, A.G. Parygin, A.V. Naumov, A.A. Vikhlyantsev and A.A. Druzhinin

Resource Modeling for the Establishment of a Decision-Making System Applied to

HCEFLCD of Morocco pp. 8779-8787

K.oubedda, M. Khalfaoui, Aziz Ettahir and K. Kettani

Statistical Analysis of Congo Red Dye Removal Using Sawdust Activated Carbon

pp. 8788-8804 M.Srinivas Kini, K.Balakrishna Prabhu, Ankit Gundecha and Devika .U

<u>Three Party Authentication Scheme with Privacy in Telecare Medicine Information</u> <u>Systems</u> pp. 8805-8811 Hee Joo Park

<u>Identification of Quercetin as a Potential Band 3 Protein Antioxidant Using Ektacytometry</u> <u>and in Silico Molecular Docking Technology</u> pp. 8812-8816 Dong-Chan Kim

Physical Properties of Tin Base Melt Spun and Composite Solder Alloys

pp. 8817-8823 Emad M Abdlehady Ahmed and Omar H. Abd-Elkader

On Parameters of Normalized Different-Scale Relief Created on Brass Surfaces by Means of Laser

pp. 8824-8829 A.V. Ryzhenkov, M.R. Dasayev, O.V. Ryzhenkov and A.V. Kurshakov

Enhanced Multiloop Control Scheme for an LCL-filtered Grid-connected Inverter under Abnormal Grid Voltage Conditions pp. 8830-8837 Ngoc-Bao Lai and Kyeong-Hwa Kim

Design and Study the Characteristics of E-shaped Micro Strip Patch Antenna with Different Dielectric Substrates pp. 8838-8843 M. Lakshmi Raviteja, K. Nehru, T.S. Arulananth, V.Damodhar Rao and G N S Bhagya Sri

<u>Classification of Textures Using a New Descriptor Circular and Elliptical-LBP (CE-ELBP)</u> pp. 8844-8853 K. Subba Reddy, V.Vijay Kumar and A.P. Siva Kumar

<u>A New Selective Document Image Encryption Using GMM-EM and Mixed Chaotic System</u> pp. 8854-8865 C R Revanna and C Keshavamurthy

Dominance Rank Fuzzy Clustering and Distributed Probability Graph for Web User Behaviour Mining pp. 8866-8876 Ulaganathan. N

Earthquake Assessment and Retrofitting of RC Flat Plate Structure

pp. 8877-8883 B.A.H. Ikram, Vaishali G. Ghorpade and H. Sudarsana Rao

An Empirical Study of Intrusion Detection System Using Feature Reduction Based on

Evolutionary Algorithms and Swarm Intelligence Methods pp. 8884-8889

Rachana Dubey, Deepak Rathore, Deepak Kushwaha and Jay Prakash Maurya

An Analogy between the use of Back Propagation and Associative Memory as a Model for the Artificial Immune Network Memory pp. 8890-8900 Hossam Meshref

Structural Design of Automatic Seatback Table pp. 8901-8906

Y.S. Yang, E. S. Jeon and D. H. Park

<u>Application of Group Technology to Medical Student's Learning Style Trend</u> pp. 8907-8912 Abdelhakim Abdelhadi and Samer Al-Talafha

<u>New Inverter Topology for Independent Control of Multiple Loads</u> pp. 8913-8920 Gaurav N Goyal and Mohan V Aware

Feature Selection Using Fuzzy Information Measure pp. 8921-8925 B. Azhagusundari

Relative Strength Index for Developing Effective Trading Strategies in Constructing Optimal Portfolio pp. 8926-8936 Bhargavi. R, Dr. Srinivas Gumparthi and Anith.R

Performance Evaluation of Multi-threaded Flash Translation Layer pp. 8937-8940 J. Kim and I. Shin

<u>Investigating The Visual Privacy on Houses layouts in Traditional Desert Settlement of</u> <u>Ghadames City- Libya- By Using Space Syntax Analysis</u> pp. 8941-8951 Hamza. Mohamed. Alkhazmi and Nur Esin

Flexible Remote Control Application for Virtual Reality using Virtual Graphic Driver and OpenCV pp. 8952-8955 Yoonsang Kim, Geunyeop Ha and Sangjun Lee

A Review of Data Compression Techniques

pp. 8956-8963 Luluk Anjar Fitriya, Tito Waluyo Purboyo and Anggumeka Luhur Prasasti

An Efficient Key Escrow-Free Identity-Based Signature Scheme

pp. 8964-8971 Subhas Chandra Sahana, Bubu Bhuyan and Manik Lal Das

<u>Comparing the techniques for Magnetic Abrasives by Investigating the Surface Finish</u> pp. 8972-8975 Er. Rohit Rampal and Tarun Goyal <u>Quality of anode. Overview of Problems and Some Methods of their Solution Part 1. Coal</u> <u>Foam in an aluminum electrolyzer</u> pp. 8976-8985 Shahrai S.G., Sharapov N.A., Mikhalev U.G., Kondrat'ev V.V. and Karlina A.I.

Creating and Representing Semantic Knowledge of Bell Objects pp. 8986-8994 Galina Bogdanova, Todor Todorov and Nikolay Noev

Experimental Analysis of the Wear Properties of Carburized HSS (ASTM A600) Cutting <u>Tool</u> pp. 8995-9003

Sunday A. Afolalu, Enesi Y. Salawu, Imhade P. Okokpujie, Abiodun A. Abioye, Oluwabunmi P. Abioye, Mfon .O Udo, Olajide R. Adetunji and Omolayo M. Ikumapayi

Energy justification of parameters of hydroamelioration systems at the development of wetland landscapes of Western Siberia pp. 9004-9007 V V Novohatin and N G Osipova

Development and Investigation of Formulations and Technologies of Water Inflow Limitation in Oil and Gas Wells pp. 9008-9017 Leontiev D.S. and Kleshchenko I.I.

Development of Technology to Reduce Sand Ingress in Oil Producing Wells pp. 9018-9022 D.S. Leontiev, I.I. Kleshchenko and L.V. Dolzhikova

Development and Study of Peat-Humate Solutions for Drilling and Repairing of Oil and Gas Wells pp. 9023-9031 Dmitry S. Leontiev and Ivan I. Kleschenko

An Improved CBIR System Using Low-Level Image Features Extraction and Representation pp. 9032-9037 D. Kiran, C. H. Suresh Babu and T. Venu Gopal

Eviction Bit and Inclusive Cache Based Replacement Policy for Side Channel Attack pp. 9038-9045

Adi Maheswara Reddy G, K Venkata Rao and JVR Murthy

Detection and Analysis of Skin Cancer from Skin Lesions

pp. 9046-9052 Nidhal K. EL Abbadi and Zahraa Faisal

<u>RSA and ECC: A Comparative Analysis</u> pp. 9053-9061 Dindayal Mahto and Dilip Kumar Yadav

<u>Research of Oil-Tank Sides Geometrical Forms after Their Long-Term Usage in Processes</u> of the Oil Storage pp. 9062-9066 Dmitry V. Pyalchenkov, Alexey L. Pimnev, Natalya V. Gumerova and Tatyana G. Ponomareva

Decision Making Modelling with Logistic Regression Approach

pp. 9067-9073 Kataresada Ketaren and Novdin M. Sianturi

A Low-Cost wet Diaper Detector Based on Smart Phone and BLE Sensor

pp. 9074-9077

MD Saifur Rahman, Chulhyung Choi, Young-pil Kim, Sikyung Kim and Jungwan Choi

<u>Use of Hydrogeomorphic Indexes in SAGA-GIS for the Characterization of Flooded Areas</u> <u>in Madre de Dios, Peru</u>

pp. 9078-9086 Alberto E. García-Rivero, Jorge Olivera, Eduardo Salinas, Ricardo A. Yuli and Wilfredo Bulege

<u>Structural Resonance Methods for Image Processing and Pattern Recognition</u> pp. 9087-9098 V.A.Baranov, D.K. Avdeeva, U. Ewert, M.M. Yuzhakov, N.V. Turushev, R.E. Kodermyatov, I.V. Maximov, M.V. Balakhonova

Bridging the Gap between Competency Based Approach and Intelligent Tutoring Systems pp. 9099-9111 Adil Hachmoud, Abdelkrim Khartoch, Lahcen Oughdir and Salaheddine Kammouri Alami

Experimental Study of Anaerobic Digester Biogas Method Using Leachate from Landfill Municipal Waste pp. 9112-9115

Caturwati Ni Ketut, Agung Sudrajad, Mekro Permana and Heri Haryanto

Linearity Enhancement Technique for GHz-Band LNA pp. 9116-9119

Seok-Ho Noh and Jee-Youl Ryu

Wedge-Shaped Sliding Supports Operating on Viscoelastic Lubricant Material Due to the Melt, Taking Into Account the Dependence of Viscosity and Shear Modulus on Pressure pp. 9120-9127 Elena Olegovna Lagunova

Radial Plain Bearings Operating on Viscoelastic Lubricant Caused by the Melt, Taking into Account the Dependence of the Viscosity of the Lubricant and the Shear Modulus on the Pressure pp. 9128-9137 Elena Olegovna Lagunova

<u>Calculation Model of the Radial Bearing, Caused by the Melt, Taking into Account the</u> <u>Dependence of Viscosity on Pressure</u>

pp. 9138-9148 Vasilenko Vladimir Vladimirovich, Elena Olegovna Lagunova, Mukutadze Murman Alexsandrovich and Prikhodko Viktor Markovich

Single Image Haze Removal via Accurate Atmosphere Light pp. 9149-9158 Nidhal el Abbadi, Hussein Mahdi and Hind Rustum

Effect of Baffles Geometry on Hydrodynamics in a Mechanically Agitated System

pp. 9159-9166 L. Benyamina, M. Bouanini and R. Abdeldjebar

Optimal Recovery of the Second Derivatives of Analytic Functions from their Values at a Regular Polygon Vertices pp. 9167-9169 Mikhail P. Ovchintsev

<u>Inter-regional Performance Analysis of Data Center Networks in Public Cloud Systems</u> pp. 9170-9175 Jun-Hyeong Choi and Jong Wook Kwak

Analytical Study of Foundation – Soil – Pipe Interaction

pp. 9176-9194 Rafi M. Qasim

<u>Application of Discovery Learning Model for Solving System of Linear Equations Using</u> <u>GeoGebra</u>

pp. 9195-9198 Friska Bernadetta Siahaan

Online Motorcycle Taxi Simulation by Using Multi Agent System

pp. 9199-9208 Purba Daru Kusuma

Estimation of Power Produced by PV Generator Based on Artificial Neural Networks pp. 9209-9216

Esraa Bashayreh and Eman Abdelhafez

[UP] © All rights are reserved with Research India Publications Contact

Home Journals

Investigation of Optimal Proses Parameters in CNC Milling of Insole Shoe Orthotic using Taguchi - Fuzzy Approach

B. Bawono^{##1}, P.W. Anggoro^{##2}, M. Tauviqirrahman^{#3}, J. Jamari^{#4} and A.P. Bayuseno^{#5}

*Department of Industrial Engineering, Faculty of Industrial Technology, University of Atma Jaya Yogyakarta, Jl. Babarsari 44, Yogyakarta 55281, Indonesia.

[#]Department of Mechanical Engineering, Engineering Faculty, Diponegoro University, Jl. Prof. H. Soedharto Tembalang, Semarang, Central Java, Indonesia.

ORCIDs. ¹0000-0002-5475-9405, ²0000-0001-8822-5420, ³0000-0003-2694-4184, ⁴0000-0002-6172-2635, ⁵0000-0002-0882-4480

Abstract

The surface quality and processing time for insole shoe orthotic (iso) made from EVA rubber foam (erf) is highly dependent on the input machining strategies during a CNC milling process. This paper aims to clarify the application of Fuzzy Logic integrated with the Taguchi method to minimize the surface roughness and maximize Material Removal Rate (MaRR) that for iso product with erf based on CNC Rolland Modella machines. In this research, the input parameters specified are feed, DOC, and the composition of erf. In Taguchi method, orthogonal array design L₈2⁴ which consists of three factors and mix level and S/N will be calculated. S/N ratio of roughness and MaRR will be entered into the system of fuzzy logic and output received is multi response performance index (MRPI) with application ANOVA, DOC and feeds. Based on the result, it can be concluded that the optimal level for Erf is level 2 (3^{rd} Slice), feed is level 2 (2000 mm/min) and DOC is level 1 (2.5 mm) with the Ra=9.679 μ m and MaRR=61,200,000 mm³/min.

Keyword: EVA rubber foam (erf), fuzzy logic, Material Removal Rate (MaRR), orthotic insole shoe, surface roughness

INTRODUCTION

Custom insoles are frequently prescribed for individuals with diabetic neuropathy to offload high pressures from the metatarsal heads and other areas, which reduces the risk of plantar ulceration. Insoles provide the important interface between the foot and the shoe and, together with outsole modifications offer the most direct approach to the reduction of potentially damaging tissue stresses on the plantar aspect of the foot. Ethylene vinyl acetate (EVA) rubber foam material is popular used in the shoe and insole shoe field [1] mainly because it demonstrates excellent mechanical properties including light weight, shock resistance, and high elasticity. To procedure the insole shoe product shape accurately by using the EVA rubber foam material, the manufacturing procedure with CNC machine is the crucial step.

Orthotics are all equipment that are added to the human body to stabilize the body, prevent disability, to protect from injured, or assist the function of the limb. Orthotic shoe insole is a device that designed to restore the function of malformed foot. Especially for Diabetes Mellitus (DM) patience. DM is one of the most common and rapidly increasing health problems worldwide. The number of people in the developing world with diabetes will increase by more than 2.5-fold, from 84 million in 1995 to 228 million in 2025 [2]. Indonesia's DM patience almost reaches 10 million people in 2015. With the rise in prevalence of DM, the burden of this disease to society becomes progressively greater [2]. Pathologies of the foot due to DM are a significant contributor to the economic burden [3]. An estimated 25 percent of DM patients experienced foot problems [4], and about 20 percent of diabetic patients entering the hospital are admitted because of foot problems [5]. Studies showed that complications of DM, such as changes in bony structures, limited joint mobility, callus formation, and arterial in sufficiency may cause locally elevated plantar pressures [6-8]. Repeated applications of such high pressures make the foot more susceptible to the development of ulcers [9].

In routine clinical practice, DM patients are often given a special insole for ulcer prevention. Especially for those neuropathic patients who lose sensation in their feet, a proper insole support should help maximize the contact area and reduce locally high plantar pressure and pressure time integral (PTI) when walking. If the prescribed insole is not properly shaped and the foot structure cannot be balanced, the foot plantar soft tissues will become overstressed and may develop ulcers with accumulative trauma disorders [10]. A better cast can be made from other loading conditions for custom-molded insoles. A lack of objective in formation exists in choosing an insole-casting condition for the needs of particular subject groups. Knowledge of the pressure redistribution with different

insole shapes can offer guidance for the better design and construction of a comfortable and functional support.

The Taguchi design of experiment is a powerful method used to achieve high quality in lesser no of experiments. It provides better setting as compared to traditional experimental designs which are time consuming due to a large number of experiments and most of the time not feasible [1]. The Taguchi methods reduces the sensitivity of quality characteristics to various unknown noise factor. Large number of papers have been published on Taguchi technique handling single output response. However, working with multiple responses is still an interesting area of research problem. Fuzzy logic deals with uncertain and vague data. Fuzzy logic system converts the multiple performance characteristic into single multi response performance index (MRPI) [6]. Hence the optimization of multiple performance characteristic is well handle by integrated Taguchi-Fuzzy logic, which was optimization of multiple performance characteristics is well handled by integrated Taguchi-Fuzzy logic, which was not possible by the Taguchi method alone [4]

Following this main frame, in the present study based on Taguchi – fuzzy approach, the functions of different insoles cast under different loading conditions in redistributing the interfacial pressures during walking are compared. In addition, the correlation between the parameters of the surface roughness machining strategy and working time products *iso* that made from EVA foam rubber is investigated in more deep way.

METHOD

In this paper Rolland Modella MDX – 40R was used for experiment. The 6 mm diameter end milling cutter of SECO (93060F) was used for machining. The machining parameters was selected on the basis of various trial runs by checking their effect on surface roughness. Initially, the parameters considered for experiment, L₈ orthogonal array was used. This L₈ orthogonal array was prepared for parameter combination of composition Eva Rubber, feed, and depth of cut. Roughness surface is selected as the response to measure and determine whether the three parameters actually affect significantly the machining process insole shoe orthotic. The differences in the number of layers of material Eva Rubber set as a factor in this study to see whether it will give effect on the magnitudes of the resulting surface roughness.

It should be noted that Taguchi recommends the use of a threestage process to achieve the desirable product quality by design, three stages being system design, parameter design and tolerance design [9]. In this paper, Taguchi approach was used and integrated with fuzzy logic to handle multiple responses such as surface roughness and material removal rate. The S/N ratios of responses are taken as the input to the fuzzy logic system and converted to multi response performance index (MRPI) which gives an idea about simultaneous performance of multiple responses. Figure 1 shows some steps to create insole shoe orthotic in the experiment



Figure 1: Process stages Experiment

Experimental methods are too complex and require a large number of experience as number of process parameter increases. The Taguchi method uses a special design called orthogonal array to study the entire space of parameters with lesser number of experiments. The experimental results are converted into signal to noise ratios (S/N). The signal to noise ratio gives an idea about performance characteristic deviating from desire value. The large the S/N ratio lesser is the deviation of performance characteristic from desired value. [8]

There are three type of performance characteristics in analysis of S/N ratio: The lower-the-better, the higher-the-better and the nominal-the-better. Irrespective of the type of performance characteristic, the optimal level of process parameter is with the higher S/N ratio. The Taguchi method is a design to handle single performance characteristic. Hence the optimization of multiple performance characteristic is still an area research. In this paper, Taguchi method is integrated with fuzzy logic to handle multiple responses that are surface roughness and material removal rate. The S/N ratios of responses are taken as taken as the input to the fuzzy logic system and converted to multi response performance index (MRPI) which gives an idea about simultaneous performance of multiple responses. Large the MRPI better is the performance of multiple responses.



Figure 2: Process Stages Experiment

RESULTS AND DISCUSSIONS

Machining performance evaluation

To get the accurate response data of surface roughness and material remove rate, then the precision measuring instruments is required. The surface roughness tester, the Hommel-Etamic T1000 series is used to measure Ra/C.L.A values of surface roughness. MaRR can be obtained by calculating the equation 3.

$$MaRR = n N f a_p a_e \dots \dots$$
(1)

where *n* is spindel speed (rpm), *N* is the number of tooth, and a_p the depth of cut. For detail, machining parameters and levels used in the present study is shown in Table 1.

Table 1: Machining parameters and levels

Factor	Level					
	1	2	3	4		
Composition of Eva Rubber	2 nd Slice	3 rd Slice	4 th Slice	5 th Slice		
Feed (mm/min)	1500	2000	3000	3500		
DoC (mm)	2.5	3.5	4.0	5.0		

Erf with dimensions 250 x 95 x 21 mm is used in this experiment. The value of material hardness ranges from 40-60 HR_c. This material can be used in healthcare solutions such as: orthopedic shoes, insoles, exercise mats, orthotic support [4]. The physical and mechanical properties of these materials include density of 55-65 kg/m³, nominal sheet size (trimmed) of 2000 x 1000 mm, nominal thickness (split) of 3-36 mm, tensile strength of 800 kPa, and tear strength of 4.5 kN/m. In addition, the hardness after 2 second reads 25-30 degrees. While, the chemical composition of *Erf* can be found in Table 2.

Table 2: The chemical composition of rubber EVA Foam [11]

Material	Properties	Value	Source	
Ethylene Vinyl	Melt flow index (g/10 min)	2.00	PIL	
acetate (EVA)	Density (g/cm ³)	0.937	Madras	
	Vicat softening point (°C)	59		
	Vinyl acetate (wt%)	18		
	Viscosity (g/cm ³)	0.170		
	Vinyl acetate (wt%) Viscosity (g/cm ³)	18 0.170		

Optimization of machining parameter

This section explains the concept of integration Taguchi -Fuzzy logic used to get the parameters of orthotic shoe insole machining processes on CNC machines Rolland Modella -40R, so that the surface roughness and the optimal MaRR will be obtained.

In this work, orthogonal array that constructed is based on 3 factors (Composition *Erf*, feed, and DoC). As a note, one factor is the composition of *Erf* which is set at four levels (2^{nd} *Slice*, 3^{rd} *Slice*, 4^{th} *Slice*, 5^{th} *Slice*). However, the speed factor and finishing raster toolpath strategies were excluded in this experiment because the optimal rpm on the previous experiment is15000 rpm [10]. Factors of feed and DoC are set to two levels. Combination treatment in this experiment can be shown in the Table 3 and 4 below.

Table 3: Experimental layout and responses $L_8 4 \ge 2^2$

No	Eva Rubber	Feed (mm/min)	DoC (mm)	Ra ₁ (µm)	<i>Ra</i> ₂ (μm)	<i>Ra</i> ₃ ((µm)	Ra _{average} (µm)
1	1	1	1	10.00	10.21	10.71	10.307
2	1	2	2	10.67	9.858	10.70	10.409
3	2	1	1	9.478	10.05	10.49	10.006
4	2	2	2	10.29	9.192	9.323	9.602
5	3	1	2	8.872	10.54	9.317	9.576
6	3	2	1	9.747	9.832	9.457	9.679
7	4	1	2	10.11	9.812	9.338	9.753
8	4	2	1	9.481	9.705	10,75	9.979

Table 4: S/N Ratio $L_8 4 \ge 2^2$

No	Eva Rubber	Feed (mm/min)	DOC (mm)	Ra ^{average} (µm)	S/N ratio	Membership Function	MaRR (mm ³ /min)
1	1	1	1	10.31	0.08869	0.2367	54,000,000
2	1	2	2	10.41	0.15213	0.2807	102,000,000
3	2	1	1	10.00	0.17166	0.3373	54,000,000
4	2	2	2	9.60	0.23976	0.3660	102,000,000
5	3	1	2	9.58	0.49733	0.5560	90,000,000
6	3	2	1	9.68	0.02577	0.1250	61,200,000
7	4	1	2	9.75	0.10105	0.2573	90,000,000
8	4	2	1	9.98	0.30584	0.4230	61,200,000

Based on Table 4, the optimal level for *Erf* is level 3 (4^{th} *Slice*) while for feed the optimal level is level 2 (2000 mm/min) and DOC is level 1 (2.5 mm) with the $R_a = 9.679 \ \mu m$ and MaRR = 61,200,000 mm³/min.

Setting level selection for significant factors

For the selection of the setting levels for each factor, selected value for level corresponding to the data common practice in the field is shown in Table 5. It can be seen that the value of the data processing at each level is selected. The value chosen is based on practical experience that has often performed during the machining process.

Table 5: Setting level selection (1) based on R_A

No	Eva Rubber	Feed (mm/min)	DOC (mm)	Ra1 ^{average} (µm)	Membership Function	MaRR (mm ³ /min)
1	1	1	1	10.307	0.2367	54,000,000
2	1	2	2	10.409	0.2807	102,000,000
3	2	1	1	10.006	0.3373	54,000,000
4	2	2	2	9.602	0.3660	102,000,000
5	3	1	2	9.576	0.5560	90,000,000
6	3	2	1	9.679	0.1250	61,200,000
7	4	1	2	9.753	0.2573	90,000,000
8	4	2	1	9.979	0.4230	61,200,000

Based on Table 5, it can be found that the optimal level is level 3 (3^{rd} Slice) for Erf, =level 2 (2000 mm/min) for feed and level 1 for DoC (2.5 mm) with the $Ra = 9.679 \ \mu\text{m}$ and MaRR = 61,200,000 mm³/min. The cutter feed used is at level 2 (i.e. 2000 mm/min for finer quality). Number of erf slice is = 4, DoC of product quality = 2.5 mm.

As a note, setting of cutter type is influenced by the type of material and the size of the cutter. Selected level 2 for the use of cutter type 1 (Endmill MEH) to produce chips will stick to the cutter. In this way, the quality of the product is less than smooth surface. The use of cutter type 2 (Endmill SECO) to produce chips will be removed directly from the cutter to create more refined product surface quality. Based on the results, it can be found that the factors significantly affect the machining process from highest to lowest grade is factor C by 52.82%, factor D by 33.11% and factor B by 7.02%.

CONCLUSIONS

This study demonstrates the application of Fuzzy Logic integrated with the Taguchi method to minimize the surface roughness and maximize Material Removal Rate (MaRR) for enhancing the surface quality and processing time for EVA rubber foam (*erf*) insole shoe orthotic. Based on the discussion above, the conclusion can be drawn as follows:

- 1. The optimal level for Erf is level 2 (3^{rd} Slice), feed is level 2 (2000 mm/min) and DOC is level 1 (2.5 mm) with the Ra=9.679 µm and MaRR=61,200,000 mm³/min.
- 2. The depth of cut (26.432%) and type cutter (15.877%) have a major influence on surface roughness of insole shoe orthotic. The interaction of several parameters considered here has a significant effect on the surface roughness.

REFERENCES

- [1] Even-Tzur, N., Weisz, E., Hirsch-Falk, Y., Gefen, A., 2006, "Role of EVA viscoelastic properties in the protective performance of a sport shoe: Computational studies," Bio-Medical Materials and Engineering 16 pp. 289-299.
- [2] Jeng, Y.R., Liu, D.S., Hong-Tzong Yau, H.T., 2012, "Designing Experimental Methods to Predict the Expansion Ratio of EVA Foam Material and Using Finite Element Simulation to Estimate the Shoe Expansion Shape," Material Transaction, 53 (9), pp. 1685-1688.
- [3] Mahesh, T.P., Rajesh, R., 2014, "Optimal Selection of process parameters in CNC end milling of Al 7075-T6 alumunium alloy using a Taguchi-Fuzzy approach", Procedia Materials Science 5. Pp. 2493-2502.
- [4] Mugendiran, V., Gnanavelbabu, A., Ramadoss, R., 2014, "Parameter optimization for surface roughness and wall

thickness on aa5052 aluminium alloy by incremental forming using response surface methodology," Procedia Engineering 97, pp 1991-2002

- [5] Shivanand, H.K., Benal, M.M., Sharma, S.C., Govindraju, N., 2004, "Comparative studies on mechanical properties of aluminium based hybrid composites cast by liquid melt technique and P/M route," Materials Processing for Properties and Performance 3, pp. 57-60.
- [6] Dalalah, D., Bataineh, O., 2009, "A Fuzzy logic approach to the selection of the best silicon crystal slicing technology," Expert Systems with Applications 36, pp. 3712-3719.
- [7] Gunay, M., Kacal, A., Turgut, Y., 2011, "Optimization of machining in milling of Ti-6Al-4V alloy using Taguchi method," e-Journal of New World Sciences Academy 6, Article No. 1A0165.
- [8] Çalışkan, H., Kurbanoğlu, C., Panjan, P., Kramar, D., 2012, "Investigation of the performance of carbide cutting tools with hard coatings in hard milling based on the response surface methodology," International Journal of Advanced Manufacturing Technology 66, pp. 883-893.
- [9] Al-Zubaidi, S. Ghani, J.A., Hassan, C., Haron, C., 2013, "Optimization of cutting conditions for End milling of TiAL4V by using a gravitational search algorithm," Mechanica 48 pp. 1710-1715.
- [10] Jatin, P.S., 2013, "Effect of machining parameters on output characteristics of CNC milling using Taguchi optimization technique," International Journal of Engineering, Business and Enterprise Applications 13-335, pp. 64-67.