

**DEVELOPMENT PROCESS OF SPIN CASTING MACHINE
FOR SOUVENIR PRODUCTION**

THESIS

Submitted as Partial Fulfill of the Requirements
to Obtain the Bachelor of International
Industrial Engineering Degree



Arranged by:

YOHANES EKO BUDI PRASETYO
Student Number: 04 14 04135

INTERNATIONAL INDUSTRIAL ENGINEERING PROGRAM
FACULTY OF INDUSTRIAL TECHNOLOGY
UNIVERSITAS ATMA JAYA YOGYAKARTA
YOGYAKARTA
2009

STATEMENT OF WORK'S ORIGINALITY

I honestly declare that this thesis which I wrote does not contain the works or parts of the works of other people, except those cited in the quotations and bibliography, as a scientific paper should

Yogyakarta, June, 2009

Yohanes Eko Budi Prasetyo



**A BACHELOR OF
INTERNATIONAL INDUSTRIAL ENGINEERING THESIS
On
DEVELOPMENT PROCESS OF SPIN CASTING MACHINE
FOR SOUVENIR PRODUCTION**

Has been Examined and Approved
On June, 2009

Adviser,

T.B.Hanandoko, S.T., M.T.

Co-Adviser,

P.Wisnu Anggoro, S.T., M.T.

Board of Examiners,
Chairman,

Hadisantono, S.T., M.T.

Member,

Josef H. Nudu, S.T., M.T.

Member,

Hadisantono, S.T., M.T.

Yogyakarta, June, 2009
Dean of Faculty of Industrial Technology
Universitas Atma Jaya Yogyakarta

Paulus Mudjihartono, S.T., M.T.

ACKNOWLEDGEMENT




Dedicated for:

My parents

My Girl

Myself



SIR ALEX FERGUSON:

“The trophy is just two meters away from you. But if you lose, it’s even impossible to touch it.”


Told at half-time in Champions League Final 1999 Barcelona which pumped the spirit of lads to win over Bayern Munich by 2-1 at injury time.

FOREWORD

This final report is one of the prerequisite to finish the undergraduate study program in Industrial Engineering Department, Industrial Technology Faculty, Atmajaya Yogyakarta University.

I am so grateful to many people who encouraged, and help me to finish this final report. On this opportunity, I would like to thank:

1. Jesus Christ, for His blessing and guidance.
2. Mr. Paulus Mudjihartono, S.T., M.T, as the Dean of Industrial Technology Faculty, Atmajaya Yogyakarta University.
3. Mr. Parama Kartika Dewa SP, S.T., M.T., as the Head of Industrial Engineering Department, Industrial Technology Faculty, Atmajaya Yogyakarta University.
4. Mr. Hadi Santono, S.T., M.T., as the Head of International Class of Industrial Engineering, with those never ending break through.
5. Mr. Theodorus B. Hanandoko, S.T., M.T., as first adviser, who had spent plenty of time to give guidance, direction, inputs and correction in writing this final report.
6. Mr. Paulus Wisnu Anggoro, S.T., M.T., thanks for all those advice and jokes.
7. Mr. B. Kristyanto, S.T., M.Eng., PhD as head of LPPM, thanks for supports.
8. Mr. Ashari and his crews at Hari Mukti Teknik Workshop, thank you for the input, the idea of machine construction, and warm welcome.

- 
9. Friends at thesis research, Dahana, Geovanni, and William. We had struggled for obtaining quality thesis report. Thanks for the input, support, and togetherness.
 10. Mr. and Mrs. Benny for supporting us with warm welcome house.
 11. My parents, thanks for supporting my life. Dad, your junior now ready to take over you.
 12. My lovely nonik. Your phone call had become my "awaking pills" in writing thesis till over night, thanks a lot for supporting me. I love you.
 13. My friends TIKI Batch 2004, finally, we're in the same level. Thank you.
 14. Aunt Na' families at Kelapa Gading Jakarta for warm welcome during the research of silicon rubber.
 15. All those who haven't mentioned, thank you.

I realize that this final report has not perfect but I hope that this final report can be useful and can be developed in a further research.

Yogyakarta, June 2009

CONTENTS

COVER	i
STATEMENT OF WORK'S ORIGINALITY	ii
AUTHORIZATION	iii
ACKNOWLEDGEMENT	iv
FOREWORD	vi
CONTENTS	viii
TABLE CONTENTS	xii
FIGURE CONTENTS	xiv
APPENDIX CONTENT	xviii
ABSTRACT	xix
CHAPTER 1 BACKGROUND	
1.1. Background	1
1.2. Problem Statement	2
1.3. Research Objectives	3
1.4. Scope of Research	3
1.5. Research Methodology	4
1.6. Report Outline	6
CHAPTER 2 LITERATURE REVIEW	7
CHAPTER 3 BASIC THEORY	
3.1. Spin Casting	10
3.2. Casting Defects	15
3.3. Silicone Rubber	15
3.4. Tin	19
3.5. Analysis Tools	20
3.5.1. Function Analysis	20

3.5.2. Functional Decomposition Diagram (FDD).....	23
3.5.3. Design Failure Mode Effect Analysis (DFMEA)	28
3.5.4. Grid Analysis	35
3.5.5. Tree Diagram	38
3.5.6. The Cause and Effect Diagram (Fishbone Diagram)	41
3.5.7. Arrow Diagram	42
3.6. Mechanical Design Procedure	44
3.6.1. Shaft Design Procedure	44
3.6.2. Taper Key Design Procedure	52
3.6.3. Axial Bearing Design Procedure	56
3.7. Electrical Component	58
3.7.1. Metal-sheathed Tubular Element	58
3.7.2. Thermostat.....	60
3.7.3. Thermocouple	60
3.7.4. Voltage Regulator	62
3.8. Variability of Material Properties	64
3.8.1. Cast Irons	64
3.8.2. Asbestos	65
3.8.3. Teflon (Polytetrafluoroethylene/PTFE)	65
3.9. Machine Cost	68
CHAPTER 4 COMPANY PROFILE AND DATA	
4.1. Current Spin Casting Machine Component Data	69
4.2. Cost of Material.....	76
CHAPTER 5 DISCUSSION	
5.1. Analysis using Function Analysis	79
5.2. Analysis using Functional Decomposition Diagram	80

5.3. Analysis using FMEA	82
5.4. Redesign Process	85
5.4.1. Substitute Material for Upper Inlet (Part A1-1).....	85
5.4.2. Substitute Material for Lower Inlet (Part B1-1).....	87
5.4.3. Redesigned Construction for Shaft (Part B2-4).....	89
5.4.4. Substitute Bolt M7 to Taper Key as Shaft Stopper Key (Part B2-2-1).....	97
5.4.5. Redesigned of Locking Head Casting	99
5.4.6. Substitute The Selected Guide Member (Part B2-3) and Sealing Member (Part B2-6)...	104
5.4.7. Adjustment Design for Pulley (Part B2-5) and Belt (Part B2-5-1).....	105
5.4.8. Analysis Voltage Regulator Utility	107
5.4.9. Heating Element	108
5.5. Result of Redesign Process	109
5.6. The Experimental Analysis of UAJY Keychain Using The New Spin Casting Machine	111
5.6.1. Analysis of The Result on Experiment UAJY Keychain Using The New Spin Casting Machine	111
5.6.2. Weaknesses of Redesigned Spin Casting Machine	117
5.6.3. Analysis of Production Time on Experiment UAJY Keychain Using The New Spin Casting Machine	117
5.6.4. Analysis of Spin Casting Machine Cost	118

CHAPTER 6 MANUAL INSRTUCTION

6.1. Component Unit of Spin Casting Machine	119
6.2. The List of Specification of Spin Casting Machine	122
6.3. The Operating Procedure of Spin Casting Machine	122

CHAPTER 7 CONCLUSION AND SUGGESTION

7.1. Conclusion	135
7.2. Suggestion	137

REFERENCES

APPENDIX




TABLE CONTENTS

Table 2.1. Comparison Previous and Present Research	10
Table 3.1. Properties of Some Silicone Rubber	18
Table 3.2. The Functional Decomposition Elements ...	24
Table 3.3. DFMEA Form Table	29
Table 3.4. Severity Rating	31
Table 3.5. Occurrence Rating	32
Table 3.6. Detection Rating	33
Table 3.7. Grid Analysis Table Before Weighted	37
Table 3.8. Grid Analysis Table After Weighted	37
Table 3.9. Correction Factor of Power Transmitted...	47
Table 3.10. The Size of Taper Key	53
Table 3.11. The Allowed Pressure on Axial Bearing ...	56
Table 3.12. Voltage Regulator Models and Specifications	63
Table 3.13. The Properties of Teflon	67
Table 4.1. Current Spin Casting Machine Specifications	69
Table 4.2. Data of material cost (Februari 2009).....	76
Table 4.3. Data of Component cost	77
Table 5.1. Classification of Critical Functions Parts	82
Table 5.2. FMEA Form	84
Table 5.3. Voltage Regulator and Non-Voltage Regulator Utility Comparison	107
Table 5.3. The Result of Redesign Process	110
Table 5.4. Production Time	117
Table 6.1. Specification of Spin Casting Machine	122

Table 7.1. The Specification of Spin Casting	
Machine	135
Table 7.2. Comparison Result	136



FIGURE CONTENTS

Figure 1.1. Flowchart of Research Methodology	5
Figure 3.1. Arrange Part on The Mold	10
Figure 3.2. Arrange Locknut and Sprayed	11
Figure 3.3. Vulcanization	11
Figure 3.4. Gating and Venting	12
Figure 3.5. Spinning	13
Figure 3.6. Pouring	13
Figure 3.7. Pouring Illustration	14
Figure 3.8. Removal Parts	14
Figure 3.9. Silicone Rubber Chain	15
Figure 3.10. Black Box System Model	20
Figure 3.11. Breakdown Overall Function	20
Figure 3.12. Transparent Box Model	21
Figure 3.13. Black Box and Transparent Box Model ...	21
Figure 3.14. Black Box Model of Washing Machine	22
Figure 3.15. Function Analysis of Washing Machine	22
Figure 3.16. Department of Motor Vehicles Functional Decomposition Diagram	27
Figure 3.17. Example of Tree Diagram	40
Figure 3.18. Illustration of Fishbone Diagram	41
Figure 3.19. Example of Arrow Diagram	43
Figure 3.20. Flow Diagram for Shaft with Torsion and Bending Force Design Procedure	46
Figure 3.21. α Stress Concentration Factor of Taper Key	50
Figure 3.22. Shear Stress on Taper Key	53
Figure 3.23. Flow Diagram for Taper Key Design Procedure	55

Figure 3.24. Flow Diagram for Axial Bearing Design Procedure	57
Figure 3.25. Metal-sheathed Tubular Element	58
Figure 3.26. Schematic Drawing Problem	59
Figure 3.27. Voltage Regulator 1kVA	62
Figure 3.28. Type Designation Voltage Regulator	63
Figure 3.29. Molecule Structure of Teflon	66
Figure 4.1. Current Spin Casting Machine	69
Figure 5.1. Black Box System of Spin Casting Machine	79
Figure 5.2. Function Analysis of spin casting	80
Figure 5.3. The Functional Decomposition Diagram for The Current Spin Casting Machine	81
Figure 5.4. Upper Inlet Substitute Material Selecting Process	86
Figure 5.5. Lower Inlet Substitute Material Selecting Process	88
Figure 5.6. Forces on Shaft	90
Figure 5.7. Forces of Belt Tension	92
Figure 5.8. Forces of Belt Tension Toward Z and X ...	92
Figure 5.9. Reaction Forces toward Z and X_	93
Figure 5.10. Reaction Forces toward X and Y	93
Figure 5.11. Bending Moment Diagram	94
Figure 5.12. The Mold Frame Design of Vulcanizer	99
Figure 5.13. The Modified Mold Frame Design of Vulcanizer for Head Casting	100
Figure 5.14. Final Shape of Head Casting	100
Figure 5.15. Tree Diagram - The Best Locking Design For Head Casting	101
Figure 5.16. Welded Gripper	102
Figure 5.17. Removable Gripper	102
Figure 5.18. Illustration of Funnel Presser	103

Figure 5.19. Taper Roller Bearing	105
Figure 5.20. The UAJY Keychain Product Master	111
Figure 5.21. Result of Spin Casting Process	112
Figure 5.22. Defects	112
Figure 5.23. Fishbone Diagram for Cracked Defect ...	113
Figure 5.24. Fishbone Diagram for Casting Leakage Defect	113
Figure 5.25. Tree Diagram for The Best Locking Design on Non-flatness Cover Plate Position	114
Figure 5.26. Transformation Design of Cover Plate	115
Figure 5.27. Final Shape of Head Casting	115
Figure 5.28. The Result of Spin Casting Process	116
Figure 5.29. The Result of Spin Casting Process	116
Figure 5.30. Arrow Diagram of Spin Casting Process	117
Figure 6.1. Spin Casting Machine (View 1).....	119
Figure 6.2. Spin Casting Machine (View 2).....	120
Figure 6.3. Unlock Left Latch	122
Figure 6.4. Unlock Right Latch	123
Figure 6.5. Open Top Enclosure	123
Figure 6.6. Remove Cover Plate	123
Figure 6.7. Load Silicone Rubber Mold	124
Figure 6.8. Close Head Casting Using Cover Plate ...	124
Figure 6.9. Close Top Enclosure	124
Figure 6.10. Lock Right and Left Latch	125
Figure 6.11. Put Electrical Motor Plug to Voltage Regulator Socket	125
Figure 6.12. Put Voltage Regulator Plug to Spin Casting Machine Socket	126
Figure 6.13. Put Spin Casting Machine Plug to the Socket	126
Figure 6.14. Switch "ON" Thermocouple MCB and	

Electrical Motor MC	127
Figure 6.15. Set the temperature of Thermocouple ...	127
Figure 6.16. Switch "ON" the Thermocouple Switch ...	128
Figure 6.17. Switch "ON" the Electrical Motor Switch	128
Figure 6.18. Rotate clockwise the Voltage Regulator to maximum voltage	129
Figure 6.19. Rotate counter-clockwise to set the expected voltage	129
Figure 6.20. Pour molten metal to the Funnel Presser	130
Figure 6.21. Turn "OFF" the Voltage Regulator	130
Figure 6.22. Set "OFF" Thermocouple MCB and Electrical Motor MCB	131
Figure 6.23. Switch "OFF" the Electrical Motor Switch	131
Figure 6.24. Switch "OFF" the Thermocouple Switch	132
Figure 6.25. Unlock Left Latch	132
Figure 6.26. Unlock Right Latch	132
Figure 6.27. Open Top Enclosure	133
Figure 6.28. Remove Cover Plate	133
Figure 6.29. Remove Side Plate	133
Figure 6.30. Result of Spin Casting Process	134

APPENDIX CONTENTS

Appendix 1. Engineering Drawing



ABSTRACT

Universitas Atma Jaya Yogyakarta's present attention to reduce dependency of relying mass production on subcontractor has encouraged the research of application spin casting technology. Spin casting technology has known as rapid tooling technology with some advantages in running mass production and capability in achieving intricate design.

The present spin casting machine was evaluated and redesigned to enhance the reliability of producing good quality of souvenirs made from tin. The evaluation was started by constructing Functional Decomposition Diagram. Afterward, the decomposed part list was classified to its critical function based on Function Analysis. Failure Modes Effects Analysis (FMEA) was performed to evaluate failures of current machine. Those failures were become input for redesign process. Mechanical Design Procedure, Grid Analysis, and Tree Diagram were performed during redesign process. Some defects were found during experimental works of "UAJY" keychain using the new spin casting machine. The Cause and Effect Diagram was performed to find best solution to solve related problems.

By the end of the research, spin casting machine with dimension 500mm x 600mm x 862mm; operating speed at 460 rpm; maximum silicone rubber dimension $\text{Ø}300\text{mm} \times 40\text{mm}$; electricity power 373 W and UAJY keychain product were obtained. The production time is 12,15 minutes and the machine cost is IDR 3,529.6/hour.